

NICHOLS, S., TAYLOR, C., PAGE, R., KALLVIKBACKA-BENNETT, A., NATION, F., GOODMAN, T., CLARK, A.L., CARROLL, S. and INGLE, L. 2019. Correction to Is cardiorespiratory fitness related to cardiometabolic health and all-cause mortality risk in patients with coronary heart disease? A CARE CR study. *Sports medicine - open* [online], 5, article number 5. Available from: <https://doi.org/10.1186/s40798-019-0179-y>

Correction to Is cardiorespiratory fitness related to cardiometabolic health and all-cause mortality risk in patients with coronary heart disease? A CARE CR study.

NICHOLS, S., TAYLOR, C., PAGE, R., KALLVIKBACKA-BENNETT, A., NATION, F., GOODMAN, T., CLARK, A.L., CARROLL, S. and INGLE, L.

2019

CORRECTION

Open Access



Correction to: Is Cardiorespiratory Fitness Related to Cardiometabolic Health and All-Cause Mortality Risk in Patients with Coronary Heart Disease? A CARE CR Study

Simon Nichols^{1*}, Claire Taylor², Richard Page³, Anna Kallvikbacka-Bennett⁴, Fiona Nation³, Toni Goodman⁵, Andrew L. Clark⁴, Sean Carroll³ and Lee Ingle³

Correction to: Sports Med Open

<https://doi.org/10.1186/s40798-018-0138-z>

The original article [1] contains an error in the presentation of Table 4. Values denoting the significance of different variables were mistakenly omitted in the published version. The correct version of Table 4 can instead be viewed ahead.

Author details

¹Centre for Sport and Exercise Science, Sheffield Hallam University, Collegiate Hall, Collegiate Crescent, Sheffield S10 2BP, UK. ²Carnegie School of Sport, Leeds Beckett University, Fairfax Hall, Headingley Campus, Leeds LS6 3QS, UK. ³Sport Health and Exercise Science, Don Building, University of Hull, Cottingham Road, Hull HU6 7RX, UK. ⁴Academic Cardiology, Castle Hill Hospital, Castle Road, Cottingham HU16 5JQ, UK. ⁵City Health Care Partnership CIC, East Riding Community Hospital, Swinemoore Lane, Beverley HU17 0FA, UK.

Received: 24 January 2019 Accepted: 24 January 2019

Published online: 05 February 2019

Reference

1. Nichols S, et al. Is Cardiorespiratory Fitness Related to Cardiometabolic Health and All-Cause Mortality Risk in Patients with Coronary Heart Disease? A CARE CR Study. *Sports Med Open*. 2018;4:22 <https://doi.org/10.1186/s40798-018-0138-z>.

* Correspondence: sj.nichols@shu.ac.uk

The original article can be found online at <https://doi.org/10.1186/s40798-018-0138-z>

¹Centre for Sport and Exercise Science, Sheffield Hallam University, Collegiate Hall, Collegiate Crescent, Sheffield S10 2BP, UK

Full list of author information is available at the end of the article

Table 4 Cardiorespiratory fitness and physical activity characteristics expressed as mean (95% confidence intervals)

Variable	High CRF <i>n</i> =28	Mod CRF <i>n</i> =32	Low CRF <i>n</i> =10	Partial Eta Squared	<i>P</i> -value
$\dot{V}O_{2Peak}$ (ml/kg/min)	28.5 (27.3, 29.7) ⁺	20.7 (19.5, 21.8) ⁺	14.9 (12.8, 16.9) ⁺	-	-
$\dot{V}O_{2Peak}$ (L/min)	2478.2 (2333.0, 2623.5) ⁺	1749.0 (1613.1, 1884.9) ⁺	1273.8 (1030.7, 1516.8) ⁺	-	-
$\dot{V}O_{2Peak} - \text{Lean}$ (ml/kg/min)	45.2 (43.4, 47.0) ⁺	34.8 (33.2, 36.5) ⁺	26.8 (23.8, 29.8) ⁺	0.670	<0.001 ^{**}
VAT (ml/kg/min)	20.7 (19.3, 22.1) ⁺	14.6 (13.3, 15.9) ⁺	11.2 (8.9, 13.6) ⁺	0.494	<0.001 ^{**}
VE/ $\dot{V}CO_2$ slope	30.1 (28.2, 32.1) [†]	37.4 (35.6, 39.2) [†]	38.5 (35.2, 41.7) [*]	0.354	<0.001 ^{**}
O_2/HR (ml/beat)	17.0 (15.8, 18.2) ⁺	13.8 (12.7, 14.9) ⁺	11.3 (9.4, 13.3) ⁺	0.311	<0.001 ^{**}
OUES	2718.3 (2555.3, 2881.3) [†]	1963.5 (1811.1, 2116.0) [†]	1699.0 (1426.2, 1971.7) [*]	0.485	<0.001 ^{**}
eBR (%)	30.3 (23.6, 36.9)	28.1 (22.0, 34.3)	37.0 (26.0, 48.1)	0.028	0.384
Peak HR (bpm)	147 (141, 153) [†]	128 (122, 134) [†]	119 (108, 129) [*]	0.308	<0.001 ^{**}
Peak RER	1.13 (1.09, 1.12) [*]	1.09 (1.05, 1.12) ^x	0.97 (0.91, 1.04) ^{*x}	0.181	0.001 ^{**}
Peak RPE	18 (17, 19)	18 (17, 19)	17 (15, 18)	0.072	0.083
1 Min HR Recovery (bpm)	-36 (-32, -40) [*]	-30 (-26, -34) ^x	-18 (-11, -25) ^{*x}	0.209	<0.001 ^{**}
2 Min HR Recovery (bpm)	-54 (-50, -59) ⁺	-45 (-40, -49) ⁺	-32 (-25, -38) ⁺	0.312	<0.001 ^{**}
3 Min HR Recovery (bpm)	-60 (-56, -65) ⁺	-49 (-45, -53) ⁺	-37 (-30, -44) ⁺	0.359	<0.001 ^{**}
6 Min HR Recovery (bpm)	-67 (-62, -71) ⁺	-54 (-50, -58) ⁺	-41 (-33, -48) ⁺	0.377	<0.001 ^{**}
Exercise Test Duration (Secs)	963.2 (916.3, 1010.1) ⁺	747.8 (703.9, 791.6) ⁺	488.3 (409.8, 566.8) ⁺	0.635	<0.001 ^{**}
METs	8.1 (7.8, 8.5) ⁺	5.9 (5.6, 6.2) ⁺	4.3 (3.7, 4.8) ⁺	-	-
Maximal CPET (%)	26 (93)	26 (81)	6 (60)		0.058
Achieves 150 Minutes of Moderate Activity Per-Week (%)	18 (64) ⁺	9 (28)	5 (50)		0.011 ^{**}
Achieves 75 Minutes of Vigorous Activity Per-Week (%)	7 (25) ⁺	1 (3)	0 (0)		0.013 ^{**}

$\dot{V}O_{2Peak}$ Peak Oxygen Uptake, VAT Ventilatory Anaerobic Threshold, VE/ $\dot{V}CO_2$ Ventilatory Efficiency with Respect to CO_2 Elimination, O_2/HR Oxygen Pulse, OUES Oxygen Uptake Efficiency Slope, eBR Estimated Breathing Reserve, HR Heart Rate, bpm Beats per Minute, RER Respiratory Exchange Ratio, RPE Rating of Perceived Exertion, Secs Seconds, METs Metabolic Equivalents

^{**}Significant Group Effect

[†]Significant Difference Between High CRF and Low CRF

^{*}Significant Difference Between High CRF and Moderate CRF

^xSignificant Difference Between Mod CRF and Low CRF

⁺Significantly Different from all Other Groups