

CORTÉS, X., SERRATOSA, F. and MORENO-GARCÍA, C.F. 2015. An interactive model for structural pattern recognition based on the Bayes classifier. In *De Marsico, M., Figueiredo, M. and Fred, A. (eds.) Proceedings of 4th International conference on pattern recognition applications and methods (ICPRAM 2015), 10-12 January 2015, Lisbon, Portugal, vol 1*. Setubal: SCITEPRSS [online], pages 240-247. Available from: <https://doi.org/10.5220/0005201602400247>

An interactive model for structural pattern recognition based on the Bayes classifier.

CORTÉS, X., SERRATOSA, F. and MORENO-GARCÍA, C.F.

2015

Copyright ©2015 SCITEPRESS (Science and Technology Publications, Lda.)

An Interactive Model for Structural Pattern Recognition based on the Bayes Classifier

Xavier Cortés, Francesc Serratos and Carlos Francisco Moreno-García

Universitat Rovira i Virgili, Tarragona, Spain

Keywords: Bayes Classifier, Structural Pattern Recognition, Interactive Pattern Recognition, Graph Matching.

Abstract: This paper presents an interactive model for structural pattern recognition based on a naïve Bayes classifier. In some applications, the automatically computed correlation between local parts of two images is not good enough. Moreover, humans are very good at locating and mapping local parts of images although any kind of global transformations had been applied to these images. In our model, the user interacts on the automatically obtained correlation (or correspondences between local parts) and helps the system to find the best correspondence while the global transformation parameters are automatically recomputed. The model is based on a Bayes classifier in which the human interaction is properly modelled and embedded in the model. We show that with little human interaction, the quality of the returned correspondences and global transformation parameters drastically increases.

1 INTRODUCTION

There are lots of applications for image verification or comparison that the whole process is completely automatic with high accuracy ratios. One of the most common applications is the Automatic Fingerprint Identification System (AFIS) (Maltoni, 2009) or image retrieval based on graphs (Jouili, 2012; Lebrun, 2011; Park, 1999; Toselli, 2011; Solé, 2011; Sanromà, 2012; Serratos, 2013). Nevertheless, in some cases, in which the ratio between noise and signal is very high in the input image, these completely automatic applications fail. In these cases, it is useful to use the semi-automatic approaches (Solé, 2013), in which a specialist can edit the automatically extracted local features to modify them (erase, create or update). Then, with the updated features, the automatic matching or query process is performed obtaining a result with higher quality. In the case of AFIS, it is usual that the specialist verifies and modifies the extracted minutiae of the fingerprint to be queried.

The idea of interaction between humans and machines is no new. Most of machines have been developed with the aim of assisting human beings in their work instead of substituting them. With the introduction of computer machinery, however, this idea changed, since some systems were developed to completely substitute humans in certain types of

tasks. An early vision of interactive human-machine technologies appeared in 1974 (Jarvis, 1974). Then the medical applications rapidly took those ideas to detect illnesses in a semiautomatic way. For instance, interactivity was used to detect blood cells in images in 1981 (Landeweerd, 1981). Nowadays, this interest has increased substantially (Solé, 2013) and (Sanchis, 2012). Moreover, it can be applied to other applications such as human tracking (Serratos, 2012).

The aim of classical pattern recognition is to automatically solve recognition problems. However, in many real applications, the needed recognition rate is higher than the one reached by the automatic pattern recognition system. In these cases, some sort of post-processing is applied where humans correct the error committed by machine. It turns out, however, that very often this post-processing phase is the bottleneck of a recognition system, causing most of its operational costs. To solve this problem, some visual interactive systems have been presented that allow expert to interact and modify the automatically extracted features of the objects (Zou, 2007).

In the model we present, the human interaction not only is considered in the extraction of the local features but also in the matching or comparison process. Thus, the obtained result is closer to the ideal one. This approach is characterized by human

and machine being tied up in a much close loop than usually. That is, the human gets involved not only in the first step of the recognition process (where the local features are extracted) or at the end, (where he decides that the automatically obtained decision is correct or not), but during the recognition process. In this way, many errors can be avoided beforehand and correction costs can be reduced.

Humans (or human specialists) are very good at finding the correspondences (also called labelling or matching between local parts) between local parts of an object (for instance, minutiae of two fingerprints, regions in segmented images or corners in skeletonised images) but this is the most difficult task for an automatic system. In the model we present, the specialist can recursively interact in the matching process until he considers it has obtained a good-enough match. In each interaction, the automatic process considers the hypothesis imposed by the user and, considering the model, obtains the best correspondence between local parts of both images. Note that, in each hypothesis, the user is not forced to interact on all the mappings that he considers not correct. But he can interact in a small part of the incorrect ones. Usually, imposing a small part of the labellings, other wrong labellings are amended. On the contrary, it is difficult for the specialist to decide which are the values of the global parameters between images (scale, rotation, translation, colour modifications,...) that is, the matrix values that transform an image into the other using some transformation model (affine or others). In this model, the user does not interact in the global parameters.

In this paper, we present a new model that shifts from the concept of fully automatic structural pattern recognition to a model where the obtained correspondence is conditioned by the human feedback. This shift is caused by the fact that the correspondence obtained by the full automation system often turns out to be non-natural. In the next section, we formalise the classical image registration based on structural pattern recognition. In section 3, we present our new model in which we incorporate the human interactivity and in section 4, we empirically evaluate it. Section 5 concludes the paper.

2 CLASSICAL IMAGE REGISTRATION MODEL

Let I^1 and I^2 be two input images to be compared.

Both images I^1 and I^2 are represented by any kind of representation that explore the local parts of the image $g^1 = g(I^1)$ and $g^2 = g(I^2)$. In this framework, the aim of classical image correspondence is to obtain a labelling between the outstanding parts of these images represented by points (for instance Harris corners (Harris, 1988), SIFTs (Lowe, 1999) and others (Mikolajczyk, 2005)) or graph nodes (for instance shock graphs (Sebastian, 2004)) $f(g^1, g^1)$ and a final distance value $D(g^1, g^1)$ (for instance the Euclidean distance between two vector points or the Edit distance between graphs (Sanfeliu, 1983)). Sometimes, instead of a distance function, the system returns a similarity $S_f(g^1, g^1)$ or a probability that both structures are the same. Nevertheless, to find this labelling or correspondence, it is crucial to find the deformation applied to one of the images to obtain the other. In image retrieval, these global parameters are called alignment parameters and several approaches have been presented that obtains the best correspondence f together with the alignment Φ such as Iterative Closest Point (ICP) (Zhang, 1992), Robust Point Matching (RPM) (Rangarajan, 1997), Dual-Step EM (Andrew, 1998), Graph Transformation Matching (GTM) (Aguilar, 2009) or Smooth Structural Graph Matching (Sanromà, 2012). Moreover, some methods have explicitly been developed to reject points that are considered outliers since they appear only in one of the two images such as RANSAC (Fischler, 1981). In the model we present, Φ represents a set of global parameters that globally deform one of the images; no necessary Φ has to be the alignment parameters.

Figure 1 shows the basic scheme of the classical image correspondence process. There is a first step in which the local parts g^1 and g^2 of the images I^1 and I^2 are obtained using methods such as (Harris, 1988), (Lowe, 1999) and (Mikolajczyk, 2005). Then, in the semi-automatic methods, there is a second step in which the user edits these local parts (erase, create or modify their positions or values). We note this editing user feedback as w^1 and w^2 . Note that the user not only has access to the obtained structure (or object representation) but also to the original image. The last step obtains the correspondences f and a similarity measure $S_{f,\Phi}$ in a completely automatic way through methods such as (Zhang, 1992), (Rangarajan, 1997), (Andrew, 1998), (Aguilar, 2009), (Sanromà, 2012), (Serratos, 2014) and (Solé, 2012). Note that the global parameters Φ are needed to compute the correspondences f and the similarity $S_{f,\Phi}$ but usually Φ is not a returned parameter of the system.




Figure 1: Image Correspondence Process with human interaction in the local parts extraction.

In the next section, we present a classical structural pattern recognition method that can be applied at step 3 of the classical image registration process (figure 1). It is not the aim of this paper to talk about the first and second step of this process.

3 INTERACTIVE IMAGE REGISTRATION MODEL

In the interactive model we present, we have adapted the third step depicted in figure 1 to add more human interactivity (Cortés, 2015). The interaction is applied on the correspondences between local parts of objects but not on the global parameters. This is because finding the best correspondence between a set of parts is an easy and natural task for humans. Placing structural pattern recognition within the human-interaction framework requires changes in the way we model the problem at hand. We have to take direct advantage of the feedback information provided by the user in each iteration step to improve “raw performance”. Figure 2 shows a schematic view of the third step of the image registration process (figure 1). Similarly to the first step, the user has access to the original images because they are the most informative input for the natural intelligence. Moreover, the user has access to both structures and the correspondence automatically obtained. The output of the module is the same as the classical one: the automatically obtained labelling $f(g^1, g^2)$ and the similarity function $S_{f, \phi}(g^1, g^2)$.

In the next sub-sections we comment the following aspects. First, we explain how to model the feedback of the user applied on the labelling.

Second, we comment how to model the similarity between the user feedback and the current labelling. Finally, we explain an interactive and structural pattern recognition model based on the maximum posterior probability.




Figure 2: Semiautomatic Pattern Recognition as the third step in the interactive registration process. The first and second steps are similar to the ones shown in figure 1.

3.1 Human Interaction on the Correspondences

We have defined a model to capture the users feedback that makes easy the users tasks. For humans, it is easy to detect a correct or wrong labelling and also to define a new one when they see both images together with the current labelling. We represent the human actions w through the following expression $w = \text{User_feedback}(I^1, I^2, g^1, g^2, f)$. These actions are represented as a vector $w = [w_1, \dots, w_k]$ that each position represents a simple user action. In each iterative step of the algorithm, the user can interact with a different number of possible simple actions. These actions are inserted to the vector w , in each human interaction, thus, increasing the number of elements of w . The current number of actions is k .

Using a graphical application, the user can only perform the following different actions. The human action $\text{True}(v_i^1)$ or $\text{True}(v_a^2)$ means that the q^{th} simple action of the user is to confirm that the labelling $f(v_i^1) = v_a^2$ is correct. It is represented as $w_q = \text{True}(v_i^1, v_a^2)$. On the contrary, the human action $\text{False}(v_i^1)$ or $\text{False}(v_a^2)$ means that the labelling $f(v_i^1) = v_a^2$ is not correct. It is represented as $w_q = \text{False}(v_i^1, v_a^2)$. The human action $\text{Set}(v_i^1, v_a^2)$, means that the user imposes a possibly new labelling $v_i^1 \rightarrow v_a^2$. It is represented as $w_q = \text{True}(v_i^1, v_a^2)$. Note that v_i^1 and v_a^2 have to be original nodes (non-extended) since the graphical application does not show extended nodes. Moreover, the first four actions are applied on only one node and the fifth action is applied to a pair of nodes. Finally, the human action $w_q = \text{OK}$ means

that the user accepts the current labelling for all the nodes, $v_i^1 \rightarrow f(v_i^1) \forall i = \{1, \dots, n\}$.

Figure 3 shows an example of a current labelling in black and the imposed human actions in red. The original graphs g^1 and g^2 have 6 nodes. Nevertheless, these graphs have been extended to 8 nodes to assure outliers can be considered. Thus, nodes v_7^1, v_8^1, v_7^2 and v_8^2 are null nodes that have to be labelled to outliers of the other graph.




Figure 3: Graphical representation of the current labelling in black and the humans' feedback in red. The graphical application has some easy-to-use tools to receive the human feedback related to actions *True*, *False* and *Set*. Moreover, there is a special tool to label a node to a null node.

The current labelling (in black) is $f(v_1^1) = v_2^2$, $f(v_2^1) = v_2^2$, $f(v_3^1) = v_2^2$, $f(v_4^1) = v_4^2$, $f(v_5^1) = v_5^2$, $f(v_6^1) = v_6^2$, $f(v_7^1) = v_3^2$ and $f(v_8^1) = v_8^2$. The user considers (in red) that labellings $f(v_1^1)$ and $f(v_2^1)$ are correct. Moreover, the user imposes the labelling $f(v_3^1) = v_4^2$. Therefore, the result of the current human actions are $w_1 = True(v_2^1, v_2^2)$, $w_2 = True(v_1^1, v_1^2)$ and $w_3 = True(v_3^1, v_4^2)$.

3.2 Human Interaction and Correspondences

Closer is the labelling (or node correspondences) the user desires to the automatically obtained labelling (or automatically obtained correspondences), better is considered the performance of the system. For this reason, it is important to define a similarity measure between the human actions (that is, the human labelling) and the automatic labelling. This similarity is defined as follows,

$$Similarity_w(f) = \frac{\sum_{\forall w_q | w_q = True(v_i^1, v_a^2)} 1 + \sum_{\forall w_q | w_q = False(v_i^1, v_a^2)} 1}{\sum_{\forall v_i^1, v_a^2 | f(v_i^1) = v_a^2} 1 + \sum_{\forall v_i^1, v_a^2 | f(v_i^1) \neq v_a^2} 1} \quad (1)$$

The $Similarity_h \in [0,1]$ is the fraction of mappings imposed by the human that coincide with the current labelling f . Note that the nodes that the user has not imposed the labelling do not affect the

similarity value. In the situation where the user has not interacted yet, the ambiguity is solved as $Similarity_w(f) = \frac{0}{0} = 1$. This is because, when there is no human feedback, then the interactive model has to perform in the same way than the classical model.

3.3 Interactive and Structural Pattern Recognition

We have modelled the interactive and structural pattern recognition problem similarly to the classical structural pattern recognition. Nevertheless, we have to take into consideration the feedback of the specialist, w . Therefore, we aim to find the best labelling and transformation parameters such that the posterior probability conditioned to both graphs and also the human feedback is maximised.

$$\hat{f}, \hat{\Phi} = \underset{\substack{f \in F \\ \forall \Phi \in \Omega}}{\operatorname{argmax}} P(f, \Phi | g^1, g^2, w) \quad (2)$$

Applying the Bayes rule, we obtain,

$$\hat{f}, \hat{\Phi} = \underset{\substack{f \in F \\ \forall \Phi \in \Omega}}{\operatorname{argmax}} \frac{P(g^1, g^2, w | f, \Phi) \cdot P(f, \Phi)}{P(g^1, g^2, h)} \quad (3)$$

The likelihood $P(g^1, g^2, w | f, \Phi)$ can be decomposed in two other probabilities using the conditional probability definition as follows $P(g^1, g^2, w | f, \Phi) = P(g^1, g^2 | w, f, \Phi) \cdot P(w | f, \Phi)$.

The prior probability on the graphs together with the hypothesis generated by the user, $P(g^1, g^2, w)$, does not depend on f , therefore, it is constant through the maximisation process and can be dropped off.

And the joint probability of the current labelling together with the global parameters $P(f, \Phi)$ are modelled as $P(f, \Phi) = P(f) \cdot P(\Phi)$ since we consider they are independent events due to the labelling does not to be affected by the global parameters. We can deduct few information about the probability on the correspondence $P(f)$. We merely impose that the function has to be bijective and so, this probability is zero if this is not the case. We assume an equal probability for the bijective functions.

$$P(f) = \begin{cases} 0 & \text{if } \exists i \neq j \\ 1/n! & \text{otherwise} \end{cases} \quad (4)$$

Where $f(v_i^1) = f(v_j^1)$; $1 \leq i, j \leq n$

We assume that $P(\Phi)$ is constant for all values of Φ . In fact, we could assume, depending on the application, that some global parameters are less possible to appear, for instance, in the case of

alignment parameters, the ones with large rotation angles or very large (or small) scale transformations. Thus, due to this probability becomes constant through the maximisation process; we do not take into consideration.

The probability $P(g^1, g^2 | w, f, \Phi)$ conditioned by the user hypothesis w , the current correspondence function f and the global parameters Φ is modelled assuming independence between local parts $P(g^1, g^2 | w, f, \Phi) = \prod_{i=1}^n P(v_i^1, v_a^2 | w, f, \Phi) \cdot \prod_{i,j=1}^n P(e_{ij}^1, e_{ab}^2 | w, f, \Phi)$ and imposing that $f(v_i^1) = v_a^2$ and $f(v_j^1) = v_b^2$. This model is similarly to the non-interactive one and the Naïve Bayes classifier (Richar, 1995).

Moreover, we propose the following model for the node local probability $P(v_i^1, v_a^2 | w, f, \Phi)$ becomes the following where $1 \leq t \leq z$,

$$P(v_i^1, v_a^2 | w, f, \Phi) = \begin{cases} 0 & \text{if } \exists w_t = \text{False}(v_i^1, v_a^2) \\ 1 & \text{if } \exists w_t = \text{True}(v_i^1, v_a^2) \\ P(v_i^1, v_a^2 | f, \Phi) & \text{otherwise} \end{cases} \quad (5)$$

In the same way, the model for the edge local probability $P(e_{ij}^1, e_{ab}^2 | w, f, \Phi)$ becomes the following where $1 \leq t, r \leq z$,

$$P(e_{ij}^1, e_{ab}^2 | w, f, \Phi) = \begin{cases} 0 & \text{if } \left\{ \begin{array}{l} \exists w_t = \text{False}(v_i^1, v_a^2) \vee \\ \exists w_r = \text{False}(v_j^1, v_b^2) \end{array} \right\} \\ 1 & \text{if } \left\{ \begin{array}{l} \exists w_t = \text{True}(v_i^1, v_a^2) \wedge \\ \exists w_r = \text{True}(v_j^1, v_b^2) \end{array} \right\} \\ P(e_{ij}^1, e_{ab}^2 | f, \Phi) & \text{otherwise} \end{cases} \quad (6)$$

The interpretation of this model is the following. When the user says the labelling is true or imposes a labelling, then, we assume the probability is 1. On the contrary, if the user says the labelling is not correct, then the probability of this labelling is null. Otherwise, the user does not inform about the labelling and we assume the automatically obtained one is the correct and so, the probability is estimated through this labelling $P(v_i^1, v_a^2 | f, \Phi)$ or $P(e_{ij}^1, e_{ab}^2 | f, \Phi)$. The usual interpretation of these probabilities is through a distance function such as, $P(v_i^1, v_a^2 | f, \Phi) = e^{-\text{dist}(v_i^1, \Phi(v_a^2))}$.

To assure the model optimises a bijective labelling, we also impose the following probabilities,

$$P(v_i^1, v_b^2 | w, f, \Phi) = 0 \text{ if } \exists w_t = \text{True}(v_i^1, v_a^2) \text{ where } 1 \leq t \leq z; \forall b \neq a.$$

$$P(v_j^1, v_a^2 | w, f, \Phi) = 0 \text{ if } \exists w_t = \text{True}(v_i^1, v_a^2) \text{ where } 1 \leq t \leq z; \forall j \neq i. \quad (7)$$

And similarly for the arcs,

$$P(e_{a'b'}^2 | w, f, \Phi) = 0 \text{ if } \left\{ \begin{array}{l} \exists w_t = \text{True}(v_i^1, v_a^2) \wedge \\ \exists w_r = \text{True}(v_j^1, v_b^2) \end{array} \right\}$$

where $1 \leq t, r \leq z; \forall \begin{matrix} a' \neq a \\ b' \neq b \end{matrix}$.

$$P(e_{ij}^1, e_{ab}^2 | w, f, \Phi) = 0 \text{ if } \left\{ \begin{array}{l} \exists w_t = \text{True}(v_i^1, v_a^2) \wedge \\ \exists w_r = \text{True}(v_j^1, v_b^2) \end{array} \right\} \text{ where } 1 \leq t, r \leq z; \forall \begin{matrix} i' \neq i \\ j' \neq j \end{matrix}. \quad (8)$$

The conditional probability $P(w | f, \Phi)$ of the human interaction with respect to the current correspondence and the transformation parameters is interpreted as the influence of the feedback or how much we believe on this feedback. Similar to the probabilities on the nodes and arcs, we suppose independence on each local action, $P(w | f, \Phi) = \prod_{w_t} P(w_t | f, \Phi)$. This assumption seems to be logical if we assume the user acts in the same way through the whole process. In the model we describe here, the human only acts on the correspondence f but not on the global parameters Φ although they influence in the decision that the user takes, since the user views the effect of Φ on the images.

We define the degree of confidence in the user as $P_t \in [0,1]$. It represents the probability of a correct interactivity and it is an application dependent parameter of the model. If P_t is high, we have a high confidence in the user and it is almost sure that at the next algorithm iteration, the new automatically obtained labelling will consider the human feedback. On the contrary, if P_t is low, although the user imposes some mappings between nodes, the optimal new labelling could not include some of these mappings.

The effect of the two human actions (*True* and *False*) on the local confidence probabilities is defined as follows.

$$\begin{aligned} P(\text{True}(v_i^1, v_a^2) | f, \Phi) &= P_t \\ P(\text{True}(v_i^1, v_b^2) | f, \Phi) &= \frac{1-P_t}{n-1}, \forall b \neq a \quad (9) \\ P(\text{False}(v_i^1, v_a^2) | f, \Phi) &= \frac{1-P_t}{n-1} \end{aligned}$$

Considering all the assumptions and probability estimations, the final expression is,

$$\begin{aligned} \hat{f}, \hat{\Phi} &\cong \underset{\substack{\forall f \in \text{Bijective} \\ \forall \Phi \in \Omega}}{\text{argmax}} \{ \prod_{t=\{1, \dots, k\}} P(w_t | f, \Phi) \cdot \\ &\prod_{v_i=\{1, \dots, n\}} P(v_i^1, v_a^2 | w, f, \Phi) \\ &\prod_{v_i, j=\{1, \dots, n\}} P(e_{ij}^1, e_{ab}^2 | w, f, \Phi) \} \end{aligned} \quad (10)$$

Note that the maximum value is reached when the obtained labelling \hat{f} is the same than the human imposes through w .

4 PRACTICAL VALIDATION

For our experiments, we consider the CMU “house” and “castle” sequences. There are two datasets consisting of 111 frames of a toy house and a castle (CMU, 2009). Each frame in these sequences has been hand-labelled, with the same 30 landmarks identified in each frame (Caetano, 2006). The ideal labelling imposed by the human in its interactive actions is going to be these hand-made labellings. From each landmark, we have only considered their bidirectional position in the image. The cost $C(v_i^1, \Phi(v_a^2))$ between landmarks is the Euclidean distance of their image positions.

We explore the performance of our method considering the separation between frames (as it is done in (Caetano, 2006)). Experiments marked with F_i are performed through all pair of images that the distance between frames is i . The final result values are the average of these experiments.

The interaction of the user is modelled as follows. The user interacts in each step with only one action Set . There are not contradictory orders with previous iterations and this action is always done to modify the current labelling. That is, it is performed on node labellings that the user considers wrong (the ideal labelling is different from the current labelling). With the aim of performing automatically the experiments, we generate the Set actions as follows. In each iteration, the system compares the ideal labelling with the current labelling, from the first point to the 30th point. If v_i^1 is the first point such that $f(v_i^1)$ is different from the ideal labelling, then, we generate the action $Set(i, a)$, being v_a^2 the receiving node of the ideal labelling.

We assess the quality of the current labelling with the Hamming distance between the current labelling and the ideal labelling.

Figure 4 and Figure 5 show the Hamming distance between the ideal labelling and the current labelling and the Cost $C_{f,\Phi}$. Note that not all the experiments get the maximum number of iterations since when the Hamming distance is zero; it is supposed that the user introduces an OK and the iterative algorithm stops. The registration algorithm in these experiments is the Hungarian method (Munkres, 1957). We have performed other

experiments using ICP (Zhabg, 1992), but, due to there is not an important difference between images, the automatic labelling was almost perfect without the need of human interaction.

We realise that when the hamming distance decreases, also does the cost in almost all the tests. This means that the ideal labelling of the user is in conjunction with the representation of the objects and the cost function. This fact can be used as a measure of quality of the representation of the objects given a specific application.




Figure 4: Hamming distance respect of the number of iterations on the Hotel and House dataset.

F50: \blacksquare , F60: \blacklozenge , F70: \blacktriangle and F80: \blacklozenge . F_i means that the distance between frames is i .




Figure 5: Cost function respect of the number of iterations on the Hotel and House dataset.

F50: \blacksquare , F60: \blacklozenge , F70: \blacktriangle and F80: \blacklozenge . F_i means that the distance between frames is i .

Table 1 shows the ratio between the initial hamming distance with respect to the maximum number of iterations. For instance, in the case of Hotel and F50,

initial hamming distance = 4.5, number of iterations = 6, so $4.5/6 = 0.75$. This value represents the decrease of the hamming distance in each iteration. The case that the value is higher than 1 appears when, in each iteration, not only the manually imposed labelling is amended but also other ones. Note that this situation appears in the cases when there is an important reduction of the cost, and so, the “human distance” is consistent with the “model distance”.

Table 1: Cost function respect of the number of iterations of the Hotel and House dataset.

	F50	F60	F70	F80
Hotel	0.75	0.94	1.44	1.08
House	0.33	0.50	0.70	0.91

5 CONCLUSIONS

We have presented an interactive and structural pattern recognition model based on the Bayes classifier for image registration. Some fully automatic systems for image registration do not achieve the desirable quality due to high distortion on the images, bad quality of these images or simply that the systems do not capture the main local features of the objects to be compared. The main idea of this model is that a specialist is very good at finding some correspondences between local parts. Then, we have designed a very easy-to-use model that with some interactions, the possibly wrong and automatically obtained labellings are amended. Experiments show that with few user interactions the system obtains the ideal labelling.

This is the first time that an interactive model has been presented and modelled through the Bayes theorem that explicitly modifies the labelling between local parts. We believe that the task of finding a labelling between images based on local parts is costless for humans although it has been shown to be a very difficult task for machines. This model can be used in a great amount of applications in which there is a specialist that verifies the final result such as medical diagnosis or fingerprint identification.

ACKNOWLEDGEMENTS

This research is supported by the CICYT project DPI2013-42458-P and TIN2013-47245-C2-2-R.

REFERENCES

- Davide Maltoni, Dario Maio, Anil K. Jain & Salil Prabhakar, “Handbook of Fingerprint Recognition”, Springer, (2009).
- Salim Jouili & Salvatore Tabbone, “Hypergraph-based image retrieval for graph-based representation”, Pattern Recognition, Available online 28 April (2012).
- Justine Lebrun, Philippe-Henri Gosselin & Sylvie Philipp-Foliguet, “Inexact graph matching based on kernels for object retrieval in image databases”, Image and Vision Computing, 29 (11), pp: 716-729, (2011).
- In Kyu Park, Il Dong Yun & Sang Uk Lee, “Colour image retrieval using hybrid graph representation”, Image and Vision Computing, 17 (7), pp: 465-474, (1999).
- Toselli, A. H., Vidal E. & Casacuberta, F. “Multimodal interactive pattern recognition and applications”, Springer (2011).
- A. Solé & F. Serratos, Models and Algorithms for computing the Common Labelling of a set of Attributed Graphs, Computer Vision and Image Understanding 115 (7), pp: 929-945, 2011.
- G. Sanromà, R. Alquézar, F. Serratos & B. Herrera, Smooth Point-set Registration using Neighbouring Constraints, Pattern Recognition Letters 33, pp: 2029-2037, 2012.
- F. Serratos, X. Cortés & A. Solé, Component Retrieval based on a Database of Graphs for Hand-Written Electronic-Scheme Digitalisation, Expert Systems With Applications 40, pp: 2493 -2502, 2013.
- A. Solé & F. Serratos, Graduated Assignment Algorithm for Multiple Graph Matching based on a Common Labelling, International Journal of Pattern Recognition and Artificial Intelligence 27 (1), pp: 1 - 27 2013.
- Jarvis, R. A. “An interactive minicomputer laboratory for graphics, image processing and pattern recognition”, Computer 7 (10), pp: 49-60, (1974).
- G. H Landeweerd, E. S Gelsema, M Bins, M. R Halie, “Interactive pattern recognition of blood cells in malignant lymphomas”, Pattern Recognition, 14, (1-6), pp: 239-244, (1981).
- Alberto Sanchís, Alfons Juan, Enrique Vidal: “A Word-Based Naïve Bayes Classifier for Confidence Estimation in Speech Recognition”. IEEE Transactions on Audio, Speech & Language Processing 20(2): 565-574, (2012).
- F. Serratos, R. Alquézar & N. Amézquita, A Probabilistic Integrated Object Recognition and Tracking Framework, Expert Systems With Applications 39, pp: 7302-7318, 2012.
- Jie Zou, George Nagy, “Visible models for interactive pattern recognition”, Pattern Recognition Letters, 28, (16), pp: 2335-2342, (2007).
- Harris, C. & Stephens, M. “A combined corner and edge detector”, Proceedings of the 4th Alvey Vision Conference. pp. 147-151, (1988).
- Lowe, D. G., “Object recognition from local scale-invariant features”. Proceedings of the International Conference on Computer Vision. 2. pp. 1150-1157, (1999).

- Mikolajczyk, K. & Schmid, C. "A performance evaluation of local descriptors". *IEEE Transactions on Pattern Analysis & Machine Intelligence*, 27(10): 1615–1630 (2005).
- Sebastian, T., Klein, P. & Kimia, B. "Recognition of shapes by editing their shock graphs". *IEEE Trans. on Pattern Analysis & Machine Intelligence* 26(5): 550–571 (2004).
- Sanfeliu, A. & Fu, K. "A distance measure between attributed relational graphs for pattern recognition". *IEEE Transactions on Systems, Man and Cybernetics* 13, 353–362. (1983).
- Zhang, Z. "Iterative Point Matching for Registration of Free-form Curves", *International Journal of Computer Vision* 13(2): 119-152. (1992).
- Rangarajan, A., H. Chui, et al. The softassign procrustes matching algorithm. *International Conference on Information Processing in Medical Imaging*. (1997).
- Andrew D. J. Cross, Edwin R. Hancock: "Graph Matching With a Dual-Step EM Algorithm" *IEEE Trans. Pattern Analysis & Machine Intellig.*, 20(11): 1236-1253 (1998).
- Aguilar, W., Frauel, Y., Escolano, F. & Martinez-Perez, M. E. "A robust graph transformation matching for non-rigid registration". *Image and Vision Computing* 27, 897–910. (2009).
- G. Sanromà, R. Alquézar, & F. Serratosa, "A New Graph Matching Method for Point-Set Correspondence using the EM Algorithm and Softassign", *Computer Vision and Image Understanding CVIU*, 116(2), pp: 292-304, (2012).
- Fischler, M. and R. Bolles "Random sample consensus: a paradigm for model fitting with applications to image analysis and automated cartography", *Communications of the ACM* 24(6): 381-395 (1981).
- F. Serratosa, "Fast Computation of Bipartite Graph Matching", *Pattern Recognition Letters*, PRL 45, pp: 244–250, 2014.
- A. Solé, F. Serratosa & A. Sanfeliu, "On the Graph Edit Distance cost: Properties and Applications", *International Journal of Pattern Recognition and Artificial Intelligence*, IJPRAI 26, (5), pp:, 2012.
- X. Cortés & F. Serratosa, "An Interactive Method for the Image Alignment problem based on Partially Supervised Correspondence", *Expert Systems With Applications*, 42 (1), pp: 179 – 192, 2015.
- Richard O. Duda & Peter E. Hart, "Pattern Classification and Scene Analysis", John Wiley, 1995.
- CMU "house" data set, <http://vasc.ri.cmu.edu/idb/html/motion/house/index.html>, 2009.
- T. S. Caetano, T. Caelli, D. Schuurmans & D. A. C. Barone, "Graphical Models and Point Pattern Matching," *IEEE Trans. Pattern Analysis and Machine Intelligence*, vol. 28, no. 10, pp. 1646-1663, (2006).
- Munkres, J. "Algorithms for the assignment and transportation problems". *Journal of the Society for Industrial and Applied Mathematics* 5(1), 32–38, (1957).