

ROBERTSON, A., CRESSWELL, K., TAKIAN, A., PETRAKAKI, D., CROWE, S., CORNFORD, T., BARBER, N., AVERY, A., FERNANDO, B., JACKLIN, A., PRESCOTT, R., KLECUN, E., PATON, J., LICHTNER, V., QUINN, C., ALI, M., MORRISON, Z., JANI, Y., WARING, J., MARSDEN, K. and SHEIKH, A. 2010. Implementation and adoption of nationwide electronic health records in secondary care in England: qualitative analysis of interim results from a prospective national evaluation. *BMJ* [online], 341(7778), article ID c4564. Available from: <https://doi.org/10.1136/bmj.c4564>.

Implementation and adoption of nationwide electronic health records in secondary care in England: qualitative analysis of interim results from a prospective national evaluation.

ROBERTSON, A., CRESSWELL, K., TAKIAN, A., PETRAKAKI, D., CROWE, S., CORNFORD, T., BARBER, N., AVERY, A., FERNANDO, B., JACKLIN, A., PRESCOTT, R., KLECUN, E., PATON, J., LICHTNER, V., QUINN, C., ALI, M., MORRISON, Z., JANI, Y., WARING, J., MARSDEN, K. and SHEIKH, A.

2010



Implementation and adoption of nationwide electronic health records in secondary care in England: qualitative analysis of interim results from a prospective national evaluation

Ann Robertson¹ Kathrin Cresswell¹ Amirhossein Takian² Dimitra Petrakaki³ Sarah Crowe⁴ Tony Cornford³ Nicholas Barber² Anthony Avery⁴ Bernard Fernando¹ Ann Jacklin⁵ Robin Prescott¹ Ela Klecun³ James Paton⁶ Valentina Lichtner³ Casey Quinn⁴ Maryam Ali³ Zoe Morrison¹ Yogini Jani² Justin Waring⁴ Kate Marsden⁴ Aziz Sheikh¹

¹eHealth Research Group, Centre for Population Health Sciences, University of Edinburgh, Edinburgh EH8 9AG

²Department of Practice and Policy, School of Pharmacy, University of London, London

³Department of Management, London School of Economics and Political Science, London

⁴Division of Primary Care, University of Nottingham, Nottingham

⁵Imperial College Healthcare NHS Trust, London

⁶Burton Hospitals NHS Foundation Trust, Burton upon Trent

Correspondence to: A Sheikh, professor of primary care research and development, aziz.sheikh@ed.ac.uk

Cite this as: *BMJ* 2010;341:c4564
doi:10.1136/bmj.c4564

ABSTRACT

Objectives To describe and evaluate the implementation and adoption of detailed electronic health records in secondary care in England and thereby provide early feedback for the ongoing local and national rollout of the NHS Care Records Service.

Design A mixed methods, longitudinal, multisite, socio-technical case study.

Setting Five NHS acute hospital and mental health trusts that have been the focus of early implementation efforts and at which interim data collection and analysis are complete.

Data sources and analysis Dataset for the evaluation consists of semi-structured interviews, documents and field notes, observations, and quantitative data. Qualitative data were analysed thematically with a socio-technical coding matrix, combined with additional themes that emerged from the data.

Main results Hospital electronic health record applications are being developed and implemented far more slowly than was originally envisioned; the top-down, standardised approach has needed to evolve to admit more variation and greater local choice, which hospital trusts want in order to support local activity. Despite considerable delays and frustrations, support for electronic health records remains strong, including from NHS clinicians. Political and financial factors are now perceived to threaten nationwide implementation of electronic health records. Interviewees identified a range of consequences of long term, centrally negotiated contracts to deliver the NHS Care Records Service in secondary care, particularly as NHS trusts themselves are not party to these contracts. These include convoluted communication channels between different stakeholders, unrealistic deployment timelines, delays, and applications that could not quickly respond to changing national and local NHS priorities. Our data suggest support for a “middle-out” approach to implementing hospital electronic health records,

combining government direction with increased local autonomy, and for restricting detailed electronic health record sharing to local health communities.

Conclusions Experiences from the early implementation sites, which have received considerable attention, financial investment and support, indicate that delivering improved healthcare through nationwide electronic health records will be a long, complex, and iterative process requiring flexibility and local adaptability both with respect to the systems and the implementation strategy. The more tailored, responsive approach that is emerging is becoming better aligned with NHS organisations' perceived needs and is, if pursued, likely to deliver clinically useful electronic health record systems.

INTRODUCTION

Electronic health records are being introduced in Europe, North America, Australasia, the Middle East, and elsewhere.^{1,2} There is no universally accepted definition of the term electronic health record, but we use it to mean a digital, longitudinal record of a patient's health and health care that can be shared by different healthcare providers.³ Although electronic health records are widely viewed as central to modernising the organisation and delivery of sustainable, high quality health care, the uptake of such records in hospital has tended to be slow.⁴ Approaches to deployment of electronic health records vary from home grown systems in single organisations with the necessary technical and managerial capacity; to interoperability standards for linking multiple information technology (IT) systems; to top-down, government driven, national implementations of standardised, commercial software applications. The last approach was chosen in England in 2002: the nationwide implementation of electronic health records, known as the National Health Service (NHS) Care Records Service, is the cornerstone of the £12.7bn National Programme for IT.^{5,6}

A limited range of standardised applications was to be centrally procured and implemented in, initially, five geographical clusters by centrally contracted local service providers; these new systems were then planned to connect to a national database and messaging service (the NHS Spine). The resulting NHS Care Records Service is thus in two parts⁷—a centrally stored summary care record containing basic clinical information for emergencies (which has been separately evaluated^{8,9}) and a locally held and shared detailed electronic health record. The latter, detailed electronic health record is the focus of this paper.

The stated anticipated benefits of the National Programme for IT are summarised in appendix 1 (on bmj.com). Previous research into the programme's progress in hospital trusts reported findings from 25 interviews with senior NHS staff from four acute trusts.¹⁰ Those interviewees were unanimously and “unreservedly” supportive of the programme's goals, but they highlighted several concerns, including delayed deployments, local financial deficits, and poor communication between local managers and the agency responsible for the programme. Our research builds on and expands this earlier work by investigating the NHS Care Records Service in diverse secondary care settings and by interviewing a more comprehensive range of NHS trust staff.

We were commissioned to undertake an independent evaluation of early experiences of implementing the NHS Care Record Service in English hospitals to inform the subsequent rollout of nationwide electronic health records. This is, we believe, the largest contemporaneous and longitudinal evaluation of an electronic health record's implementation ever undertaken. Here, we report interim findings from five “early adopter” secondary care trusts that have been the focus of national implementation efforts and where the first rounds of collection and analysis of evaluation data are complete. Our primary objectives are to identify insights and experiences that can usefully shape the future direction of the NHS Care Records Service in hospitals at a critical juncture (triggered by a change in government and recently announced austerity measures, and plans to restructure the NHS).¹¹ Secondly, publishing early results from England's experiences of implementing an ambitious and expensive IT enabled transformation of healthcare services may offer lessons for other countries that are embarking on large scale, nationwide electronic health record programmes.¹²

METHODS

Design

We are undertaking a mixed methods, longitudinal,¹² socio-technical,¹³ multisite case study evaluation (see appendix 2 on bmj.com). Data collection is due to end in 2011. The evaluation protocol (appendix 3 on bmj.com) was aligned to the deployment schedule for the NHS Care Records Service and envisaged a traditional before-and-after evaluation design. The design was adapted in response to deployment delays and the diversity of processes for introducing the new

systems in England's hospitals, but the evaluation's original aims of informing local and national rollout of electronic health records have been retained. The adapted approach treats each participating organisation as an individual case study of the socio-technical processes of implementing—and, where sufficient progress has been made, adopting—newly introduced IT systems for the NHS Care Records Service. While each case study site is evaluated as a distinct enactment of the NHS Care Records Service, reviewing findings from our multiple case studies allows important common themes to be identified.

Governance and ethics

The research was classed as a service evaluation by the NHS Research Ethics Committee (reference 08/H0703/112). The lead institution is compiling and maintaining a record of all data collection activity as the multidisciplinary collaborative team continues to generate a large longitudinal dataset. Prior informed consent to join the evaluation was obtained from participating NHS trusts, and researchers complied with local requirements for approvals on a case by case basis. Informed consent was also obtained from participating individuals. We have protected participants' anonymity and, as far as possible, the anonymity of participating sites by removing identifying information from the data.

Sampling

We used purposive sampling¹⁴ to identify 12 diverse trusts across the areas where the National Programme for IT is currently being implemented (London; North, Midlands and East; and Southern England) and to include sites implementing all three centrally procured hospital applications (Lorenzo and Cerner Millennium for acute hospitals and RiO for mental health). Purposive sampling was guided by the research aims—to study NHS hospital trusts in the process of implementing one of Cerner Millennium, Lorenzo, or RiO and, within the limited deployments to date, to recruit organisations with a varied range of geographical settings and local deployment strategies. Hence, purposive sampling was not designed to generate a representative sample of all secondary care NHS trusts in England (this would have been inappropriate as most trusts are not yet implementing the NHS Care Records Service). Rather, we sought to recruit as varied as possible a sample of early adopter sites from which the breadth and, more importantly, the depth of inquiry could generate potentially transferable lessons.¹⁵⁻¹⁷

No invited NHS trust refused to participate in the evaluation. We decided not to pursue evaluation work at one trust where there were access difficulties after initial recruitment. Lack of engagement, which would severely compromise data collection, seemed to be the result of competing priorities for trust staff at a time of organisational change.

Within each of the remaining case studies, purposive sampling aimed to recruit a diverse range of interviewees with a stake in implementation of the NHS Care Records Service, actively seeking different

perspectives, including outlier views. Trust interviewees in the five case studies reported here were hospital managers, members of the implementation team and IT staff, doctors, nurses, allied health professionals, administrative staff, and, where appropriate, patients and carers (table 1). In addition, we purposively sampled knowledgeable individuals who were not NHS trust staff and who offered additional perspectives on implementing the NHS Care Records Service. Interviewees came from NHS Connecting For Health (part of the Department of Health Informatics Directorate and responsible for overseeing the National Programme for IT), strategic health authorities (the regional NHS management organisations responsible for local delivery of the programme), local service providers (contracted to deploy the NHS Care Records Service in secondary care), and the commercial companies subcontracted to supply the applications.

Settings

The reported research is set in five diverse secondary care NHS hospital trusts in England. These include one site implementing Cerner Millennium and one site implementing RiO, for which British Telecommunications is the local service provider contracted to deliver

London services, and three sites implementing Lorenzo in the North, Midlands and East region, where the local service provider is Computer Science Corporation (figure). Anonymised information about the trusts is given in table 1.

Data collection


Qualitative data collected at each case study site consisted of trust documents, transcripts of semi-structured interviews (conducted face-to-face, by telephone, and by email), and on-site observations and accompanying field notes (table 1). We also reviewed specialist IT publications, national media reports, and publications by parliamentary and professional bodies to track the wider context (macro-environment) in which implementations took place.

We collected public NHS trust documents and, with permission, private ones. Documents collected from the trusts were copies of the trusts' organisational structure, deployment timelines for the NHS Care Records Service, project initiation documents, business cases, risk registers, minutes from board meetings related to the NHS Care Records Service, "lessons learned" documents, training strategy documents, and annual reports. Additional relevant local documents, such as

Table 1 Characteristics of the five NHS acute hospital and mental health trusts implementing NHS Care Records Service applications for which interim data collection and analysis are complete

Case study identifier and description	Application, supplier, local service provider	Application's deployment status and plans	Interim data sources
Site A: acute NHS hospital trust, London area (urban)	Cerner Millennium, Cerner, BT	Due to deploy clinical functionality (such as test requests and results) in May 2010; patient administration system in 2011; plans to build on clinical functionality over 5 years. Trust-wide deployment	26 interviews: 17 trust staff (3 IT, 5 implementation team, 7 clinical, 2 administrative); 5 patients or carers; 2 strategic health authority staff (LPfIT); 2 local service provider staff. Attendance at trust's NHS Care Records Service board meetings. Trust documents; public body and press reports; field notes. All but 4 interviews audio recorded and transcribed (2 patients and 2 healthcare staff declined to be recorded, and interviewer took contemporaneous notes). Data collection March-October 2009
Site B: NHS foundation trust, North, Midlands and East area (predominantly rural)	Lorenzo (release 1), iSoft, CSC	Small scale implementation as an order communication system (ordering requests and results); plans to deploy release 1.9 patient administration system trust-wide	45 interviews: 35 trust staff (13 implementation team, 18 clinical, 4 administrative); 6 patients; 2 local service provider staff; 2 NHS Connecting for Health staff. Trust documents; press reports; field notes. All but 2 interviews audio recorded and transcribed (1 nurse declined to be recorded and in 1 interview the recorder failed, and interviewer took contemporaneous notes). Data collection February-October 2009
Site C: NHS foundation trust, North, Midlands and East area (mixed urban and surrounding communities)	Lorenzo (release 1), iSoft, CSC	Small scale implementation in one department as an order communication system (ordering requests and results); due to digitalise requesting and reporting processes and make some related clinical processes "paper-light"; due to deploy clinical documentation project department-wide. Plans to have, in effect, three go-lives in one project	6 interviews with trust staff (4 implementation team, 2 clinical). Trust documents; field notes. Interviews audio recorded and transcribed. Data collection June 2009
Site H: NHS foundation trust, North, Midlands and East area (urban)	Lorenzo (release 1), iSoft, CSC	Small scale implementation of clinical documentation functionality. Plans to roll out functionality to other specialties before considering trust-wide roll out	13 interviews with trust staff (6 implementation team, 7 clinical). Trust documents; press reports; field notes. Interviews audio recorded and transcribed. Data collection July 2009 to February 2010
Site M: NHS foundation trust and integrated mental health and social care trust, London area (urban)	RiO (5.1), CSE Healthcare Systems, BT	Trust-wide deployment completed in mid-2009, except for prescription, which it is planned to deploy mid-2010	24 interviews: 20 trust staff (10 implementation team, 10 clinical); 3 LPfIT staff; 1 local service provider staff. Attendance at Trust's NHS Care Records Service board meetings. Trust documents; public body and press reports; on site observations; field notes. All interviews audio recorded and transcribed except 1 (at interviewee's request, contemporaneous interviewer notes) and 1 email interview (at interviewee's request). Data collection May-November 2009

LPfIT=London Programme for IT.



The NHS Care Records Service in secondary care in 2010: local service providers, local service provider suppliers, and NHS Care Records Service applications.

work process maps, were collected where these were accessible. Trust documents provided the local context for each case study and complemented other data sources by, for example, allowing comparison of their contents with national policy statements and with data gathered in interviews with trust staff.

Interviews, lasting on average an hour, explored individuals' expectations, experiences, and opinions of electronic health records. The interviewees were five university employees (KC, AT, DP, SC, and AR), all experienced qualitative researchers with no prior relationships with the interviewees. Early interviews were guided by topic guides (see appendix 4) designed for specific interviewee groups. As each case study progressed, the lead researcher at that site adapted interview guides and other data collection to respond to previously collected data and emerging themes. Nearly all interviews were audio-recorded (table 1). For a few interviews, participants requested not to be recorded, and in such instances the researcher took notes. Professional transcribers transcribed the interviews verbatim, with the interviewees then checking the transcripts for accuracy. Copies of the transcripts were available to interviewees, although only a minority requested to see them; there were no cases of interviewees disputing the transcript contents.

Data collection finished at each of the study sites when the research team judged that saturation had been achieved—that is, when no new, rich, diverse data relevant to the evaluation were being acquired. This was partly influenced by factors related to the setting—such as the scale of the deployment at the site (for example, limited to a ward or hospital-wide) and type of functionalities being introduced (for example, ordering of tests or clinical notes). The individual data collection periods varied by site (table 1); all of the data reported here were collected between February 2009 and February 2010. We will revisit each site to collect longitudinal data in order to understand how implementation progresses.

Data analysis

Qualitative data collection and analysis were iterative. Researchers combined top-down, thematic coding that was guided by a matrix of socio-technical factors¹³ and bottom-up, inductive coding that allowed themes to emerge from the data without prior theoretical categorisation.¹⁵⁻¹⁷ From a socio-technical perspective, organisational and human (socio) factors and IT system factors (technical) are interrelated parts of one system, each shaping the other.¹⁸ Information about the socio-technical approach that provides the theoretical underpinning for the evaluation is given in appendix 5 on bmj.com.

The software package NVivo 8 was used to manage interviews, field notes, and documentary data. Data coding was undertaken by the researchers who collected the data. In keeping with an interpretative qualitative approach, which recognises the subjectivity of the researcher,^{16,17} we used a range of approaches to validate data quality and credibility, including checking for face validity, looking for disconfirming evidence, data triangulation by data source, and seeking informant feedback. Emerging findings were shared with participating trusts for feedback. Transcripts, codes, emerging findings, and their interpretations were presented and discussed by research colleagues at each stage of the analysis in regular team meetings and in multidisciplinary data analysis workshops and steering group meetings. Discussions and feedback supported researcher reflexivity and confirmed the interim results' trustworthiness and credibility.¹⁹

RESULTS

Several themes echoed those previously reported in the electronic health record implementation literature (see box).²⁰ Rather than explore these further, in this paper we focus on themes from the macro-environment and cross-cutting themes that are particularly relevant to English health policy and national and international debates about approaches to implementing electronic health records. The key themes are

- How the envisioned NHS Care Records Service in England has evolved substantially since its launch
- Hospital staff want electronic health records, but the type of electronic health record and scale of data sharing that are wanted are far less clear
- Increasing uncertainties about the future of the current NHS Care Records Service Programme
- Perceived multiple adverse consequences of centrally negotiated contracts to deliver nationwide electronic health records
- Trusts wanting systems that are better tailored to their particular organisation, not standardised systems
- Community level implementations of electronic health records and data sharing may present the optimal way forward.

A selection of supporting data is given to illustrate each theme.

Main themes from interviews with staff implementing three NHS Care Records Service applications at five case study sites

Organisational dimension

- Organisational context
- Getting the organisation ready for change
- Infrastructure
- Planning
- Leadership and management
- Trust resources
- Teamwork and communication
- Learning and evaluation
- Sharing lessons learned
- Perceived risks and benefits of implementing application
- Realistic expectations and timelines

Social or human dimension

- NHS Care Records Service vision(s)
- Needs of stakeholders and perceived benefits
- Interactions between stakeholder groups
- Attitudes, expectations, concerns, and motivations
- Champions
- Integration of system with existing work processes
- Ownership and resistance
- Workarounds
- End user input into design
- User engagement
- Patients' views
- IT literacy in NHS
- Training to use new application
- Support for users
- Realistic expectations and timelines

Technical dimension

- Data cleansing and migration
- Features and functionalities of application
- Adaptability and flexibility of new system (customisability)
- Integration with existing systems
- Stability
- System benefits
- Usability and performance—software
- Usability and performance—hardware
- Data security and confidentiality
- Smartcard log-in
- Legitimate relationships and “role based access”

The macro-environment: the evolving nature of the NHS Care Records Service

Despite recognised successes in delivering components of the overall programme—for instance, introducing a fast NHS broadband network (N3) and picture archiving and communications systems in all hospitals—the National Programme for IT has struggled to deliver the NHS Care Records Service as originally envisioned in the planned timescale. Consequently, it has attracted negative media coverage and critical

questioning by parliamentary bodies charged with scrutinising government spending. Table 2 gives a timeline of programme developments, including some key parliamentary and independent reports published in the course of the programme.

Major adjustments to the NHS Care Records Service include departures of two local service providers, repeatedly re-negotiated central contracts, changes to NHS Connecting for Health's staff and governance structures, delays with software, and adjustments to the delivery model—and, in part as a consequence of these, rollout delays. Further, since 2004, over half of England's NHS trusts have become autonomous NHS organisations (that is, foundation trusts)³⁴ and some are now choosing to implement their own choice of electronic health record solutions independently of NHS Connecting for Health.

Hence, the envisioned approach to implementing the NHS Care Records Service in hospitals—delivering standardised applications with phased introductions of integrated clinical functionalities—has changed. It has evolved into various IT systems related to the NHS Care Records Service—such as patient administration systems, tests ordering, pathology reporting, e-prescribing, and maternity systems—being implemented differently in different hospital trusts. This is a more service based model of deployment, echoing the “Clinical 5” systems identified in the 2008 *Health Informatics Review*.²⁸ It may also be seen to represent a shift from an electronic health record conceptualised as a database of pooled information to an electronic health record as a system to coordinate diverse transactions between clinicians and various specialist services. Deployments of IT systems related to the NHS Care Records Service to date range from small scale, extended “soft launches” of a local service provider application that is still under development to trust-wide “big bang” deployments of more established applications. The implementation area boundaries for the two local service providers that retained their contracts have become less clear.

Hospitals still want electronic health records—but what kind?

Concordant with earlier research,¹⁰ our data indicated that electronic health records were still strongly supported by most interviewees despite frequent accounts of multiple frustrations with the programme to deliver the NHS Care Records Service. Many NHS clinicians supported electronic health records. A distinction may be drawn between the enthusiasm clinicians expressed for imagined, ideal electronic health record systems and the more mixed perceptions of those starting to use current NHS Care Records Service applications. Further, clinicians' enthusiasm for electronic health records often related to perceived benefits in their immediate surroundings and did not necessarily relate to the NHS Care Records Service goal of geographically widespread sharing of patient data.

“I think, ultimately, it’s a major win-win; it will be fantastic if it works, and the sooner the better as far as I’m concerned because patients’ notes, everything that hangs round patients’ notes and appointments, work scheduling, prescribing, ordering tests, is just so clumsy in a paper world.”—doctor, site B.

“It’s actually speeding things up, and it’s more reliable about information. It’s live information.”—community nurse, site M.

This support for the concept of electronic health records was often tempered by early experiences of using newly introduced NHS Care Records Service applications.

“I was going into all the right fields quite quickly, but the time it took the computer programme to move through the fields was much greater than the time it took me to input the information, such that it took me at least 20 minutes to do this; and I could have done the paper exercise on the forms we already had, I would think, in 10 or less.”—consultant, site B.

“I think there will also be some workload implications, because I see people at home, so I’m not going to have access to anything in the patient’s home. I’m inevitably going to have to keep some things on paper.”—consultant, site M.

The goal of access to patients’ electronic health records from other parts of the country was described as an expensive and problematic solution to a non-existent clinical problem by the single clinician who expressed adamant opposition to the NHS Care Records Service (although he supported the use of healthcare IT generally).

“... apart from our ability as a nation to count, there’s no strategic advantage in being able to know the records of somebody in Newcastle in London because there’s very little mobility that causes problems for patients.”—consultant, site A.

Others, however, highlighted both local and national data sharing as important aspects of electronic health records.

“I think there is a huge amount of benefit for this to be truly developed as a patient care record whereby

Table 2 | Timeline showing some key developments in the NHS National Programme for IT (NPFIT) in England and some key publications

Date	Developments in NPFIT	Key publications on the NHS or NPFIT
1998	NHS Executive commits to detailed electronic health records	NHS Executive. <i>Information for Health: an Information Strategy for the Modern NHS 1998-2005</i> . ²¹
2002	NPFIT starts Richard Granger appointed NHS IT director	House of Commons Library. NHS funding and reform: the Wanless Report. ²² Department of Health. <i>Delivering 21st Century IT Support for the NHS: National Strategic Programme</i> . ⁶
2003	BT awarded contract for the national data Spine Local service provider 10 year contracts awarded (CSC for North West and West Midland cluster; BT Capital Care Alliance for London cluster; Fujitsu for Southern cluster; Accenture for North East and Eastern England clusters)	
2004	BT awarded N3 (NHS broadband network) contract	Royal Academy of Engineering, British Computer Society. <i>The Challenges of Complex IT Projects</i> . ²³
2005	NHS Connecting for Health (NHS CFH) set up to deliver NPFIT Contract reset 1 (BT) for “interim solutions” in London	
2006	Accenture withdraws as local service provider; CSC awarded 9 year contract for Accenture’s former clusters	British Computer Society. <i>The Way Forward for NHS Health Informatics</i> . ²⁴ National Audit Office. <i>Department of Health: The National Programme for IT in the NHS</i> . ²⁵
2007	NPFIT Local Ownership Programme (devolves responsibility for local delivery of the programme from NHS CFH to groupings of strategic health authorities; replaces original five clusters with three programme areas: Southern (local service provider Fujitsu), London (local service provider BT) and North, Midlands and East (local service provider CSC) Contract reset 2 (BT) for “best of breed” London solutions	House of Commons Committee of Public Accounts. <i>Department of Health: The National Programme for IT in the NHS</i> . ²⁶
2008	Fujitsu contract for local service provider in Southern area terminated, legal dispute continues Contract reset negotiations 3 (BT) for new delivery model in London Richard Granger, head of NHS CFH, leaves in January; Gordon Hextall, acting head, leaves in April; Christine Connelly and Martin Bellamy appointed to jointly lead NHS CFH in September	National Audit Office. <i>The National Programme for IT in the NHS: Progress since 2006</i> . ³ Department of Health. <i>High quality care for all: NHS Next Stage Review final report</i> . ²⁷ Department of Health. <i>Health Informatics Review: Report</i> . ²⁸
2009	BT awarded additional contract to take over eight trusts formerly with Fujitsu (seven after merger of two trusts), plus 25 trusts for RiO and four additional acute trusts in Southern area Other Southern trusts given choice of local service provider solution from BT or CSC or from various suppliers in Additional Supply Capability and Capacity List (ASCC) Martin Bellamy, director of programmes and systems delivery, NHS CFH, resigns NHS CFH, headed by Christine Connelly, is integrated with Department of Health Informatics Directorate November deadline for new deployment of Cerner Millennium across an additional acute trust in London area (met) Parliamentary announcement of contract renegotiations with BT and CSC—seeking NPFIT cost savings	Royal College of General Practitioners. <i>Informing shared clinical care: Final report of the Shared Record Professional Guidance project</i> . ²⁹ Joseph Rowntree Reform Trust. <i>Database State</i> . ³⁰ Independent Review of NHS and Social Care IT. ³¹ (commissioned by Conservative Party) House of Commons Public Accounts Committee. <i>The National Programme for IT in the NHS: Progress since 2006</i> . ³²
2010	March deadline for deployment of Lorenzo across an acute trust in North, Midlands and East area (not met) New memorandum of agreement signed between BT and NHS CFH, including reduced number of deployments in acute trusts in London; contract discussions with CSC continuing May: UK general election—new coalition government	Cruikshank J. <i>Fixing NHS IT: A plan of action for a new government</i> . ³³ Department of Health. <i>Equity and Excellence: Liberating the NHS</i> . ¹¹

all disciplines, everyone who is in contact with the patient, records things in one place.”—

implementation manager, site B.

“It would be helpful to have a national system so you would get people that have come down, maybe, from Manchester or Liverpool or wherever because there is the big train station here and people get picked up by the police and brought in and they are disturbed and can’t really give a history. It would be really helpful to be able to access notes nationally and not just within an organisation”—doctor, site M.

Uncertainties about the future of the programme are intensifying

Perceived uncertainties about the programme’s future intensified in advance of the UK general election. Respondents repeatedly raised the possibility of radical changes. They referred to statements from political parties in favour of dismantling the programme, to organisational and senior staff changes in the programme, to the history of deployment delays, and to the UK economic recession and related anticipated curbs on NHS spending. Both NHS trust interviewees and local service providers expressed fears that progress in developing the central NHS IT infrastructure and shared detailed electronic health records could be lost, with a considerable waste of public money and effort already expended.

“I have my doubts as to the future. Not least because of the political environment. There is a huge amount of work to get it into an acceptable state, where people will be screaming to come and buy it. If you want to sell something, the best way to sell something is if someone wants to buy it.”—consultant, site B.

“I’m just wondering how does that work [if a new government scraps the programme] and what a horrendous waste of money that would be, you know, and if there’s any way of getting that message home to a few people, because I do realise it is a very political thing, but it would be such a crime, it would really be terrible.”—IT manager, site H.

“We’re just, um, deeply worried that we’ll miss the boat because the plug may be pulled because of other political and financial pressures.”—local service provider A, interviewee 2.

Centrally negotiated contacts and the “ruthless standardisation” described in the Department of Health’s 2002 national strategy were designed in part to contain programme costs.⁶ The top-down approach was also in part a response to the perceived history of slow and uneven development of NHS IT systems before the programme.²¹ A major perceived risk now was a possible radical swing back to a “bottom-up” approach that would leave responsibility for NHS IT developments with individual trusts and at best aspires to link multiple local systems using interoperability standards. Although a few interviewees perceived benefits in the local choice and sense of ownership that a bottom-up approach would bring, others believed it

currently impossible to integrate disparate systems and that attempting to do so would set back electronic health records by many years.

Any detailed electronic health record resulting from a “bottom-up” approach would not be a single, shared electronic health record.

“Standards and interoperability—what does that mean? Where am I going to get my view of the patient? I am never going to be able to see my view of the patient because there’s going to be 30% here, 20 over there, 50 over there. Where’s going to hold the 100% of the data that I need to see my patient?”—local service provider A, interviewee 2.

Some NHS interviewees were determined to carry on with implementing electronic health records, despite deployment delays and programme uncertainties, as both the potential risks and potential benefits of introducing electronic health records had become clearer.

“Now the way in which that gets delivered, I mean at the moment as far as the trust is concerned, this particular organisation will carry on, and I have the full intention of getting something deployed. I will stay until I finish. I’m absolutely determined.”—implementation team, site A.

Interviewees identify multiple adverse consequences of centrally negotiated contracts

NHS Connecting for Health devolved responsibility for delivering the programme locally to groupings of strategic health authorities in 2007 but retained responsibility for the central contracts. Local service providers have responsibility for their own subcontracts with systems suppliers. The “customers” for the NHS Care Records Service—the hospital trusts—have no direct contractual relation with NHS Connecting for Health, the local service providers, or the suppliers of the NHS Care Records Service applications.

The difficulties arising from this arrangement were evident from NHS interviewees repeatedly speaking of convoluted communication channels and, particularly, frustratingly slow response times to deal with requests for software fixes or changes.

“But what has to happen is it goes to this group to be approved, and then that group to be approved, and it goes all the way round the houses, and then eventually it gets to the developer, and they say, ‘Well, it hasn’t been scheduled for a build so I can’t touch this yet.’ So then they’ve got to schedule it for a build, but they say we’re fixed for the next three builds, and they’re monthly, so that then brings another three month delay to it all.”—IT manager, site H.

“In practice, what it means is that something goes wrong, the IT people say it’s the [supplier] people, the [supplier] people say it’s the [local service provider] people, [local service provider] people say it’s your trust. Actually, it makes things a bit difficult because people are passing the buck a bit.”—doctor, site M.

“[Local service providers], with the best will in the world, are only ever going to fulfil the contract; they’re in business. They are, in some areas, beginning to kind of loosen up and understand that, actually, the success is only going to follow a much more integrated style of working with the NHS.”—IT staff, site B.

With contracts structured such that local service providers are paid after deployment of applications to hospital trusts, delays in rollout also had a major impact on local service provider finances. Local service providers described their contracts as “punitive” and driving the wrong behaviours—the second point was also endorsed by some trust staff.

“We have to move out of that culture of responding to national pressure or the Parliamentary Accounts Committee setting six month targets because that drives all the wrong behaviour. We have to be more outcome driven rather than, you know, date and milestone driven.”—local service provider B, interviewee 2.

“I don’t know how the contracts are written ... but what it looks like from a ground-upwards perspective is that it’s written in such a way that [local service provider] don’t actually have to worry about the quality they’re delivering and whether it actually works; they just, all they have to do is to just basically just get bodies on the floor.”—IT manager, site H.

Planned deployment schedules were widely viewed as politically and contractually driven and described by some interviewees as “unrealistic” and as “ludicrous” from the outset. Premature deployments had negative consequences for users’ perceptions of local service provider solutions, for instance, where the technology itself was not deemed ready by users (such as “clunky,” slow to use, unreliable, with minimal clinical functionality) or where there were publicised reports of trusts struggling with adverse consequences after deployment or upgrade of an NHS Care Records Service system.

“... to me it’s a very immature product ... they need to take it away for six months and work with some clinicians and then bring it back.”—manager, site C. “The issues at [hospital trust] were very big, and I think what tends to happen is, it’s not the reality ever that counts, sadly, it’s people’s perceptions, and the perception by clinicians is that it’s all [the application’s] fault.”—implementation team, site A.

Local service providers’ solutions were also viewed by users as technologically unsophisticated, in some cases less good than the healthcare IT systems they had replaced.

“It’s a disappointment to have a clinical tool that is not as advanced as what I can do when I go and do my internet shopping for my weekly shop.”—clinician, site M.

“I think the information system that we had before was possibly better.”—clinician 2, site M.

Furthermore, specifications written into long term contracts did not keep pace with technological advances.

“The current log-on method that people have is these ‘smartcards.’ It’s like antiquated technology. It’s a card that goes in a hole. What infection risk is that, for starters? ... I mean, it should be something that’s proximity, wireless.”—local service provider B, interviewee 2.

Trusts want systems that are tailored to their particular organisation, not standardised systems

Trusts wanted greater control over the NHS Care Records Service; they had strongly perceived needs for the standard solutions to be tailored to individual NHS trusts, which saw themselves as diverse and complex organisations. NHS interviewees sought systems that were quickly responsive to changing central and local NHS priorities, hence able to support a trust’s business requirements, capable of local adaptation to suit individual trust’s varied processes and work practices, quick and reliable for staff to use, and offering early clear benefit to clinicians.

“I understand they’re trying to put in a national product, but I think, you know, at the end of the day, does one size fit all? I’m afraid it doesn’t.”—administration director, site H.

Local service providers acknowledged difficulties from the outset arising from trying to implement inflexible standardised applications.

“It was set up almost guaranteed to run into the problems that have subsequently been experienced in that the standardised model as conceived by the centre was not what the end users were looking for.”—local service provider B, interviewee 1.

“So it’s just disconnected ... Obviously we need the NHS to tell us what the priorities are. And I think if we remain in a place where Connecting for Health tell us what those priorities are, we’re always going to be disconnected.”—local service provider B, interviewee 2.

Locally configuring the local service provider solutions could cost substantially more than deploying standard local service provider applications in each trust—50% more per deployment according to one interviewee (local service provider A, interviewee 1). The extent to which the need for local tailoring was more perceived than real was questioned by another local service provider interviewee (formerly an NHS clinician), who suggested the primary need was for NHS organisations to agree on greater standardisation of clinical practices.

“If you have what I call a customer focus, turn it on its head and do it correctly for the patient, and standardise on clinical practice, the rest should follow.”—local service provider A, interviewee 2.

Low levels of IT skills in NHS trusts, trusts’ lack of resources for IT infrastructure and for staff training, and, more widely, a perceived lack of fundamental understanding that the aim of the National Programme

for IT is to transform healthcare organisation and care delivery were also highlighted by a diverse range of interviewees as important barriers to deployment of electronic health records.

Community level approaches to deployment of electronic health records and data sharing may be the optimal way forward

Focusing on the successful sharing of detailed electronic health records at the smaller-scale level of naturally occurring, local health communities was widely perceived to offer the “biggest bang for buck” (local service provider A, interviewee 1). A local health community would not conform to a specified geographical area, rather it might consist of one or more, neighbouring hospital trusts with primary care providers and associated local community, pharmacy, and mental health services.

“More than 90% of health care is delivered within that thing [local health community]. Now, of course, people get referred out to [specialist children’s hospital] from wherever, but that’s actually relatively rare.”—local service provider A, interviewee 1.

In England, hospitals’ services are commissioned by primary care trusts. NHS interviewees thus often perceived neighbouring hospital trusts to be local rivals that competed for business, yet there were also suggestions for future cooperation and resource sharing between NHS organisations implementing the same NHS Care Records Service application, for instance, by placing staff in each others’ trusts.

“What would be useful would be for some of our guys, yeah, basically to do role swaps. I mean, in an ideal world that’s what you’d want to do, you’d want to be able to send some of your staff—whether they be doctors, nurses, physios, porters, whoever—to do role swaps.”—implementation manager, site A.

“So I think one of the lessons the NHS has to learn is it needs to drive an economy of scale through bringing together of existing capabilities within organisations into a bigger, shared service across those organisations.”—IT staff, site B.

The need for leadership to realise community level cooperation was highlighted.

“I think we have a problem because there’s a lack of trust between the trusts, so there seems to be a lot of suspicion because of the new arrangements with the sort of commissioning provider stuff. I think there’s a little bit of, what’s the word, distrust, you know ... If there was better leadership it would work well, but at the moment we’re kind of treading water, you know, sinking, because the leadership is not there, which is disappointing.”—IT staff, site H.

For some London interviewees, including NHS staff, the proposed model of cooperation between trusts reflected prior, personal experience of such resource sharing when, before the National Programme for IT started, three local NHS trusts had cooperated to

deploy the same IT system sequentially in their organisations.

“For the first deployment, the final two trusts had staff project managers and staff working in the first, and then the first helped out the second, and then the third. In 18 months we achieved what it now takes about five years to do, because of that process.”—local service provider A, interviewee 2.

DISCUSSION

Summary of main findings

These interim findings show that the initial, top-down policy of standardised NHS Care Records Service applications in secondary care in England has, for a range of reasons, had to evolve into an approach that is more responsive to the circumstances and expressed wishes of individual hospital trusts. Although the original plan has faltered, foundations for detailed electronic health records are emerging as the approach continues to adapt to permit more local choice and as NHS staff and other stakeholders gain greater insight into both the risks and promise of electronic health records. Deployment delays to date were often attributed to an unrealistic, politically driven timeline from the outset. Multiple tensions between a central programme and the local NHS “customers,” convoluted communication lines, and NHS trusts’ lack of capacity and readiness for IT enabled change all contributed to delays.

The future of the National Programme for IT is still uncertain in light of the new coalition government taking office and forthcoming cuts in public spending. Some fear that policy makers might now swing from the initial top-down approach to the opposite, a bottom-up approach, whereas the more desirable approach suggested by several interviewees is a hybrid of the two, recognising a place for both central and local responsibilities and with efforts at sharing detailed electronic health records focused on local health communities. Our interviewees’ accounts are concordant with the fundamentally socio-technical character of electronic health records and the need to allow the mutual alignment of the technology and the people who work with it.^{35,36}

Strengths and limitations of this work

We are evaluating a phenomenon that is still unfolding, and the prospective, longitudinal design should allow us to discriminate between transitory and more sustained consequences of implementation and adoption of electronic health records. Accessing a wide range of stakeholder perspectives and multiple data sources illuminates changing, multifaceted, socio-technical processes—and is strengthened by purposive sampling of early adopter sites and theoretically informed data collection and analysis. Previous qualitative work has focused on a single group of senior NHS professionals,¹⁰ whereas we are accessing the views and experiences of many groups inside and outside the case study trusts, including, importantly, the users

of the new systems. The comprehensive approach should enhance the transferability of our findings and conclusions.

Data collection, coding, and analysis at each case study site were primarily carried out by a single researcher, which allowed the lead researcher to develop familiarisation with that site and a rich understanding of its dataset. This approach, combined with transparency and checking at each stage of data collection, coding, and analysis with the wider research team and beyond, ensured findings were grounded in the data.

We were unable to access confidential local service provider contracts. Partly as a result of this, it has proved challenging to gain a holistic understanding of the overall National Programme for IT. Other bodies reviewing the programme, such as the House of Commons Public Accounts Committee have experienced similar challenges in accessing sensitive commercial information.^{26,32}

Our interim findings are based on the first round of data collection from five sites at the forefront of implementation efforts, sampling diverse NHS organisations and all three hospital applications of the NHS Care Records Service. When data collection and analysis are complete, we will be able to compare longitudinal experiences of implementing these applications in a wider range of local contexts, reporting from 11 secondary care settings. Preliminary data from the additional six sites, not yet reported, strongly support our key interim themes, suggesting high transferability to other early adopter sites. Early adopters may differ in important ways from NHS trusts that will join the NHS Care Records Service programme later or not at all. While the five trusts reported here are likely to be representative of early adopters, we acknowledge they may not be representative of all secondary care trusts in England.

More generally, the optimal timing for publishing results of policy-focused evaluations must strike a balance between providing early formative feedback that can usefully shape policy development and providing later feedback that is strengthened by increased evidence but is reported too late to influence policy direction. Our evaluation is likely to end before new applications and new ways of working have reached stability, at which time further positive and negative consequences of electronic health records may emerge.

Considering these findings in an international context

The current literature is dominated by reports of single organisations' implementations of, often home-grown, electronic health records,³⁷ but countries such as the United States and Australia are now embarking on nationwide initiatives.^{38,39} Such nationwide health information and communication initiatives and their consequences—particularly with respect to data exchange—are new terrain.^{34,40} England, the United States, and Australia are starting with quite different health services. They are also taking different

approaches to achieving nationwide electronic health records, which have been categorised as “bottom-up” (US), “middle-out” (Australia), and “top-down” (England).⁴¹

A bottom-up approach might preserve existing local systems and exploit the emergence of interoperability standards in order to exchange healthcare information and support the patient journey. In contrast, a top-down approach is centrally directed and replaces existing, diverse local systems with the aim of creating and storing a single, sharable electronic health record. A middle-out approach combines central support for national goals and common standards with incentives to encourage incremental compliance with standards at the local level.⁴¹ The US government offers financial incentives for “meaningful use” of accredited systems, and regional data exchanges are planned.^{42,43} Hence, local level choice is more constrained than the term “bottom-up” might suggest. In England, the partial migration from a top-down approach towards a middle-out approach reflects the interplay of dynamic and complex interactions in the course of the National Programme for IT. Arguably, both the US and the English approach are now more closely aligned with each other and with that of Australia, all as variations of a “middle-out” approach. A major uncertainty remains about how well these approaches will achieve meaningful data exchange that supports patient care, which will in part depend on the balance between local level freedoms and constraints.

Policy implications

Major policy revisions affecting the National Programme for IT are anticipated after the recent election of a new coalition government and announcements of widespread cuts to public spending to address the UK national deficit. Even small policy adjustments that are based on early evidence from evaluations can substantially influence developments in a programme as large, complex, and ambitious as introducing nationwide electronic health records. For example, interim results from the evaluation of the summary care record are believed to have played an important role in influencing revisions to the consent model.⁸

The health service in England is made up of a variety of diverse NHS organisations, some with considerable autonomy as NHS foundation trusts. There is also a degree of competition between local hospital trusts that tender to provide services to primary care commissioners. Our data highlight an inherent tension between government policies that have encouraged decentralisation of NHS control⁴⁴ and a policy to supply centrally procured, standardised IT systems to local NHS settings. A further policy tension was evident in writing systems requirements into long term contracts for NHS IT applications while national directives for service delivery and reporting by NHS trusts continually change. Similarly, technologies change, which can quickly result in long term contracts becoming technologically outdated.

WHAT WAS ALREADY KNOWN ON THIS TOPIC

In England the government launched a national programme to implement centrally procured, standardised, detailed electronic health record systems throughout all 168 acute hospital and 73 mental health trusts by 2010

This programme is considerably behind schedule

WHAT THIS STUDY ADDS

Interim results from the first, comprehensive, prospective, longitudinal evaluation of implementing and adopting nationwide electronic health records in secondary care indicate that a top-down, centrally driven policy to deliver standardised records systems to diverse local NHS organisations has contributed to deployment delays and frustrations

The top-down approach has had to evolve to permit greater flexibility and local choice in electronic health record systems and their delivery

A realistic timescale for achieving detailed electronic health records in secondary care must recognise that it is an incremental and iterative process, requiring active engagement from clinicians and managers, and it is likely to take many years to deliver all its potential benefits

The immediate priority is to clarify the type and scale of detailed electronic health records that are wanted and affordable

We offer four policy related recommendations based on our interim findings. Firstly, it would be immediately helpful if the Department of Health explicitly acknowledged inconsistencies between, on the one hand, promoting NHS internal markets and foundations trusts and, on the other, the inflexibility of long term, centrally negotiated contracts that exclude the NHS trust “customer.” Secondary care trusts may struggle to implement electronic health records for many reasons; consistency in the leadership from the Department of Health combined with clear information about the future of the National Programme for IT could help alleviate some current difficulties. Secondly, it is evident that NHS trusts need to be allowed to communicate changing local and national NHS priorities directly to those working with them to implement electronic health records, whether this is achieved by unfettered lines of communication between the trust and its local service provider or between the trust and the application supplier. Thirdly, linking local service provider payments to “bodies on the floor” (the numbers of sites deploying in accordance with a set schedule of dates) was a strategy for controlling the cost of central contracts that is creating problems. Linking contract payments to more thoughtfully agreed outcomes could potentially control costs and benefit both NHS trusts striving to implement and local service providers striving to deploy.

NHS trusts may be strongly encouraged to take local service provider solutions but they cannot be forced to do so. To date, some have bargained for greater influence over system choice, design, delivery, and local configuration. Simultaneously, local service providers have repeatedly negotiated with trusts, with their suppliers, and with NHS Connecting For Health to re-set the contracts. Public discourse tends to focus on the IT programme’s troubled history, whereas the greater need is to debate the desired outcome of electronic health records in the light of the identified policy

tensions and programme changes. Considering nationwide implementations of electronic health records with the aid of broad categories such as a “middle-out” versus a “top-down” approach is useful but limited. In England, debates about other important dimensions—such as what kind of detailed electronic health record is wanted, on what scale, and how much the country is prepared to pay for it—are still far from settled. Our fourth recommendation, therefore, is that clearly answering these more fundamental questions should be policy makers’ first priority.

Conclusions

The English experience indicates that a “vision” of introducing nationwide electronic health records in the context of a broader aim to improve national health care can successfully kick-start an ambitious programme of IT based transformation. Realising the vision, however, is likely to be an incremental and iterative process that unfolds over many years. Such a timescale emphasises the need for flexibility and local adaptability, both in the electronic health record systems and in how they are delivered to accommodate technological developments and changing local and national priorities. Public debates pitting centrally driven, standardised systems versus common standards and interoperability might more usefully be reframed as a debate about exactly what kind of a nationwide electronic health record is now needed and affordable. While there is no clear evidence as yet that a middle-out approach will achieve the goal of large scale nationwide electronic health records, international experience, including England’s, suggests that neither a purely top-down nor bottom-up approach is likely to do so.

We thank the participating trusts for supporting this work and all interviewees who kindly gave of their time. We are grateful to the Independent Project Steering Committee overseeing this evaluation (chaired by Professor David Bates and including Professor Martin Buxton, Antony Chuter, Lee Priest, and Kathy Mason). We also thank the independent NHS Connecting for Health Evaluation Programme (CFHEP), led by Professor Richard Lilford and supported by Jo Foster and Lee Priest from the University of Birmingham. We thank Professors Denis Protti, Trish Greenhalgh, and David Bates for constructive comments on an earlier draft of this manuscript.

Contributors: AS conceived this study and—with KC, BF, RP, AA, AJ, TC, EK, JP, and NB—secured the funding for this work. They, together with CQ and JW, are the grant holders for this project. AS is the overall principal investigator, with AA, TC, and NB leading research from their respective centres. KC, AT, DP, SC, VL, MA, ZM, YJ, KM, and AR are the researchers working on this evaluation. AR and AS led the writing of this manuscript, with co-authors commenting on drafts of the paper. AR and AS are guarantors for the study.

Funding: This report is independent research commissioned by the National Institute for Health Research. The views expressed in this publication are those of the authors and not necessarily those of the NHS, the National Institute for Health Research, or the Department of Health.

Competing interests: All authors have completed the Unified Competing Interest form at www.icmje.org/coi_disclosure.pdf (available on request from the corresponding author) and declare that (1) all authors have support in the form of a grant from the NHS CFHEP for the submitted work; (2) no author has a relationship with any company that might have an interest in the submitted work in the previous three years; (3) no author’s spouse, partner, or children have financial relationships that may be relevant to the submitted work; and (4) no author has non-financial interests that may be relevant to the submitted work.

Data sharing: Additional supporting data drawn from the five, interim case studies reported here are available on request from the corresponding author (aziz.sheikh@ed.ac.uk).

- 1 Catwell L, Sheikh A. Evaluating ehealth interventions: the need for continuous systematic evaluation. *PLoS Med* 2009;6:e1000126.
- 2 Protti D. Comparison of information technology in general practice in 10 countries. *Healthcare Q* 2007;10:107-15.
- 3 Car J, Black A, Anandan C, Cresswell K, Pagliari C, McKinstry B, et al. *The impact of ehealth on the quality and safety of healthcare. a systematic overview and synthesis of the literature*. 2008. www.haps.bham.ac.uk/publichealth/cfhep/documents/NHS_CFHEP_001_Final_Report.pdf.
- 4 Jha AK, DesRoches CM, Campbell EG, Donelan K, Rao SR, Ferris TG, et al. Use of electronic health records in US hospitals. *N Engl J Med* 2009;360:1628-38.
- 5 National Audit Office. *The National Programme for IT in the NHS: progress since 2006*. NAO, 2008. www.nao.org.uk/publications/0708/the_national_programme_for_it.aspx.
- 6 Department of Health. *Delivering 21st century IT support for the NHS: national strategic programme*. DoH, 2002. www.dh.gov.uk/en/Publicationsandstatistics/Publications/PublicationsPolicyAndGuidance/DH_4008227.
- 7 NHS Connecting for Health. NHS Care Records Service (NHS CRS). 2010. www.connectingforhealth.nhs.uk/systemsandservices/scr/intro/nhsrscs/index.html.
- 8 Greenhalgh T, Stramer K, Bratan T, Byrne E, Mohammad Y, Russell J. Introduction of shared electronic records: multi-site case study using diffusion of innovation theory. *BMJ* 2008;337:a1786.
- 9 Greenhalgh T, Stramer K, Bratan T, Byrne E, Russell J, Potts HW. Adoption and non-adoption of a shared electronic summary record in England: a mixed-method case study. *BMJ* 2010;340:c3111.
- 10 Hendy J, Fulop N, Reeves BC, Hutchings A, Collin S. Implementing the NHS information technology programme: qualitative study of progress in acute trusts. *BMJ* 2007;334:1360.
- 11 Department of Health. *Equity and excellence: liberating the NHS*. Stationery Office, 2010. www.dh.gov.uk/prod_consum_dh/groups/dh_digitalassets/@dh/@en/@ps/documents/digitalasset/dh_117352.pdf.
- 12 Murray SA, Sheikh A. Serial interviews for patients with progressive diseases. *Lancet* 2006;368:901-2.
- 13 Comford T, Doukidis GI, Forster D. Experience with a structure, process and outcome framework for evaluating an information system. *Omega, International Journal of Management Science* 1994;22:491-504.
- 14 Patton MQ. *Qualitative evaluation and research methods*. 2nd ed. Sage Publications, 1990.
- 15 Mays N, Pope C. Quality in qualitative health research. In: *Qualitative research in health care*. 1st ed. BMJ Publication Group, 1999.
- 16 Corbin J, Strauss A. Strategies for qualitative data analysis. In: *Basics of qualitative research. Techniques and procedures for developing grounded theory*. 3rd ed. Sage Publications, 2008.
- 17 Silverman D. *Doing qualitative research: a practical handbook*. Sage, 2000.
- 18 Coiera E. Four rules for the reinvention of health care. *BMJ* 2004;328:1197-9.
- 19 Malterud K. Qualitative research: standards, challenges and guidelines. *Lancet* 2001;358:483-8.
- 20 Cresswell K, Sheikh A. The NHS Care Record Service: recommendations from the literature on successful implementation and adoption. *Inform Prim Care* 2009;17:153-64.
- 21 NHS Executive. *Information for Health: an information strategy for the modern NHS 1998-2005*. Department of Health, 1998. www.dh.gov.uk/prod_consum_dh/groups/dh_digitalassets/@dh/@en/documents/digitalasset/dh_4014469.pdf.
- 22 House of Commons Library. NHS funding and reform: the Wanless Report. 2002. www.parliament.uk/commons/lib/research/rp2002/rp02-030.pdf
- 23 Royal Academy of Engineering, British Computer Society. *The challenges of complex IT projects*. Royal Academy of Engineering, 2004. www.raeng.org.uk/news/publications/list/reports/Complex_IT_Projects.pdf
- 24 British Computer Society. *The way forward for NHS health informatics*. BCS, 2006. www.bcs.org/upload/pdf/BCS-HIF-report.pdf
- 25 National Audit Office. *Department of Health: The National Programme for IT in the NHS*. NAO, 2006. www.nao.org.uk/publications/0506/department_of_health_the_nati.aspx
- 26 House of Commons Committee of Public Accounts. *Department of Health: The National Programme for IT in the NHS. Twentieth Report of Session 2006-07*. Stationery Office, 2007. www.publications.parliament.uk/pa/cm200607/cmselect/cmpubacc/390/390.pdf.
- 27 Department of Health. *High quality care for all: NHS Next Stage Review final report*. Stationery Office, 2008. www.dh.gov.uk/prod_consum_dh/groups/dh_digitalassets/@dh/@en/documents/digitalasset/dh_085828.pdf
- 28 Department of Health. *Health informatics review: report*. Stationery Office, 2008. www.dh.gov.uk/prod_consum_dh/groups/dh_digitalassets/@dh/@en/documents/digitalasset/dh_086127.pdf
- 29 Royal College of General Practitioners. *Informing shared clinical care: Final report of the shared record professional guidance project*. RCGP, 2009. www.rcgp.org.uk/pdf/Get_Involved_SRPG_final_report.pdf
- 30 Joseph Rowntree Reform Trust. *Database state*. Joseph Rowntree Reform Trust, 2009. www.jrrt.org.uk/uploads/Database%20State.pdf
- 31 Independent review of NHS and social care IT. 2009. www.stephenobrien.org.uk/pdf/THE%20NHS%20AND%20SOCIAL%20CARE%20IT%20REVIEW%202009.pdf
- 32 House of Commons Public Accounts Committee. *The National Programme for IT in the NHS: progress since 2006*. Stationery Office, 2009. www.publications.parliament.uk/pa/cm200809/cmselect/cmpubacc/153/153.pdf.
- 33 Cruickshank J. *Fixing NHS IT: A plan of action for a new government*. 2020health, 2010. www.2020health.org/export/sites/2020/pdf/2020itdocA4MASTERlow27-04.pdf
- 34 Monitor. Independent Regulator of NHS Foundation Trusts. www.monitor-nhsft.gov.uk/home.
- 35 Catwell L, Sheikh A. Information technology (IT) system users must be allowed to decide on the future direction of major national IT initiatives. But the task of redistributing power equally amongst stakeholders will not be an easy one. *Inform Prim Care* 2009;17:1-4.
- 36 Peltu M, Eason K, Clegg C. How a socio-technical approach can help NPfIT deliver better NHS care. 2008. www.bcs.org/upload/pdf/sociotechnical-approach-npfit.pdf.
- 37 Chaudhry B, Wang J, Wu S, Maglione M, Mojica W, Roth E, et al. Systematic review: impact of health information technology on quality, efficiency and costs of medical care. *Ann Intern Med* 2006;144:742-52.
- 38 The White House. Health care. Health reform. www.whitehouse.gov/issues/health-care.
- 39 National eHealth Transition Authority. www.nehta.gov.au/coordinated-care.
- 40 Schiff GD, Bates DW. Can electronic clinical documentation help prevent diagnostic errors? *N Engl J Med* 2010;362:1066-9.
- 41 Coiera E. Building a national health IT system from the middle out. *J Am Med Assoc* 2009;301:271-3.
- 42 United States Congress. American Recovery and Reinvestment Act of 2009/Division B/Title IV Health Information Technology for Economic and Clinical Health Act. http://en.wikisource.org/wiki/American_Recovery_and_Reinvestment_Act_of_2009/Division_B/Title_IV.
- 43 Blumenthal D. Stimulating the adoption of health information technology. *N Engl J Med* 2009;360:1477-9.
- 44 Harrison M. *Implementing change in health systems*. Sage Publications, 2004.

Accepted: 5 August 2010


Appendix 1: Stated, anticipated benefits of delivering the National Programme for IT, including the NHS Care Records Service: derived from the NHS Connecting for Health website (<http://www.connectingforhealth.nhs.uk>)

Benefits category	Anticipated benefits	Anticipated main beneficiaries
Information availability	<ul style="list-style-type: none"> •Secure, easy access to comprehensive, up-to-date patient information •Fast, reliable means of sending and receiving information 24 hours a day, 7 days a week •Immediate access to information on the move and in an emergency •Support for the provision of quality care 	NHS healthcare staff
Administration	<ul style="list-style-type: none"> •Reduced paperwork and bureaucracy •Less repetitive entering of information •Reduced errors due to illegible handwriting •Less time spent chasing missing notes, X-rays, referrals •More time to focus on patient care 	NHS healthcare staff
Clinical support	<ul style="list-style-type: none"> •Online decision support tools 	NHS healthcare staff

	<ul style="list-style-type: none"> •Guidance on referral procedures •Warnings about possible drug reactions •Faster access to specialist opinions and diagnosis •Support for multi-disciplinary team working 	
	<ul style="list-style-type: none"> •Support for the provision of quality driven care •Easier, secure access to their healthcare information •Faster, safer diagnosis and treatment •Faster and more convenient to make hospital appointments •Improved choice and convenience •Safer way to obtain medication 	NHS patients
Management	<ul style="list-style-type: none"> •Support for delivery of High Quality Care for All •Better information on which to manage services •Further savings over lifetime of IT contracts through direct negotiation and Enterprise Wide Agreements 	The NHS
Secondary Uses Service	<ul style="list-style-type: none"> •Evidence base for the 	NHS policy makers, service

<p>(SUS): Planning, commissioning, and auditing services; research; public health</p>	<p>development of health policy</p> <ul style="list-style-type: none"> •Support for more efficient commissioning of services and payment by results •Audit of clinical practice •Improving the quality and safety of care through research • Health surveillance and monitoring •Identifying patients who interact with multiple parts of the health system to monitor equity of access and provision 	<p>commissioners, researchers, the public</p>
---	--	---

Appendix 2: Overview of the evaluation of the implementation and adoption of the NHS Care Records Service in secondary care (NHS Connecting for Health Evaluation Programme 005 (NHS CFHEP 005)), which consists of six, complementary work packages. For more information on the evaluation, see: <http://www.nhs-Care Records Service.org.uk>



NHS CONNECTING FOR HEALTH EVALUATION PROGRAMME

An evaluation of the adoption of the NHS Care Record in secondary care

APPLICATION FORM - VERSION 2

CONTENTS

- I. Summary of the proposal
- II. Details of proposed research
- III. Finance/Analysis of costs
- IV. *Curriculum vitae* of applicants
- V. Institutional *curriculum vitae*
- VI. Declarations

After completion this form should be returned to:

Jo Foster
Academic Manager
NHS Connecting for Health Evaluation Programme
Public Health Building
University of Birmingham
Edgbaston
Birmingham
B15 2TT

I. SUMMARY OF PROPOSAL

BOX 1: CODE & TITLE OF PROJECT (as advert)

NHS CFHEP 005 Evaluation of the adoption of the NHS Care Record Service in secondary care

BOX 2: APPLICANTS (NOTE: Section IV should also be completed for ALL applicants)

A: LEAD APPLICANT

Surname(s): **Sheikh**
Forename(s): **Aziz**
Title: Professor of Primary Care Research and Development and Honorary Consultant
Post(s) held: Tenured
Official Address: University of Edinburgh
Division of Community Health Sciences
20 West Richmond Street, Edinburgh EH8 9DX
Telephone Number: 0131 651 4151
Fax Number: 0131 650 9119
Email Address: Aziz.Sheikh@ed.ac.uk

B: OTHER APPLICANTS

Name: **Anthony John Avery**
Job title: Professor of Primary Health Care and General Practitioner
Responsibility: Professor Avery will be PI for fieldwork in the North, Midlands and Eastern cluster
Official Address: Division of Primary Care
The Medical School, Queen's Medical Centre
Nottingham NG7 2UH
Telephone Number: 0115 823 0209
Fax Number: 0115 823 0214
Email Address: tony.avery@nottingham.ac.uk

Name: **Rachel Ann Elliott**
Job title: Lord Trent Professor of Medicines and Health
Responsibility: Professor Elliott will lead the health economic analysis
Official Address: Division for Social Research in Medicines and Health
The School of Pharmacy, University of Nottingham
University Park, East Drive
Nottingham NG7 2RD
Telephone Number: 0115 846 5896
Fax Number: 0115 846 6249
Email Address: Rachel.elliott@nottingham.ac.uk

Name: **Nicholas David Barber**
Job title: Professor of the Practice of Pharmacy and Head of the Department of Practice and Policy
Responsibility: Professor Barber will be PI for fieldwork in the London cluster
Official Address: Department of Practice and Policy
School of Pharmacy
Mezzanine Floor, BMA House
Tavistock Square
London WC1H 9JP
Telephone Number: 020 7874 1271
Fax Number: 020 7387 5693
Email Address: n.barber@pharmacy.ac.uk

Name: **Ann Jacklin**
Job title: Chief Pharmacist Hammersmith Hospitals NHS Trust
Responsibility: Professor Jacklin will provide specialist advice relating to IT implementation strategies
Official Address: Centre for Medicines Safety and Service Quality
Pharmacy Department
Hammersmith Hospitals NHS Trust
The School of Pharmacy
University of London
London
Telephone Number: 020 8383 4710
Fax Number: 020 8746 1160
Email Address: ann.jacklin@imperial.nhs.uk

Name: **Tony Cornford**
Job title: Senior Lecturer in Information Systems
Responsibility: Dr Cornford will be PI for fieldwork in the Southern cluster
Official Address: Information Systems and Innovation Group
Department of Management
London School of Economics and Political Science
Houghton Street
London WC2A 2AE
Telephone Number: 020 7955 7337
Fax Number: 020 7955 7385
Email Address: t.cornford@lse.ac.uk

Name: **Ela Klecun**
Job title: Lecturer in Information Systems
Responsibility: Dr Klecun will support the fieldwork in the Southern cluster
Official Address: Information Systems and Innovation Group
Department of Management
London School of Economics and Political Science
Houghton Street
London WC2A 2AE
Telephone Number: 020 7852 3693
Fax Number: 020 7955 7385
Email Address: e.klecun@lse.ac.uk

Name: **James Henry Paton**
Job title: Consultant Microbiologist, Queens Hospital, Burton on Trent
Responsibility: Dr Paton will provide advise on strategies to implement electronic health records
Official Address: Department of Microbiology
Queens Hospital
Burton upon Trent, Staffs
DE13 0RB
Telephone Number: 0128 351 1511 (ext. 4103)
Fax Number: 0128 359 3064
Email Address: James.Paton@burtonh-tr.wmids.nhs.uk

Name: **Charles A Vincent**
Job title: Professor of Clinical Safety Research
Responsibility: Professor Vincent will provide strategic and methodological expertise
Official Address: Division of Surgery, Oncology, Reproductive Biology and Anaesthetics
Imperial College London
10th Floor, QEQM Building, St. Mary's Hospital
Praed Street
London W2 1NY
Telephone Number: 020 7886 2124
Fax Number: 020 7886 6309
Email Address: c.vincent@imperial.ac.uk

Name: **Bernard Fernando**
Job title: Honorary Clinical Research Fellow
Responsibility: Dr Fernando will provide the main interface between the research team and NHS CFH
Official Address: University of Edinburgh
Division of Community Health Sciences
20 West Richmond Street
Edinburgh EH8 9DX
Telephone Number: 0131 650 2680
Fax Number: 0131 650 9119
Email Address: B21Fern@aol.com

Name: **Kathrin Martina Cresswell (nee Beyer)**
Job title: Research Associate
Responsibility: Ms Cresswell will assist Professor Sheikh with the day-to-day co-ordination of the evaluation
Official Address: University of Edinburgh
Division of Community Health Sciences
20 West Richmond Street
Edinburgh EH8 9DX
Telephone Number: 0131 650 9249
Fax Number: 0131 650 9119
Email Address: Kathrin.Beyer@ed.ac.uk

Name: **Robin J Prescott**
Job title: Medical Statistician and Emeritus Professor of Health technology Assessment
Responsibility: Professor Prescott will be the study statistician
Official Address: University of Edinburgh
Division of Community Health Sciences: Public Health Sciences
20 West Richmond Street
Edinburgh EH8 9DX
Telephone Number: 0131 650 3229
Fax Number: 0131 650 9519
Email Address: Robin.Prescott@ed.ac.uk

BOX 3: POTENTIAL REVIEWERS

Please suggest three people who we might approach to review this proposal. Please include their area of expertise and full contact details, including email:

Name: **Dr Maureen Baker**
Job title: Director of Primary Care NPSA and Honorary Secretary, Royal College of General Practitioners
Official Address: Royal College of General Practitioners
14 Princes Gate
Hyde Park
London SW7 1PU
Telephone Number: 020 7344 3123
Fax Number: 020 7589 3145
Email Address: maureen.baker@npsa.nhs.uk

Name: **Professor David Bates**
Job title: Professor of Medicine, Harvard Medical School
Official Address: Brigham Internal Medicine Associates,
75 Francis Street, A1-02
Boston, MA, 02115
USA
Telephone Number: +001 (617) 732-6040
Fax Number: +001 (617) 732-7072
Email Address: dbates@partners.org

Name: **Professor Denis Protti**
Job title: Professor
Official Address: Room A212, Human and Social Development Building
School of Health Information Sciences
University of Victoria
British, Columbia
Victoria BC V8W 3P4
Canada
Telephone Number: +001 (250) 721 8814
Fax Number: +001 (250) 472 4751
Email Address: dprotti@uvic.ca

BOX 4: SUMMARY OF RESEARCH

ABSTRACT OF RESEARCH. No more than 200 words covering the following topics: aims of project; research subject group; sample size, type and location; methods of working.

Aims: We aim to conduct a:

- Formative evaluation of the national implementation of the National Health Service's Care Record Service (NHS CRS) in secondary care and to use the findings to inform the continued roll-out of the NHS CRS
- Summative evaluation of the impact of the NHS CRS on the quality, safety and efficiency of healthcare delivery.

Research subject group: Participants will consist of key stakeholders and organisations involved in and/or affected by the introduction of the new electronic healthcare record; these include patients and carers, 'frontline' healthcare staff, administrative staff, IT support staff and management teams.

Sample size: Up to five hospitals in each of the three NHS CRS implementation clusters.

Type and location: Hospitals across England.

Methods: A theoretically informed multi-faceted quantitative and qualitative evaluation using the principles of a stepped wedge design to sample hospitals, and integration of realistic evaluation and Cornford et al's evaluation framework to assess the effects of introduction of the NHS CRS. Six complementary work packages will be pursued:

- i. Implementation, deployment and organisational learning
- ii. Attitudes, expectations and experiences of patient, professional and managerial stakeholders
- iii. Organisational consequences of implementation
- iv. Assessment of costs of NHS CRS implementation
- v. Assessing error, safety and quality of care
- vi. Organisational consequences and implications for future IT deployments and evaluations.

BOX 5: TIMESCALE

Proposed starting date: June 2008

Proposed duration: 2 Years 6 Months

BOX 6: ETHICS

(NOTE: Ethical approval is not necessary at the application stage, however, projects cannot begin until the necessary approvals are in place.)

Is Ethics Committee approval needed? Yes

If yes, do you foresee any problems with obtaining ethical approval? No

Are research governance requirements applicable to this study? Yes

BOX 7: COST

Total Research Grant Requested from this programme (i.e. 80% FEC): £1.5m

BOX 8: ADVERTISING

Where did you see the advert for this project? We were emailed a copy of the tender document by NHS Connecting for Health Evaluation Programme

II. DETAILS OF PROPOSED RESEARCH

Detailed outline of proposed research (see attached notes for guidance).

Abbreviations	11
1. INTRODUCTION AND OVERVIEW	12
2. BACKGROUND	14
2.1. Policy context to introduction of IT into healthcare	14
2.2 Electronic health records	14
2.3. The NHS Care Record Service (NHS CRS).....	18
2.3.1 Aims of NHS CRS.....	18
2.3.2 Structure of NHS CRS	18
2.3.3 Procurement and implementation strategy	20
2.3.4 Core and additional NHS CRS services available to Trusts.....	22
2.3.5 The consequence of the NHS CRS for Trusts and the delivery of care	23
2.3.6 Current status of the use of the NHS CRS	24
2.4. Theoretical, methodological and evaluative considerations.....	24
2.4.1 Overall theoretical views on implementation strategy	24
2.4.2 Health informatics and evaluation	26
2.4.3 Overall methodological approach.....	29
2.4.3.1 Stepped wedge design for sampling hospitals.....	29
2.4.3.2 Realistic evaluation.....	31
2.4.4 Cornford et al's evaluation framework.....	32
2.4.4.1 Structure: The established characteristics of the situation under study. "The things we have".	33
2.4.4.2 Process: The way things work and are worked out; how parts interact or operate to perform individual and collaborative tasks. "The things we do"	34
2.4.4.3 Outcome: The consequences of an innovation, what endures, how care is experienced. "The things that happen"	35
2.4.5 Integrating the methodologies	36
2.5 Methodology of evaluation.....	36
3. AIMS AND OBJECTIVES.....	39
3.1 Key aims	39
3.2 Key objectives	39
4. DETAILED METHODS AND WORK PACKAGES	42
4.1 Research scope	42
4.2 Overview of work packages	42
4.3 Work package 1: Implementation/deployment and organisational learning.....	47
4.3.1 Background.....	47
4.3.2 Aim	49
4.3.3 Objectives.....	49
4.3.4 Methods	49
4.3.5 Data analysis.....	50
4.4. Work package 2: Stakeholder attitudes, expectations, engagement and satisfaction	51
4.4.1 Background.....	51
4.4.2 Aim	51
4.4.3 Objectives.....	52
4.4.4 Methods	52
4.4.5 Data analysis.....	55
4.5 Work package 3: Organisational consequences: organisational workflow, professional role and data quality transformations.....	56
4.5.1 Background.....	56
4.5.2 Aim	57
4.5.3 Objectives.....	57
4.5.4 Methods	58
4.5.5 Data analysis.....	61
4.6 Work package 4: Assessment of costs of NHS CRS implementation	61
4.6.1 Background.....	61
4.6.2 Aim	63
4.6.3 Objectives.....	63
4.6.4 Methods	63
4.6.5 Data analysis.....	64
4.7 Work package 5: Assessing error, safety and quality of care.....	65
4.7.1 Background.....	65
4.7.2 Aim	70

4.7.3 Objectives	70
4.7.4 Hypotheses	70
4.7.5 Design	71
4.7.6 Sample size calculations	71
4.7.7 Methods	72
4.7.8 Data analysis	73
4.8 Work package 6: Organisational consequences and implications for future IT deployments and evaluations	73
4.8.1 Background	73
4.8.2 Aim	74
4.8.3 Objectives	74
4.8.4 Methods	74
5. OVERALL PROJECT TIMELINE	76
6. RISK ASSESSMENT OF PROJECT MILESTONES	77
7. RESEARCH TEAM	78
7.1 Team members	78
7.2 Roles of staff employed by the grant	80
7.2.1 Study Co-ordinator (Edinburgh)	80
7.2.2 Clinical Co-ordinator and Interface with NHS CFH (Edinburgh/London)	80
7.2.3 Project Secretary (Edinburgh)	81
7.2.4 Research Fellow 1/Research Assistant 1 (London School of Economics)	81
7.2.5 Research Fellow 2/Research Assistant 2 (Nottingham)	82
7.2.6 Research Fellow 3/Reserach Assistant 3 (School of Pharmacy)	82
8. PROJECT MANAGEMENT AND RESEARCH GOVERNANCE	83
8.1 Project Steering Group	83
8.2 Project Management Group	83
8.3 Local Project Teams	83
8.4 Project Advisory Board	84
8.5 Independent Project Steering Committee	85
9. DISSEMINATION STRATEGY	86
10. JUSTIFICATION OF RESOURCES	87
10.1 Grant-holders	87
10.2 Edinburgh	87
10.3 London School of Economics	87
10.4 School of Pharmacy	88
10.5 University of Nottingham	88
10.6 Project Advisory Board	88
10.7 Independent Project Steering Committee	88
11. REFERENCES	89
12. APPENDICES	Error! Bookmark not defined.
Appendix 1: Conceptual map of eHealth	Error! Bookmark not defined.
Appendix 2: Integrated maps of quality, safety and eHealth	Error! Bookmark not defined.
Appendix 3: Systematic overview of evidence on electronic health records from NHS CFHEP 001 report	Error! Bookmark not defined.
Appendix 4: Research questions from the NHS CFHEP 005 tender	Error! Bookmark not defined.

Abbreviations

CDSS	Computerised decision support systems
CPOE	Computerised physician order entry
CUI	Common user interface
DCR	Detailed Care Record
ECG	Electrocardiogram
EHR	Electronic health record
EPR	Electronic patient record
ERDIP	Electronic Development and Implementation Programme
ETP	Electronic Transmission of Prescriptions
GP	General practitioner
ICRS	Integrated Care Record Service
IT	Information technology
LSPs	Local Service Providers
N3	National Network for the NHS
NHS	National Health Service
NHS CFH	NHS Connecting for Health
NHS CFHEP	NHS Connecting for Health Evaluation Programme
NHS CRS	NHS Care Record Service
NICE	National Institute for Health and Clinical Excellence
NLOP	National Programme for IT Local Ownership Programme
NPfIT	National Programme for Information Technology
NPSA	National Patient Safety Agency
NSF	National Service Framework
PACS	Picture Archiving and Communications System
PCT	Primary Care Trust
PDS	Personal Demographic Service
PERIC	Patient Electronic Record Information and Consent
PI	Principal Investigator
SCR	Summary Care Record
SE	Standard error
SHA	Strategic Health Authority
SPO/THO	Structure Process Outcome/Technical Factors Human Perspectives Organisational Context
SUS	Secondary Uses Service

1. INTRODUCTION AND OVERVIEW

The effective and efficient storage, retrieval, sharing and secondary analysis of routinely collected patient data can be greatly facilitated by healthcare organisations moving from paper based record systems to digital systems. Electronic health record (EHR) systems therefore, appropriately, lie at the heart of attempts currently being pursued in many countries to reform or transform healthcare systems. NHS Connecting for Health's (NHS CFH) National Programme for Information Technology (NPfIT) is the most ambitious and expensive IT-based healthcare reform currently being undertaken anywhere in the world and the successful implementation, adoption and integration of the multi-faceted NHS Care Record System (NHS CRS) is fundamental to the success of this Programme if it is to realise its potential of improving the quality, safety and efficiency of healthcare delivery. Electronic health record systems are however potentially disruptive technologies altering many aspects of healthcare professionals' routine working practices and patients' experience of care; of particular relevance is that the successful integration of such systems into routine models of care, particularly, in the context of perceived top-down or 'imposed' solutions (as opposed to those which are home-grown) has been shown to be far from straight-forward.

This proposal brings together a multi-disciplinary team of academics and clinicians with considerable expertise and experience of quantitatively and qualitatively evaluating IT-based healthcare reforms and, furthermore, a detailed understanding of NHS CFH and NPfIT. We seek, in undertaking this evaluation, to build on our recent and on-going work. This includes an international overview of the literature for NHS Connecting for Health Evaluation Programme (NHS CFHEP), Phase 1 of which has recently been completed, which investigated and contrasted the theoretical and empirically demonstrated health benefits of IT solutions. This included, amongst other things a review of EHRs and a detailed case study of the implementation and adoption of the NHS CRS in secondary care (NHS CFHEP 001). We also draw upon our ongoing evaluation of NHS CFH's Electronic Transmission of Prescription (ETP) scheme (NHS CFHEP 004), an on-going large cluster randomised controlled trial evaluating the impact of a novel IT-based approach to reducing prescribing errors (funded by the Patient Safety Research Programme, the precursor to NHS CFHEP) and a range of other on-going qualitative, descriptive and experimental studies evaluating the potential, scope, role and effectiveness of IT-based approaches to delivering healthcare (see CVs).

Building on this previous work, we plan to undertake a theoretically informed multi-method (i.e. comprising both quantitative and qualitative approaches) formative and summative, context rich, evaluation of the implementation and effects of introducing the NHS CRS. Our formative evaluation will, we hope, provide crucial insights into how the continuing roll-out of the NHS CRS can be adapted to ensure the best chances of its successful adoption and subsequent positive impacts on professional working practices and patient outcomes; these latter considerations are the focus of our summative evaluation. Our proposed approach is packaged into six complementary work packages, which reflect a rich and nuanced understanding of key questions of scientific and policy interest in relation to EHR systems in particular and large-scale IT deployments in healthcare more generally.

Recognising that aspects of the NHS CRS and the implementation strategy are still in development, we appreciate the need, if successful, to work very closely with NHS CFH and NHS CFHEP, particularly during the first few months of the project, to develop a more detailed understanding of the key components of the NHS CRS and the evolving approaches that will be taken to implementation. This more detailed understanding will be used to further refine the overall approach here described into a more fully developed evaluation strategy.

Section 2 provides background information and the rationale for our proposed approach and we then, in Section 3, proceed to detail the key aims and objectives of our proposed work. Section 4 provides a description of our proposed methods and the six work packages. Sections 5-10 provide more detailed information on the proposed timeline, project team, research governance considerations and justification for requested resources to support this work.

CONFIDENTIAL

2. BACKGROUND

2.1. Policy context to introduction of IT into healthcare

There is increasing governmental recognition of the all too often large gap between the desired and actual provision of quality healthcare.(1;2) This gap may result in various threats to patient safety,(3) which have important consequences for patient morbidity and mortality; these deficiencies of care also have considerable financial implications.(4;5) Several policy documents in the UK have recognised this threat and highlighted the need for a range of strategic approaches aimed at improving quality of care.(6;7)

Increasing understanding of the extent of variations in care and the high risk of iatrogenic harm associated with many aspects of healthcare delivery has rightly catalysed interest into better understanding the disease burden posed by medical errors and variations in quality of care and, importantly, what can be done to improve the quality and safety of healthcare delivery.(8) Fundamental to these deliberations has been recognition of the importance of systems approaches, which shift the centre of attention away from blaming the individual to considering how organisational context may contribute to errors,(6;9) and it is this, in part at least, that has focused attention on the potential now offered by developments in IT hardware and software capabilities (see Appendices 1 and 2).

In 1998, the Department of Health published *Information for Health*, a technology strategy for the NHS with a commitment to implement electronic health records.(10) This was followed by the *NHS Plan* in 2000, a programme of reform with the aim to develop and optimise NHS care services.(8) *National Service Frameworks* (NSFs) form part of the *NHS Plan* and comprise a set of national standards to guide implementation of the *NHS Plan* in specific service areas. The Government further established several agencies charged with quality improvement in the NHS such as, for example, the National Institute of Health and Clinical Excellence (NICE),(11) a governmental agency charged with developing and disseminating guidelines of clinical excellence to NHS service providers. Similarly, in 2001, the National Patient Safety Agency (NPSA) was established as a designated Strategic Health Authority (SHA) with the aim of promoting patient safety in the NHS.(12)

One of the priorities outlined in the *NHS Plan* was developing IT strategies for the NHS, which resulted in several subsequent reports by the Department of Health on this topic.(13;14) Ultimately, in 2002, the first details of the National Programme for Information Technology (NPfIT) were published, this describing a plan of action to introduce new IT systems throughout the NHS;(15) the NPfIT is currently the most ambitious national IT venture of its kind.(16) Responsibility for delivering NPfIT was in 2005 transferred from the Department of Health to NHS CFH, an Arms-Length Body, which also has responsibility for coordinating procurement of IT systems for the NHS more generally.(17)

2.2 Electronic health records

Electronic health records are the central components of most large scale IT initiatives in healthcare internationally (see Appendix 3). Although they may take various forms, with varying levels of functionality,

the common underlying idea is to have comprehensive and readily available health information on individual patients that is accessible to and modifiable by a variety of users throughout the healthcare system. This vision has thus far proven to be somewhat elusive and, if successful, the NHS CRS will be the first successful national implementation of an EHR system in the world.

We have recently conducted an extensive review of the literature for NHS CFHEP in relation to IT and its impact on the quality and safety of healthcare. Our review indicates that, in theory, IT applications have enormous potential to improve the quality of healthcare delivery. There is however a distinct lack of high quality empirical evidence of the effectiveness of the vast majority of systems including EHRs. However, key theoretical benefits have been argued to include, among others, increased efficiency, better quality of information, improved security, safer patient care, patient empowerment, improved data availability and increased time efficiency by decreasing time spent on, for example, administrative tasks.(18) Table 1 describes the main theoretical benefits associated with use of EHRs and Table 2 provides a summary of the key findings from systematic reviews evaluating EHRs.

CONFIDENTIAL

Table 1: Key theoretical benefits of electronic health records

Attribute	Benefit
Immediate and universal access to the patient record	Increased efficiency (e.g. reduced time spent pulling charts and duplicate history taking etc). Increased quality (better information at the point of care). Substantial improvements in access for patients.
Easier and quicker navigation through the patient record	More efficient point of care assessment and data abstraction
Increased legibility and comprehensiveness, through computer-aided history taking systems and better formatting (e.g. templates)	Better quality information to aid clinical decision making and shared care; fewer errors in patient management (e.g. mis-prescribing)
Secure record keeping	No lost records, fewer unnecessary waits or missed appointments, aiding informed patient care. Enhanced patient satisfaction.
Standardisation of care among providers within the organisation	Through better recording and sharing of information and linkage to computerised decision support systems
Reduction of paperwork, documentation errors, filing activities	Removes duplication, reduces processing time, decreases personnel costs
Coding efficiency and efficacy	Improved data quality and consequently improved measurement of health indices and processes e.g. Payment by Results
Alerts for medication errors, drug interactions, patient allergies	Safer patient care
Ability to electronically transmit information to other providers (assessments, history, treatments ordered, prescriptions, etc.)	Fewer delays, more efficient and integrated patient care. Enhanced patient satisfaction.
Availability of clinical data for use in quality, risk, utilisation, analyses	Better monitoring of quality and efficiency
Availability of non-clinical data	Easier management of costs, performance and workflow
Availability of data for audit and research, both locally and nationally	With downstream benefits for patient care through facilitating monitoring of standards of care, quality improvement activities and research

Adapted from: Healthcare Information and Management Systems Society (2007)(18)

Table 2: Evidence from systematic reviews on electronic health records

Author	Aim	No. studies	Key results	Conclusion
Chaudrhy et al (2006)(19)	To systematically review evidence on the effect of IT on quality, efficiency, and costs of healthcare	257	EHR is more frequently examined in the outpatient setting; after implementation of the EHR, there was a relative decrease of 9% for total office visits; there is an absence in the literature of key data on the financial context of capitation believed to be an important factor in defining the business case for EHR use	The benefits of IT appear to depend greatly on the quality of the implementation and the level and type of decision support technology. One potential benefit of EHR systems is a reduction in morbidity through improved patient safety
Clamp and Keen (2005)(20)	To summarise literature about the value of EHR	70	Positive evidence of process change associated with EHR; evidence that EHR can increase time costs, particularly for clinicians; In many papers the evidence was not decisive; no compelling evidence that EHR reduce the incidence of adverse drug events, or that the introduction of EHR increases or decreases consultation time.	The positive effects of EHR in some specific clinical settings are clear, but there are many areas where the understanding of costs and effects is limited
Delpierre et al (2004)(21)	To analyse the impact of EHR on medical practice, quality of care, and user and patient satisfaction	26	Use of an EHR was perceived favourably by clinicians; a positive impact of EHR on preventive care was found; evaluations found that positive experiences were as frequent as experiences showing no benefit; no study analysing the impact of EHR on patient outcomes reported any benefit	EHR increased user and patient satisfaction, which might lead to significant improvements in medical care practices. However, the studies on the impact of EHR on patient outcomes and quality of care were not conclusive. Alternative approaches considering social, cultural, and organisational factors may be needed to evaluate the usefulness of EHR
Hogan and Wagner (1997)(22)	To review the published evidence on data accuracy in EHR	20	Studies reported highly variable levels of accuracy; variability arose from differences in study design, in types of data studied, and in the type of EHRs; differences confound interpretation in the literature	This review showed that the understanding of data accuracy in EHR does not correspond with its importance. Description and accuracy in EHR must be measured, and ways to improve it must be investigated
Jordan et al (2004)(23)	To assess the completeness and correctness of morbidity coding in computerized general practice records in the UK	24	Variation in the methodology and quality of studies, and problems in generalisability; A consistent finding was that quality of recording varied between morbidities.	Completeness and correctness of data entry may rely on the enthusiasm of individual practices and of general practitioners. Hence, variations in the accuracy of EHR will be present among general practices. Like Thiru et al, they noted the lack of well-defined data quality standards and the need to correct this if better measurement of data quality in primary care EHR was to be established
Poissant et al (2005)(24)	To examine the impact of EHRs on documentation time of physicians and nurses and to identify factors that may explain efficiency differences across studies	23	The use of bedside terminals and central station desktops saved nurses, respectively, 24.5% and 23.5% of their overall time spent documenting during a shift; Studies that conducted their evaluation process relatively soon after implementation of the EHR tended to demonstrate a reduction in documentation time in comparison to the increases observed with those that had a longer time period between implementation and the evaluation process	This review highlighted that a goal of decreased documentation time in an EHR project is not likely to be realised. It also identified how the selection of bedside or central station desktop EHRs may influence documentation time for the two main user groups, physicians and nurses
Thiru et al (2003)(25)	To systematically review measures of data quality in EHR in primary care	52	Variability in methods prevented meta-analysis of results Prescribing data were generally of better quality than diagnostic or lifestyle data	The lack of standardised methods for assessment of quality of data in electronic patient records makes it difficult to compare results between studies. Studies should present data quality measures with clear numerators, denominators, and confidence intervals. Ambiguous terms such as "accuracy" should be avoided unless precisely defined.

Adapted from: *The Impact of eHealth on the Quality and Safety of Healthcare - A systematic overview and synthesis of the literature. Report for the NHS Connecting for Health Evaluation Programme (Project: NHS CFHEP 001) (2008) (26)*

2.3. The NHS Care Record Service (NHS CRS)

2.3.1 Aims of NHS CRS

The NHS CRS represents an ambitious visionary programme for the implementation of a large scale complex EHR. It is in many ways the backbone of the entire NPfIT – its successful implementation is therefore extremely important to the success of the Programme as a whole.(26) The primary aim of the NHS CRS is to implement an EHR that will replace the existing mix of paper-based and electronic records. Other key NPfIT applications such as Choose and Book (an online appointment booking service) and the ETP scheme will in due course integrate with the NHS CRS.(27) In addition, it is anticipated that the NHS CRS will allow patients to see and input into their own health records through HealthSpace, thereby allowing them greater control of their personal records than has hitherto ever been possible.(28) The NHS CRS thus aims to provide a live, comprehensive, interactive record service that will be accessible 24 hours a day, seven days a week. When fully developed, it will function across healthcare organisations supporting planned, emergency and unscheduled care.


2.3.2 Structure of NHS CRS

The NHS CRS is planned to consist of the following key components:

- National Spine, containing the basic capabilities of the system (29)
- National Network for the NHS (N3), allowing electronic data exchanges across organisations (30)
- Personal Demographics Service (PDS), containing demographic patient details (31)
- Images in Picture Archiving and Communication Systems (PACS) (32)
- Summary Care Record (SCR), which is held on the National Spine and contains a record of essential clinical information
- Detailed Care Record (DCR), containing comprehensive clinical information on individual patients seen and managed in secondary care
- Secondary Uses Service (SUS) for integration of data from different sources and then making this available for audit and research purposes.(33)

Figure 1 represents a schematic model of the NHS CRS. How exactly the physical components of the NHS CRS will integrate with other aspects of the NPfIT and other NHS IT systems (e.g. GP clinical systems) is however not yet entirely clear.(16) The diagrammatic representation below may therefore need some modification as further details of the NHS CRS and, in particular, the DCR emerge.

Figure 1: Schematic model of NHS CRS



2.3.3 Procurement and implementation strategy

The national approach to procurement of services and delivery will take place at a local level and is still, to an extent, under negotiation. The general steps envisaged by NHS CFH as roll-out proceeds are summarised briefly below:

- **Strategic development planning (Stage 1):** Here, the Trust assesses its readiness against defined criteria such as financial readiness, availability of trained staff and shareholder support. The Trust then prepares a Business Case and a Project Initiation Document that needs to be approved by the NPfIT.
- **Pre-deployment workshops (Stage 2):** In this stage, technical and clinical transformation and organisational readiness issues are identified. The Trust needs to prepare a Compliance Status Report (what is required before the trust can proceed) and a Location Resolution Plan (a detailed plan of the tasks and resources needed to achieve compliance).
- **Location preparation (Stage 3):** During this stage, the trust produces a joint Development Plan with the LSP in order to outline the preferred local approach to deployment and to identify the order in which various NHS CRS features will be introduced.
- **Product deployment (Stage 4):** This is the final stage before “going-live”. During this period, the Trust implements new care processes, monitors and manages change activity and holds staff training. Trust and the LSP will build system interfaces, manages data migration and undertake system and user testing. At this stage Trust prepares the Completion Report. Once this is approved the Trust is ready to “go-live”.
- **Go-Live (Stage 5):** During this stage, the trust starts using NHS CRS services. On-site support is handed over to the Trust’s IT Helpdesk with support from the LSP. Redundant legacy systems are decommissioned.


Originally, NHS CFH had divided England into five geographical clusters. This has changed since the introduction of the National Local Ownership Programme (NLOP), which was designed to increase local responsibility for implementing systems and implemented in April 2007.⁽³⁴⁾ Now the original five “clusters” have become the three “Programmes for IT” and NHS CFH has appointed Local Service Providers (LSPs) to support the roll-out of IT systems for the NHS organisations in each of these. The SHAs are intended to drive the programme delivery through their Senior Responsible Officers, via PCTs and Trusts. The SHAs in each cluster group together to manage their regional NPfIT, although the governance arrangements are still being developed for this.

The clusters and their corresponding LSPs are:⁽³⁴⁾

- Southern Programme for IT: Fujitsu
- London Programme for IT: British Telecom
- North, Midlands and East Programme for IT: Computer Sciences Corporation.


It is planned that implementation of the NHS CRS into secondary care settings will be conducted in a staged approach, this involving initial assessment of the readiness of the Trust for implementation of various levels of service, and culminating in an actual date when the system will finally be up and running.(35) Each cluster has proposed a phased implementation framework that will see incremental functionality available as a sequence of releases are undertaken.(36) LSPs in the London and Southern Programme are planned to use different functionalities of the Cerner Millennium Software, whilst the North, Midlands and East Programme will use Lorenzo Software. The timings of implementation of releases vary with the software in question. Note that according to E-Health Insider (no 311, 25.1.08) Fujitsu may be renegotiating with the Southern programme and may lead to Cerner linked to best of breed clinical systems such as pharmacy. Whatever the truth of this, it illustrates the need for the evaluators to have a flexible approach which can accommodate such changes. Figures 2 and 3 below illustrate the intended phased implementation of the two software applications.

Figure 2: Diagram of the intended phased implementation of Cerner Millennium Software in London



Adapted from: *Step by Step Towards the Future. The 'R Series' Release Map Leading Towards a Cerner Millennium® Solution for Acute Trusts (2007) (36)*

Figure 3: Diagram of the intended phased implementation of Lorenzo Software



Adapted from: Draft IMT planning paper (2007) (37)

As can be seen from Figures 2 and 3, releases across systems vary with regard to their features. For example BT Cerner R0 includes “Theatres and Maternity”, whilst these do not appear until R3 in Lorenzo. This is further complicated by likely divergence in timings from the planned schedule. For example, Trusts may decide to not implement releases immediately after they have become available or the implementation of the whole release (or parts of it) may slip. This may further be complicated by some sites already having functioning computer systems in several of these areas and potential resulting issues with data migration that may initially slow down the system. This has important implications for our planned evaluation in terms of measuring quality and safety improvements and will be discussed in more detail in the method section below.

The planned implementation model as described above is necessarily somewhat idealised and simplified. In reality we expect to find a more dynamic local context-dependant picture emerging as sites and LSPs seek to manage their way through the challenges associated with implementation.

2.3.4 Core and additional NHS CRS services available to Trusts

Key elements of the NHS CRS, together with associated support, are designated as “core” and are funded centrally as part of the NPfIT. The services are available to Trusts at no charge.(35) Trusts can however also purchase the following additional services:(35)

- Services that add extra-features to the NHS CRS
 - Pathology
 - Document Management
 - Financial Payment
 - Dental
 - Pharmacy
 - Stock Control
 - eHealth (electronic access to patients, telecare and video conferencing).

- Professional services
 - Professional services to assist Trusts with activities supporting technical and clinical transformation, whether or not these come within the direct scope of the NHS CRS programme. These may include workshops, training, presentation materials and provision of experienced resources.

- Catalogue services
 - Trusts have the opportunity to purchase related IT products and applications at competitive rates without the need to go to tender.

2.3.5 The consequence of the NHS CRS for Trusts and the delivery of care

Given the disruptive nature of the technology, and the transformative ambitions it holds, it is anticipated that the introduction of the NHS CRS will have considerable consequences for the work practices of individuals and teams as well as for the workflow in hospital trusts. It is likely to impact and reshape the way individuals, clinical teams and indeed the whole organisation functions. This disruptive and transformative capacity also poses the most significant risks to the successful implementation and adoption of NHS CRS. The NHS therefore needs to plan strategically for the introduction of the NHS CRS. To facilitate this planning, NHS CFH has defined a set of Trust activities under the heading of “Clinical transformation”,(35) these including:

- **Awareness and communications:** Trusts need to appoint a Communications Lead and seek and incorporate user feedback
- **Process planning and redesign:** Trusts need to assess how the new system will affect current practices and plan how new work practices may be constructed
- **Tracking and managing benefits realisation:** Ways of assessing the usefulness of the new system
- **Training:** Trusts need to assess training needs of users of the new system and deliver training.

Trusts will be responsible for securely migrating data from the old system onto the new system, which is preceded by a technical site survey designed to assess if their current IT resources are appropriate for the

new system.(35) Trusts will also be responsible for establishing a variety of internal structures to ensure a smooth introduction of the new system in sites. These will include local programme managers, co-ordinators and local champions to set clear standards and facilitate change throughout each stage of the implementation programme. It is planned that administrative support will be established in the form of a dedicated Project Office. The NPfIT has developed a Cost Model to help Trusts estimate the cost of these activities.(35)

2.3.6 Current status of the use of the NHS CRS

The planned implementation of the NHS CRS is imminent.(16) Four PCTs have since Spring 2007 been piloting the SCR under the “early adopter” programme.(38) The introduction of the NHS CRS into secondary care is, however, yet to come, and substantial implementations are likely to begin in the second half of 2008 and early 2009, although a number of Trusts already have aspects of the selected products implemented. For example, PACS has already been successfully implemented in all English Trusts. In addition, Queen Mary’s Sidcup NHS Trust and the Taunton and Somerset NHS Foundation Trust have “gone live” with the Cerner Millennium patient administration system in November 2007 and January 2008, respectively.(39;40)

Other Trusts are already using some elements of the NHS CRS. For example, the Medway NHS Trust in Kent and some London Trusts, such as Imperial Healthcare NHS Trust, plan to skip implementation of Cerner Release 0 and start this year with Release 1.

Also of relevance is the north-south divide in terms of the major suppliers to secondary care (Lorenzo in the North, Cerner in the South and London). As noted above, differences in the products, and in the rate of delivery of elements within each product, may lead to different approaches being taken in the two parts of the country. Of particular interest is the fact that Cerner is an existing product, undergoing adaptation and development, while Lorenzo is a new product being developed from scratch is of potential importance. In terms of pace of delivery, Computer Sciences Corporation is currently agreeing a re-phasing of delivery of elements within the Lorenzo product. Such events, if they continue to occur, would have significant impact on the timing of post-implementation evaluation of affected clinical processes.

A further complication that may be of importance is that additional suppliers may be providing, now or in the future, certain elements of the NHS CRS locally, so that comparability of product within as well as between regions may prove problematic. The “Additional Suppliers Capability and Capacity” tendering process will probably mean that such local differences remain in place for some time to come.

2.4. Theoretical, methodological and evaluative considerations

2.4.1 Overall theoretical views on implementation strategy


The majority of previous work on the implementation of information systems in all sectors – i.e. not only in healthcare – strongly suggests that implementation and adoption are more likely to prove successful if sufficient attention is paid to socio-technical factors. These factors include:

- Ongoing multi-disciplinary end-user input throughout all stages of development and implementation of the new system in order to capture real requirements and promote a sense of ownership among proposed adopters.
- The visible commitment of management to new systems and their implementation.
- Careful attention to structural, organisational and professional challenges that arise as a result of the introduction of the new system, and to the inevitable (and desirable) realignments and changes that follow. Not all desirable and beneficial changes can however be predicted and planned for.
- Continuous evaluation cycles that give voice to the multiple interests and can capture and evaluate the emerging work practice, technological infrastructure, attitudes and opinions.

One key challenge for the NPfIT is that it is widely perceived by healthcare professionals, notwithstanding NLOP, clinical leads etc., as centrally led and distant from its user community. This may adversely impact on implementation and adoption if individuals/institutions perceive it as being imposed on them, thereby generating resentment amongst at least some professionals. This is reflected by surveys, which show a certain degree of local alienation and scepticism towards the programme.(41;42) In order to address these issues, an appreciation of the multi-faceted impact of the NHR CRS, increased end-user input (i.e. doctors, nurses and allied healthcare professionals) with visible results, and continuous evaluation and feed-back is crucial.

Our background work has resulted in the development of a model of the spread and adoption of IT innovations in health service organisations, which is based on *Diffusions of Innovations in Health Services Organisation* theory (see Figure 4).(43) This emphasises the importance of user involvement throughout the commissioning, design and deployment process and also emphasises the importance of both internal and external factors in shaping beliefs, attitudes and experiences of end users in engaging with new technological deployments. Given the intense media scrutiny and charged political environment surrounding NHS CFH and NPfIT, we are aware that the macro cultural dimensions are likely to far more important in the context of deployment of NHS CRS than is likely to be the case with many other IT-based innovations.

Figure 4: Infusion of eHealth Innovations in Health Services Organisations Model



One of the key developments in our model is the application of *Diffusions of Innovations in Health Services Organisation* theory to IT and the more comprehensive inclusion of design and evaluative considerations.

As our model is based on available evidence in relation to IT-based interventions, it may be used for viewing the different components and contextual aspects of the infusion of the NHS CRS as an intervention in the NHS as a complex organisational environment. We use the term *infusion* to depict the active spread of the innovation in the organisation and include the process of becoming established throughout the NHS.

We use this model to inform the conceptual integration of both questions and findings such as, for example, what is done in adopter sites to facilitate the implementation of the NHS CRS, and what more may be done. It may be used as a general conceptual framework for both qualitative and quantitative components of our evaluation. In addition, the proposed project may also provide with an opportunity to empirically test our model in an integrated way.

2.4.2 Health informatics and evaluation

There is little experience with large scale national IT systems in healthcare anywhere in the world and there is as a consequence little published evidence on evaluations of their implementation. But there is nonetheless an emerging relevant body of work on approaches to evaluate IT-based interventions which is of some relevance to our deliberations on evaluative considerations, particularly in emphasising the need to move away from a simplistic focus on randomised controlled trials to the use of rigorous scientific


approaches that also allow a more holistic appreciation of contextual and explanatory factors, which may be crucial in determining the success or failure of the implementation strategy.(44-46)

As IT-based interventions such as the NHS CRS and the healthcare setting in which it is to be implemented are both complex, it is now increasingly accepted that evaluation activities need to be multi-faceted. This is often expressed in terms of employing multi-method approaches that integrate quantitative and qualitative components. The value of combining the two lies in the resulting ability not only to determine if something works (or results in changes in the desired direction), but also in the ability to explain why it works (or conversely why it fails to work). However, past evaluations of IT in healthcare have been largely one-dimensional.

Our systematic review on IT and its impact on the quality and safety of healthcare found that in relation to EHRs robust longitudinal evidence for the effectiveness of such systems is lacking. Existing investigations have been mainly quantitative in nature and although qualitative evaluations exist, relatively few evaluations have combined these approaches.(47;48) This may help to explain why in the past the introduction of new IT-based systems into healthcare organisations has proved problematic. The literature contains numerous examples of failed ventures, which can to a large extent be explained by a lack of attention being paid to human factors.(49;50) For example, Sicotte and colleagues describe the introduction of EHRs into four US hospitals;(51) staff refused to use the system feeling that it did not fit in with existing care processes.

In 2001, when Clamp and others evaluated Integrated Care Record Service (ICRS)(52) – a precursor concept of the current NHS CRS as part of the Electronic Development and Implementation Programme (ERDIP) of the NPfIT (see Figure 5) – they attempted to explore the system features arguing “...if a system does not operate satisfactorily at the technical level, then it will not be used, and the evaluation of the next three levels cannot occur”. They asked four basic questions: i. Is the EHR technically sound?; ii. Is the EHR useful and usable?; iii. Does the EHR improve communication?; and iv. Does the EHR assist operational decision making? They found a. patient coverage, b. completeness of data, c. accuracy of data and d. timeliness of data problematic and a barrier for evaluation. However, they concluded that although EHR and ICRS are very different concepts; there are many similarities and more importantly: “They are both complex change management projects. The challenge surrounding change management are more significant than the technical issues involved”. Whilst offering useful insights, this approach does however somewhat over-simplify the multi-faceted and evolving inter-relationship between technology, work processes and organisational and clinical outcomes, a point we elaborate on below.

Figure 5: The South Staffordshire ERDIP Programme Evaluation Hierarchy



During 2003-2006, Fulop and colleagues evaluated the processes and outcomes of implementing NHS IT programmes in four acute hospitals Trusts in England.(53) Their objective was to describe the progress and perceived challenges in implementing the NHS information technology programme in England. This was a qualitative study based on case studies and in-depth interviews, with themes identified using a framework developed from grounded theory. The authors concluded that this method of data collection resulted in a detailed appreciation of stakeholder perceptions of challenges and potential ways of addressing these.

Greenhalgh and colleagues are currently conducting an evaluation of the “early adopter” programme, where four PCTs are piloting SCRs.(54) This is also a mainly qualitative evaluation, which involves investigating the views of key stakeholders including GPs, nurses, patients and the public, practice managers and other clinical and administrative staff.

During the initial stages of our evaluation we plan to conduct, expand and update the literature review presented in this protocol. This will include a specific search for relevant European literature utilising the EFMI Evaluation Website, which is a very useful resource of existing IT evaluations in healthcare with details of evaluations from a range of countries, which may prove to be of some benefit in relation to our planned evaluation. We therefore plan to formally search the EFMI database using a variety of search terms in the context of updating our literature review at the onset of this project.


2.4.3 Overall methodological approach

Considering the issues outlined above, in order to gain a sufficiently rounded and dynamic understanding of the introduction of the NHS CRS, we propose to employ a mixed methodology evaluation that uses the principles of a stepped wedge design to select hospital sites within each of the three clusters, with data generation and analysis being informed by realistic evaluation considerations. We will, in partnership with NHS CFH, aim, where possible, to sample a range of hospital sites including teaching, non-teaching, mental health, district and general hospitals.

2.4.3.1 Stepped wedge design for sampling hospitals

Randomised controlled trials provide a robust methodological approach for evaluating the effectiveness of interventions, but they are not always ethical (i.e. when there are concerns regarding the lack of equipoise) or technically feasible; these concerns are relevant to the implementation of NHS CRS. The phased introduction of the NHS CRS corresponds conceptually to a stepped wedge design, where clusters of subjects are allocated sequentially to receive a new intervention (see Figure 6).⁽⁵⁵⁾ In the usual application of a stepped wedge design the clusters would be allocated randomly, but this is unlikely to be practical in the current context. The timing of its introduction in different hospitals will, as discussed above, be determined by operational considerations. Also, in an ideal stepped wedge design trial, all clusters (i.e. hospitals in this case) would have observations taken at each “step” of the trial. In practice, the unavailability of relevant comparable routinely collected data and limited research resources makes this infeasible. Within each cluster that is sampled, however, there will, as a minimum, be an opportunity to undertake baseline measurements for selected quantitative variables and obtain a corresponding set of post-intervention measurements; there may however also be the opportunity to undertake a series of measurements before and after the intervention (i.e. a time series element) and undertake comparisons with control sites that have yet to implement the intervention (see Figure 6), both of which would add considerably to the rigour of the analysis.

Figure 6: Stepped wedge design demonstrating a phased roll-out of the intervention (i.e. NHS CRS into hospitals) and the opportunity for comparisons with control sites yet to receive the intervention




The data generated will thus consist of before and after measures from a sample of clusters (hospitals), together with data from control sites, within each of the three LSPs. For each cluster there will also be data on the timing of the intervention. For most of the quantitative variables we anticipate some degree of between cluster variability. Thus, the primary approach to analysis will be through random effect (otherwise known as multi-level) modelling.(56) The hospitals will be fitted as random effects with fixed effects for the LSPs. The timing of the interventions for each cluster will also be included in the model, initially as a linear term, but with exploratory analysis of alternative models.

2.4.3.2 Realistic evaluation

The main strength of realistic evaluation is the attempt to link the specific contexts and mechanisms in a way that has perhaps not been considered in the past.(57) What works in one site under certain circumstances will not necessarily work in another site. The main issue is thus not only whether a measure worked (as outcomes), but also how did it do so or, conversely, why it failed to work when logic dictated otherwise. Results of conducting evaluations in a realistic way should be that the contexts (structures) that trigger certain mechanisms are identified providing useful knowledge for future programmes. The research task is testing theories of how programme outcomes are generated by specific mechanisms in contexts. This task involves making intra- and inter-programme comparisons in order to see which *context-mechanism-outcome* configurations are effective. This can help to inform *what works for whom and in what circumstances*. Figure 7 below illustrates the realistic evaluation cycle.

Figure 7: The realistic evaluation cycle



Adapted from: Pawson R & Tilly N (1997)(58)

We propose using realistic evaluation as a conceptual framework for analysing both qualitative and quantitative data, and plan to use Cornford et al's framework (discussed below) to inform our approach to data collection and analysis. A key question to answer in this respect will be, "Which mechanisms of the NHS CRS work for whom under what circumstances?" In order to answer this question, we will examine context-mechanism-outcome configurations for causal relationships. If these can be effectively determined, then contexts under which the implementation of the NHS CRS worked well may be re-created in other settings (i.e. other hospitals) and consequently determine outcome. Conversely, contexts in settings where the implementation of the NHS CRS worked less well can help to identify barriers to achieving desired outcomes.

Examining the introduction of the NHS CRS in terms of context-mechanism-outcome (structure-process and outcome) configurations is likely to be most complete by employing both quantitative and qualitative methodologies. For example, context may best be investigated by qualitative means investigating issues such as organisational culture, the wider political environment and individual attitudes. Investigating outcomes, on the other hand, will also need a quantitative component including a measurement of outcomes such as rates of errors, healthcare professional time spend and rates of unnecessary repeat tests.

2.4.4 Cornford et al's evaluation framework

Cornford and colleagues' evaluation framework combines Donabedian's causal chain of quality of healthcare (consisting of a structure-process-outcome triad) with socio-technical factors including system function, human perspective and organisational context.⁽⁵⁹⁾ According to Donabedian,⁽⁶⁰⁾ quality of care is a function of: i. structure (e.g. organisational traits and resources); ii. processes (activities and interactions between healthcare professionals and patients); and iii. outcomes (the difference in a patient's health status as a result of care). The model is presented as a matrix with structure, process and outcome on one axis and system functions, human perspectives and organisational context on the other (see Table 3).

Table 3: Cornford et al's evaluation framework

	System functions	Human perspectives	Organisational setting
Structure (Context)	Technical structures of legacy and new NHS CRS systems	Stakeholder attitude and opinion; professional roles	History, resources and skills within organisation. Environmental constraints
Process (Mechanisms)	Systems in use, operational characteristics	Human work processes and care giving that draws on NHS CRS functionality	Organisation's ability to embrace and support change through implementation activities.
Outcome	Systems performance, usability, reliability and integrity	Changes in healthcare delivered	Organisational learning in respect of EHR, IT management; organisational transformation.

This model addresses Donabedian's three classic aspects from the perspective of the technology used, the people involved in the work process, and the institutional setting. The framework thus encompasses technical, individual and team, and organisational perspectives and serves to address the long-term prospects of a system – its sustainability within a technical, social and organisational context – as well as changes to the means for the delivery of care and to established work practice. Use of the framework can help in this study to focus on organisational consequence, and to lead our evaluation activity beyond a few narrow or de-contextualised measures.

The advantage of this framework for studies of the implementation of NHS CRS is that it frames a broad set of evaluation targets and perspectives that combine social and technical perspectives and that encompass qualitative and quantitative approaches. It must, however, be understood as just a framework within which specific data gathering approaches can be located, and we certainly do not claim that it alone offers the elusive integration of the technical and social, qualitative and quantitative elements. The framework can however, as shown here, guide evaluation activities and the choice of criteria, serving as a flexible template within which specific evaluation criteria and methods can be located, and related one to another in analysis. The framework is particularly relevant to the study of the key goal of reducing error through its compatibility with Reason's model that sees errors as having roots in technical, individual, group and organisational failures, with the emphasis directed towards the latter end.

As a simple primary route through data the model allows consideration of how technical structures link to human work process and create organisational outcomes – a simple diagonal similar to that used on the South Staffordshire ERDIP studies described above (see Section 2.4.2).(54) Such a reading of data might produce a clear understanding, but it is more likely that tracing such a simple chain of understanding will raise questions or pose contradictions (for example, how come “good” technology did not lead to “good” human process, or vice versa; how was a fragile and incomplete technology accommodated and made useful by human participants?). Resolving such a contradiction will then require a shift of attention to some other aspect of a system – perhaps in technical outcomes (for example, non-use of certain functionality), or be found in the prior attitudes of certain stakeholder groups. Considering the interaction (inter-relations) between the conceptual cells achieves a deeper level of understanding (a hermeneutic reading of research data) by moving from understanding parts to understanding wholes and back again.

We now outline the application of the framework to the work proposed.

2.4.4.1 Structure: The established characteristics of the situation under study. “The things we have”.

Structure is sometimes referred to as “the causal past”,(61) representing significant initial conditions that an innovation such as NHS CRS must relate to – current resources and actors, and the characteristics of the work setting and healthcare institution – and with which it must combine to become embedded.

System functions

In the case of NHS CRS we consider the technical components used to implement the service, both as already established and as delivered as part of the implementation activity (e.g. Lorenzo, Cerner Millennium). Technical elements offer specific functionality, and may displace others, for example computer-based test orders replacing those done by paper. Part of the innovation represented by NHS CRS is thus an innovation in structure, the introduction of new technical means and resources. And, as we know, technical components can prove problematic – computers crash and hang, networks go down, data transmission is not always reliable and data are not always preserved.

Human perspectives

Here we identify the various stakeholder groups who come to use or experience NHS CRS, including healthcare professionals (doctors, nurses, pharmacists etc.), healthcare managers, technical support staff, technology suppliers, and not least patients and carers. Each of these stakeholder groups bring key elements of structure, for example for healthcare professionals in their professional formation and training, their ethical tradition, as well as attitudes, desires and expectations in the face of change in general, and technology led change in particular.

Organisational context

Here we consider the institutional and management structures through which NHS CRS is developed and rolled-out, as well as the established culture and working style of the various institutions. Past experience of large scale IT implementations in hospitals suggests that success draws strongly from distinctive managerial strategies pursued over extended periods of time, but equally on the wider context within which an institution is set – for example, the stability of the local labour market. We also know that prior positive experience of technology can build a strong legitimacy for future innovation.

2.4.4.2 Process: The way things work and are worked out; how parts interact or operate to perform individual and collaborative tasks. “The things we do”

Process is concerned with the activities that occur within a hospital setting as they relate to the delivery of care. This process is to some degree under the influence of human participants through their professional training and experience, but is equally conditioned by the structural characteristics of the technology employed. Most significantly for our study is how process changes as a result of the implementation of the NHS CRS, and how this is negotiated and worked out as a part of an extended implementation activity. The real significance of NHS CRS will be found not in the technical characteristics of the supplied technology and its designed functionality, but in the activity of accommodating it and negotiating it into use.

System functions

The study will focus on the way that the technical components work together as a system, how they manipulate and process data, and how correct, valid and trustworthy they are in day to day use. Prior studies suggest that such systems are not stable or given as operational technology, but even at the best demand constant attention to maintain the technical process at the desired level of performance. Similarly they need attention to become and maintain acceptance within the social environment; for example, attention to assessing and monitoring reliability and safety of the technical system (an embedded evaluative process).

Human perspectives

Here the framework allows us to focus on the main stakeholder groups as identified above: healthcare professionals, healthcare managers, technical support staff, technology suppliers, patients and carers). Each group, taken alone, will present their own distinct account of what it means to work with and through the new NHS CRS systems and which we will capture through qualitative research. More significantly perhaps is the ways in which NHS CRS may change the relations *between* the various stakeholders, both in the short term and in the longer term. Shifts in the timing, pace and location of work, and the ability to reorganise work processes or rely on technical resources (e.g. in prescribing) may have both positive and negative consequences.

Organisational context

Here we consider NHS CRS as an intervention or contribution to the overall organisation and to its operational development. Previous studies emphasise the challenge that any particular hospital must face when adopting major information systems and the long and extensive (almost unending) implementation that it requires. Getting from “here” – which for most hospitals will be established, functioning, well understood and tolerably safe working practices based on a mix of paper and discrete IT-based systems, as well as the accumulated years of experience of all the main actors – to “there”, a brave new world of integrated information management with effective decision support – must be understood as a significant process in itself. In these terms NHS CRS is not an end state that is achieved after a discrete effort, but is more suitably understood as an enduring process of change and for which the organisation must be prepared and committed.

2.4.4.3 Outcome: *The consequences of an innovation, what endures, how care is experienced. “The things that happen”*

Traditionally outcome is associated with measures of patient’s health status as a consequence of a process of care, but here outcome is extended to include the enduring state of technology, of professional interests and for the healthcare organisation itself.

System functions

For the technical components outcome is expressed principally in their ability to continue to operate within the environment, to be considered to maintain their status as relevant, applicable and reliable participants

in the healthcare setting – allowed to stay – welcome. This is of course not the usual use of the term “outcome” in healthcare, but in this case, as with other new and challenging technologies, it is indeed a primary consideration.

Human perspectives

Once again, we consider the main stakeholder groups. For each group we will assess their overall feelings about their work with the new system, their sense of achievement or satisfaction in doing their job or receiving care. It is here that a more traditional notion of “outcome” can be found – with outcome reported in terms of patient satisfaction, adherence to care pathways, or satisfaction with informational resources available. We also must recognise the perception gaps that occur between the “ideal” care records system and the actual one that they experience. The tensions between these two provide a useful perspective from which to assess outcome.

Organisational context

The organisational outcome reflects the institution wide response to the implementation and use of NHS CRS. At one extreme we may find the NHS CRS can become just “one of the things we do”, achieving over time the status of an embedded, taken for granted, characteristic of the hospital (infusion). At the other, may be a more problematic situation in which aspects of NHS CRS are rejected or never get beyond a “project” status. Another related outcome measure for hospitals is their developing level of understanding of what it takes to implement and adsorb new technical elements in the care process and to reform work flows and work practices,

2.4.5 Integrating the methodologies

When integrating the methodologies discussed above, our model of the *Infusion of eHealth Innovations in Health Services Organisations* will we hope contribute to our understanding of how the NHS CRS arrives and is accommodated within and integrates within secondary care settings. It will inform our thinking in relation to information systems as socio-technical systems and the ways in which this is implemented, adopted, diffuses and then infuses within organisations. This will furthermore allow us to compare and contrast the ideals and realities of deploying technologies.

Whilst the stepped wedge design will be used to inform recruitment of study sites and to quantitatively assess the impact of the introduction of the NHS CRS, realistic evaluation and Cornford et al’s evaluation framework will inform the qualitative component of the current study.

2.5 Methodology of evaluation

As described above, our fundamental understanding of how information systems arrive and are accommodated within healthcare settings is based on a socio-technical understanding that addresses the technology within the context of use and as part of the care-giving practices of the various stakeholders.

We see the implementation of technology within an initiative such as NHS CRS as a diffusion process, in which, over time, systems, ideas and understandings move through the community; different parts of the community experience and relate to the system in different ways at different times. We thus take a constructivist view in which technology is given meaning through the practices which people develop around it – see, for example, Orlikowski's concept of a "technology in practice".(62) This approach has certain consequences for the evaluation task: In contrast to "normal" health evaluation tasks and randomised controlled trials we need to take very seriously people, and their attitudes and opinion, and the ways in which these change over time. Realistic evaluation provides us with a conceptual model of context (or in this case contexts), mechanisms, and outcomes, and asks us to focus as much on mechanism as on outcome. This approach is very compatible with the classic approach of Donabedian, reflected in his concepts of structure, process and outcome. These themes are then applied to this research through Cornford et al's *Structure Process Outcome/System Factors Human Perspectives Organisational Context (SPO/SHO)* framework, which draws on both Donabedian and socio-technical models. The framework serves in particular two distinct purposes in this research, and thereby helps to retain the focus of the work. The first is to systematically collect data (both quantitative and qualitative) on context/structure, process/mechanisms, and outcomes across the technical, human and organisational domains. The second purpose is to allow such data to be drawn into an analysis that will always look beyond any single cell (be it technical, human, outcome or structure). Meaningful insight is drawn from understanding of the inter-linkages. This work will necessarily be built on co-ordinated complementarities of quantitative and qualitative methods. Our focus on human activity systems with technology draws us to incorporate a number of stakeholder groups (including patients) and explore over time their attitudes, expectations, experiences and work practices.

Our proposed evaluation thus investigates the NHS CRS adoption in a way that will allow us to both capture what should be ideally adopted (the systems as designed and built), while comparing it with what is actually occurring (the systems as adopted and used) and in this way help to identify and minimise the risk of the NHS CRS project.

We will assume that individual Trusts will adopt the NHS CRS when they achieve the readiness criteria (Stage 1). Therefore how the evaluation sites are selected is largely determined by the Trusts. However, in order to adopt a systematic approach to our evaluation we plan to use the principles of a stepped wedge design using alternative approaches to selection as a randomised approach is not likely to be achievable.

Our primary objective for the evaluation is to determine what is happening during the implementation of the NHS CRS in secondary care and what consequences this has for patient care, NHS organisations and the people working and being cared for within these Trusts. This will include examining what might work for whom and in what circumstances. This will also provide insight on what might not work and in what circumstances; this will we believe prove valuable for NHS CFH for reconsidering implementing

approaches in order to keep the project on track for a successful closure; this should also provide valuable information on potentially transferable lessons for other IT deployments.

We plan a pragmatic, but systematic approach to selecting aspects of NHS CRS adoption for evaluation. We will use both qualitative and quantitative observations (data collections) although we fully appreciate that the cost of obtaining reliable and accurate data within the project time frame needs to be critically assessed during each stage of the project. For instance, obtaining data on prescribing errors would be feasible while determining adverse events or fatalities directly attributable to the NHS CRS would, in view of the relative infrequency of such events and the difficulties in determining causal relationships, be extremely difficult. Our initial approach would be to determine if the “new system” introduced by the NHS CRS is equally safe as the “old system”.

In our analysis we will first frame theories in terms of propositions about how mechanisms are fired in contexts to produce outcomes. This will lead to hypothesis generation and testing so as to allow refinement of the measurements and observations we undertake (see Figure 7).

CONFIDENTIAL

3. AIMS AND OBJECTIVES

3.1 Key aims

The main aims of our proposed project are to inform the roll-out of NHS CRS with a view to ensuring that this is successfully used and has the maximum chances of introducing benefits whilst minimising harm. In doing so, we will:

- Identify benefits and negative impacts of the new system across a variety of dimensions that are reflected in our work packages
- Liaise with NHS CFH throughout the project in order to inform both local implementation and national roll-out of the NHS CRS.

3.2 Key objectives

The call for proposals presents some indicative research questions, but indicates that this listing is “neither exhaustive nor exclusive”. In preparing our bid we have undertaken some reworking of the themes directly identified in the call, and present our broad understanding of the research questions in the work packages described below. Table 4 (below) provides a mapping of the original research questions to this work breakdown, noting that some of the original questions are mapped to two work packages. The table also indicates the principal data gathering activities as associated with each work package. More generally, we see these work packages as closely related and, where appropriate, as sharing theoretical approaches, field work activities in data collection, and analytical themes.

The specific objectives that we propose to focus on are to:

Work package 1: Implementation, deployment and organisational learning

- Identify and document the implementation strategy in use and its justification, and the balance of planned versus emergent change supported.
- Identify the stages through which implementations proceed, both planned and actual, and the criteria used to progress between stages.
- Identify assimilation gaps and the strategies used to address them
- Identify relevant activities and deliverables at each stage (process and outcomes)
- Assess how safety, patient care and organisational context is incorporated in to implementation activity
- Identify examples of organisational learning and the development of new competencies (technical and evaluative)
- Feedback all the above to support the continuing roll-out of NHS CRS.

Work package 2: Stakeholder attitudes, expectations, engagement and satisfaction

- Explore key stakeholders’ (i.e. including patients/carers, healthcare professionals and managers) attitudes and expectations of the NHS CRS in secondary care before it is introduced

- Explore their early experiences of the NHS CRS
- Explore their perceptions once the system has become established and, where applicable, once they have become experienced users of the new system
- Feedback all the above to support the continuing roll-out of NHS CRS in secondary care.

Work package 3: Organisational consequences: organisational workflow, professional role and data quality transformations

- Explore how human resource transformations occur in terms of evolving professional roles and remits
- Explore how workflows transform
- Investigate the impact of NHS CRS on the IT literacy of the staff involved
- Understand the changing IT training needs of healthcare professionals
- Investigate the impact of introduction of NHS CRS on data quality.

Work package 4: Assessment of costs of NHS CRS implementation

We seek to:

- Assess exceptional introduction per-provider costs
- Assess annual (recurring) per-provider costs
- Develop evaluation frameworks to assess the impact of NHS CRS on costs
- Validate cost categories with local providers and with NHS CFH
- Make recommendations about a core dataset for NHS CRS evaluation post-implementation.

Work package 5: Assessing error, safety and quality of care

- Investigate whether the introduction of the NHS CRS results in improvement in medicine reconciliation on admission to, and discharge from, hospital
- Investigate whether the introduction of the NHS CRS results in improvement in availability of clinical records
- Investigate whether the introduction of the NHS CRS results in improvement in availability of clinical test results in secondary care outpatient and inpatient settings.

Work package 6: Organisational consequences and implications for future IT deployments and evaluations

- Summarise and integrate the findings from the previous five work packages
- Identify barriers and drivers that shape the implementation process and drive the diffusion of NHS CRS within the health community
- Relate findings to the overall objectives of the NHS CRS and NHS CFH – e.g. for seamless care, efficiency gains, error reduction, guideline adherence, disease surveillance etc.
- Assess the degree of transformation of the healthcare system that NHS CRS and associated projects may lead to

- Draw conclusions in respect of governance and communications strategies related to implementations of this scale and complexity
- Identify relevant target audiences for this research, and their specific needs and interests
- Prepare reports and other materials relevant to these audiences and from which they can draw in future work.

CONFIDENTIAL

4. DETAILED METHODS AND WORK PACKAGES

4.1 Research scope

In line with the objectives set out in the call for proposals (NHS CFHEP 005) we propose to focus on **evaluating the implementation, adoption and integration or infusion** of the NHS CRS into hospital, mental health and specialist community settings. We seek to develop a rich picture of the evolution of the **structure** and **process** in secondary care in evaluation sites as a result of the adoption of the NHS CRS and as a consequence of its interactions with other deliverables of the NPfIT such as PACS, ePrescribing, Choose and Book and clinical decision support systems (CDSS). We will build this picture by collecting qualitative and quantitative data as NHS CRS adoption unfolds in the evaluation sites. We will collect formative and summative data on structural changes in the organisations (how the human resource configurations change), process changes (how the care pathways change), system changes (how the supplier refines the system), organisational perspective changes (how the organisation responds) and the consequences for patient care.

Only implementation (adaptation) and maintenance (evolution) phases of the NHS CRS system life-cycle are within the scope of this research, not requirements elicitation (exploration) or design (technical development) phases. However, much design at the organisational and work practice level does remain in scope, a central feature of any system being put to use.

4.2 Overview of work packages

We provide below an overview of the work packages that we aim to pursue and then provide a more detailed discussion of each of these work packages below; Table 4 provides a mapping of the original research questions onto the planned work packages (see Appendix 4 for the research questions suggested in the NHS CFHEP 005 tender).

- **Implementation, deployment and organisational learning (Work package 1):** We propose to study the way NHS CRS is rolled out, and actual experiences of implementation (e.g. technical, clinical and organisational issues).(63-65) This Work package also considers and explores the effect of the macro and local context, and well as sense of organisational learning or development of (new) core competencies including technical skills and evaluative capacity.
- **Attitudes, expectations and experiences of stakeholders (Work package 2):** We propose to study the attitudes and expectations of the various stakeholder groups over time, including patients/carers, managers, IT service providers and healthcare professionals. This work package will allow us to explore the changing attitude as multiple initiatives and systems come to impose on healthcare professionals.
- **Organisational consequences (Work package 3):** In this work package we propose to shift the focus from the processes of implementation of the NHS CRS itself to the evolving organisational consequences expected, for example, in improved data quality, more efficient workflow or new organisational roles and responsibilities.

- **Assessment of costs of NHS CRS implementation (Work package 4):** This work package focuses on the formative assessment of implementation costs of the NHS CRS.
- **Assessing error, safety and quality of care (Work package 5):** This work package will consider key quantifiable benefits in relation to improving quality and/or safety of care in exemplary areas.
- **Organisational consequences and implications for future IT deployments and evaluations (Work package 6):** This final work package is concerned with a final integration of findings to provide the overall summative element in the evaluation and to explore the overall transformative contribution of NHS CRS beyond the national roll-out. This work package will thus also integrate our findings with a critique of how the system has developed and the interfaces that have occurred, and use this contextual information to make recommendations for implementation and evaluation of future large-scale IT deployments in healthcare.

We will recruit up to five secondary care sites from each of the three implementation clusters. Whilst the detailed sampling strategy will be developed in association with the NHS CFH/NHS CRS implementation teams, we will, where possible, seek to sample so as to ensure sites with a range of types of providers (e.g. teaching/non-teaching, mental health, etc.), predispositions to IT implementation and the extent to which they have already implemented aspects of the NHS CRS or software to support similar tasks. We note however that sampling will have to accommodate the uneven pace of roll-out, and the particular choices made at any given site as to which modules to implement. Given the project timing, and in order to serve our formative aims in the evaluation, we expect that our sample will draw in particular on early adopters and advanced implementers. The geographical sampling will ensure that we will have sites using the range of systems and system suppliers.

For the sampling and recruitment of sites we will follow a multi-stranded strategy using various contacts. In particular we will liaise with Chief Information Officers at the Strategic Health Authorities, as well as the leads responsible for the NHS CRS roll-out within the LSP's and at NHS CFH. Recruitment at the site (hospital) level will be led through contacts with the trust Chief Executive and the Director of IT (or equivalent).

Individual participants at each site selected will either be approached in person (where feasible) or by telephone in order to enquire whether they are interested in participating in the study and if so whether they would prefer a face-to-face or telephone interview. If they agree to be contacted again, they will receive written information on the project outlining what participation will involve. Interested participants will be given/sent a consent form, which they will be asked to return in a reply paid envelope. Upon receiving the completed consent form, a researcher will contact participants in order to arrange a suitable time for an interview.

All Work packages are based primarily on data collection undertaken in these selected sites, though Work package 6 extends the work to include other stakeholders. The first three Work packages in particular have been designed to allow data collection activities to be closely coordinated.

Once the study sites have been identified and recruited, we will then move to the specific recruitment for the various Work packages. Table 5 below summarises the individuals and roles we will target, and the number of interviews we expect to undertake in each case for Work packages 1, 2 and 3. We will seek to collect data for Work packages 1, 2 and 3 in a coordinated manner using, as far as is possible, the same researchers and the same respondents.

Work packages 1 and 2 have a temporal dimension. In the case of Work package 1 this is to document the recent history that leads up to the implementation of the NHS CRS and then to follow the unfolding activities of implementation. In the case of Work package 2 it is to track changes in attitude, expectations and satisfaction during implementation. In order to capture this temporal dimension we expect to interview key respondents for Work package 1 and Work package 2 twice over a period of time – in general 4-8 months apart. In some cases we may interview three times, or follow up by telephone. We will also maintain contacts with key managers on a regular basis by telephone so as to remain up-to-date with events at the study sites.

Work packages 1 and 2 will share some of the same respondents in the category of managers, and IT support providers. Work package 2 and 3 will share some of the same respondents in the category of health care professionals. That is, when undertaking the case study of stroke in Work package 3 we will interview the relevant healthcare professionals in respect of their attitudes and perspectives etc. Approximately 50% of the respondents in Work package 2 can in this way be drawn into the Work package 3 study.

Table 4: Mapping of the original research questions to six work packages

Work Packages		Issues covered	Original research questions
WP 1	Implementation, deployment and organisational learning	The means by which the NHS CRS is rolled out, and actual experiences of implementation (broadly understood). The work package considers and explores the effect of the macro and local context on implementation activity, as well as organisational learning and development of (new) core competencies including technical skills and evaluative capacity.	OA-1 OA-6 OA-7 OA-8 OA-9 PC-B-4
WP 2	Stakeholder attitudes, expectations, engagement and satisfaction	The attitudes and expectations of the various stakeholder groups, including patients/carers, managers, administrative staff, IT service providers and healthcare professionals.	PC-C-1 OA-3 OA-4 OA-5 OA-10
WP 3	Organisational consequences: organisational workflow, professional role and data quality transformations	The evolving organisational consequences, foreseen and unforeseen, for example in relation to data quality, changed workflow, end-to-end seamless care, and new organisational roles and responsibilities.	OA-1 OA-2 OA-4 OA-9 OA-12
WP 4	Assessment of costs of NHS CRS implementation	Providing a formative assessment of implementation costs of the NHS CRS.	PC-B-2 PC-C-3 OA-13 OA-11 OA-12
WP 5	Assessing error, safety and quality of care	The relevant issues of error, safety and quality of care are established and base-lined.	PC-A-1 PC-A-2 PC-B-1 PC-B-2 PC-B-3 PC-C-2 PC-C-3
WP 6	Organisational consequences and implications for future IT deployments and evaluations	A final integration of findings to provide the overall summative element in the evaluation and to explore the overall longer-term transformative contribution of NHS CRS beyond the national roll-out.	

Questions are identified as in the Call for Proposals pages 5 and 6, PC= patient Care, OA = Organisational Impacts, HCP = Healthcare professionals.

Table 5: Mapping Respondents to recruitment tasks and Work Packages

Research Respondents	Overall Project	WP 1	WP 2	WP 3
Software Suppliers	1*Interview			
Politicians				
“The wider public”				
Individuals to be recruited on a Cluster/ SHA basis				
CIO of SHA	Ongoing contact			
LSP leads	Ongoing contact			
LSP roll out teams		Interview and ongoing contact		
Individuals to be recruited as part of site recruitment				
Trust Chief executive	Ongoing contact			
Director of ICT	Ongoing contact			
Individuals to be recruited per site within and across Work Packages include the following:				
Members of the implementation planning team (including the chair, two clinical members and one IT manager)	Ongoing contact with Chair	2*interviews		
LSP person primary responsible		2*interviews		
Trainers (*2)		2*interviews		
Patients/Carers 6* (for qualitative interviews/surveys)			1*interviews (onsite or telephone)	
Patients (for collecting clinical information)				Care record reviews
Healthcare professionals *6 <ul style="list-style-type: none"> • Allied *2 • Doctors *2 • Nurses *2 			2* interview (with 50% overlap to WP3 - stroke)	1* interview (with 50% overlap to WP2)
Administrative staff			2* interview	2* interview
IT support personnel		2* interview	2* interview	
Healthcare and technical managers			2* interview	
IT service providers		2* interview	2* interview	
Members of professional bodies				
Units to be recruited include the following:				
Stroke wards			(also provide respondents for WP2)	Observation and interview
Accident & emergency department			(also provide respondents for WP2)	Observation and interview
Human resources department				Interview/ documentation

4.3 Work package 1: Implementation/deployment and organisational learning

4.3.1 Background

Systems of the complexity and scale of NHS CRS do not just appear in healthcare settings, or establish themselves in use, on the simple basis of their technical functionality.(66) Rather they need to be, to some degree, managed into use through a phased and often cyclical set of deliberate activities that link the technical, the work practice and organisational aspects. However, it is well understood that systems cannot be comprehensively managed into use, and some balance of planned versus emergent change should be expected and welcomed. That is, systems are negotiated into use within work practices with the participants in those practices, not imposed on them. The ways in which this activity is approached will have fundamental consequence for developing attitudes and the way systems are used.(62;67;68) Activities required during this period include communication with potential users and a sharing of the new vision, various forms of training and preparation, physical installations, work process redesign, and changeover from one way of working to another. Collectively, these activities are usually spoken of somewhat loosely as implementation. Perhaps the most frequently cited explicit implementation model in recent information systems literature is that of Zmud, Cooper and Kwon presented in a number of related papers.(64;69)

The model draws on the literature of diffusion of innovation and establishes the focus of concern for implementation as fundamentally an issue of innovation in organisational settings as much as the technical establishment of a working system.(70) The significant difference between a technology's physical diffusion (what is often referred to as acquisition), and its actual degrees and styles of use (what we call adoption) is termed the *assimilation gap*.(71) However, as below, adoption can be usefully understood in more fine grained terms – e.g. acceptance, routinisation, infusion.

This is the model of implementation used here to structure data collection and analysis. As shown in Table 6 below, the perspective is presented in terms of process and product (outcome) views, compatible with the Cornford et al. framework and able to be addressed in term of the their dimension – e.g. implementation of technology and systems functions, of new human work activities, and of organisational change.

Table 6: Process product view of implementation based on a staged diffusion model, with approximate mapping to NHS CRS (64;69)

Stages	Model Activities		Trust based activities As per NHS Care Records Service Guide to Planning and Preparation (35)	
	<i>Process</i>	<i>Product (outcome)</i>	<i>Process</i>	<i>Product (outcome)</i>
Initiation	Scanning of problems and opportunities and IT solutions	Match of IT and Problem	Negotiate and explore readiness to participate	Trusts own strategic development plan
Adoption	Rational and political negotiation	A decision to invest and commit to change	Assess formal readiness; Prepare Business case; Run pre deployment workshops	Business case Project Initiation Document Compliance Status Report Local Resolution Plan
Adaptation	Develop, install, maintain	Application available for use	Location preparation; Prioritization of CRS features; Select preferred approach to Implementation; Build system interfaces; manage data migration, undertake testing; Negotiate/design new care processes	Joint development plan with LSP Completion Report
Acceptance	Organisational members induced to commit to usage	Application in use ("GO Live")	Ongoing staff training and support; Monitor change activity	
Routinisation	Use encouraged as a normal activity	Governance systems adjusted to account for the application	Start to use NHS CRS; On site support handed to trust; Redundant legacy systems decommissioned	
Infusion	Benefits for 'higher level aspects of organisational work' from comprehensive and integrated use	Use to fullest potential		

4.3.2 Aim

The aim of this work package is to study the ways NHS CRS is rolled out (implemented) within clusters and within individual healthcare organisations.

4.3.3 Objectives

We seek to:

- Identify and document the implementation strategy in use and its justification, and the balance of planned versus emergent change supported.
- Identify the stages through which implementations proceed, both planned and actual, and the criteria used to progress between stages.
- Identify assimilation gaps and the strategies used to address them
- Identify relevant activities and deliverables at each stage (process and outcomes)
- Assess how safety, patient care and organisational context is incorporated in to implementation activity
- Identify examples of organisational learning and development of new competencies (technical and evaluative)
- Feedback all the above to support the continuing roll-out of NHS CRS.

4.3.4 Methods

This work will be undertaken at two levels, that of the cluster/region/LSP, and that of the healthcare organisation.

Preliminary work will be based on document review and interview with the technical developers and the implementation teams at the LSP.

Design

The design of this work package allows for the collection of data from the LSP/Region and from the healthcare organisation. Thus the approach will allow a picture of the degree of variation between the approach in regions, and within regions by individual healthcare organisations. Given the temporal character of implementation and adoption, the design allows for a regular data collection activity over a period of up to one year per site.

Sampling

At each site (note that where possible we will use the same people as in work packages 2 and 3, discussed below.)

- Four members of the implementation planning team including the chair, two clinical members and one IT manager
- Two members from the LSP who have primary responsibility for this implementation site
- Two trainers or support staff (in house, LSP or contracted).

Data generation

This work package will be based on semi-structured face-to-face interviews. The interview guide will be based around the declared implementation strategies and time frames used in the cluster/region, and the Cooper and Zmud model described above. We will also collect, where possible, relevant institutional documentation, publicity materials and training resources.

Regular follow-up telephone interviews/emails will be used to maintain contact with identified people and to obtain an account of the implementation momentum.

Key issues to be explored

As identified in the discussion of the background to the work package, the key issues we identify are as follows:

- Choice of implementation strategy at LSP and Region
- Choice of implementation strategy at site
- Implementation phasing, timing and resourcing
- Check-points and phase transition processes
- Development of organisational capacity to manage technology and exploit it in healthcare work
- Balance of resources between site and LSP
- Composition of implementation team
- Linkage of implementation management to wider healthcare community
- Aspects identified by stakeholders as good or poor practice.

We plan to consult healthcare professionals when developing topic guides for interviews. These healthcare professionals will include both junior and senior nurses, doctors and allied health professionals.

4.3.5 Data analysis

The data collected will allow within LSP/Region and between region comparisons. This analysis will be supported by the use of a fairly formal interview guide, giving an ability to make comparative statements about individual sites. The work, together with data collected in work packages 2 and 3 will allow an analysis that explores the relationship between local context (structure), the NHS CRS programme, and the LSP resources. We envisage that the primary focus of data analysis here (in contrast to Work packages 2 and 3) will be more on the relationships between the technical elements and the organisation, expressed in terms of processes of deployment, and outcomes of usable live systems, and systems in organisational use.

4.4. Work package 2: Stakeholder attitudes, expectations, engagement and satisfaction

4.4.1 Background

Various examples of failed EHR implementations across the world support the importance of considering and addressing stakeholder views of the new system.(49;50;72) In the context of the NHS CRS, these stakeholders do not only include healthcare professionals (i.e. doctors, nurses and allied healthcare professionals), but also managers, IT service providers and patients/carers.

Patient/carer perspectives, although crucial for the success of the NHS CRS, are often neglected in large scale evaluations of interventions in healthcare. This is however arguably the most important stakeholder group with potentially most to be gained from implementation of the NHS CRS. Existing investigations have mainly been conducted in primary care and UK studies indicate that patient perspectives towards EHRs are largely positive.(73;74) However, important patient concerns surrounding the confidentiality of EHRs have been identified. As part of the ERDIP, mentioned above, the Patient Electronic Record Information and Consent (PERIC) project, found that many patients have concerns relating to access of those who are not directly involved in their care such as receptionists and social workers.(75) The project also found demographic differences in attitudes, with females being most concerned about these issues and older people being least concerned. In addition, the "Share with Care" project, which is also part of the ERDIP, found that patients wish to be asked for consent whenever information is shared.(76)

Healthcare professionals comprise another key stakeholder group whose attitude to the introduction of the NHS CRS is crucial to its ultimate success. Of concern, however, is that several surveys show relatively negative perceptions of healthcare staff towards the NPfIT.(41;42) Again, confidentiality issues were found to play a major role and radical changes in work practices that are likely to result from the introduction of the new system may also contribute to re-considering the relative perceived value of the NHS CRS over the old system. Investigations from outside the UK have further uncovered some concerns relating to EHRs negatively impacting on the clinician-patient relationship and computers as a physical barrier for healthcare professionals to orient themselves towards the patient.(77-79)

Conversely, it has been argued that time savings as a result of the introduction of EHRs may increase both provider and patient satisfaction by reducing waiting times and speeding up care processes.(80;81) It has also been argued that EHRs may result in increased patient empowerment. However, a recent UK study has found that patients' desire to be empowered through computer usage may be negligible.(82)

4.4.2 Aim

The aim of this work package is to explore key stakeholder attitudes, expectations, engagement and satisfaction in relation to the introduction of the NHS CRS in secondary care over time.

4.4.3 Objectives

We seek to:

- Explore key stakeholders' attitudes and expectations of the NHS CRS in secondary care before it is introduced
- Explore their early experiences of the NHS CRS
- Explore their perceptions once the system has become established and, where applicable, once they have become experienced users of the new system
- Feedback all the above to support the continuing roll-out of NHS CRS in secondary care.

4.4.4 Methods

In order to obtain a thorough understanding of the introduction of the NHS CRS in secondary care, we will seek to obtain an insight into the perspectives of a range of stakeholders. Gaining insights into a variety of key stakeholder perspectives is important as the introduction of the NHS CRS may have different impacts in different contexts. This is crucial for hypothesising about causal relationships relating to the context-mechanism-outcome sequence.(57) In particular, we will seek to identify contextual barriers to adoption and generalisable contextual facilitators for the widespread embracing of the NHS CRS among key stakeholders.

Participants

We propose to explore the perspectives of:

- Patients and, where relevant, their carers
- Healthcare professionals (i.e. doctors (including junior doctors), nurses (including nurse prescribers), pharmacists and allied health professionals)
- Managers
- IT service providers
- IT support personnel
- Administrative staff.

Recruitment

Participants will be recruited from sites that implement the NHS CRS. Given that there are three geographical areas implementing the new systems, we will aim to recruit from up to five sites (hospitals) in each of these areas (15 sites in total). As sites involved are likely to vary in relation to local arrangements and preferences, approaches to recruitment of participants will be flexible, being negotiated with key contacts and gatekeepers at each site.

Whilst healthcare workers and clinicians may be approached directly by the team, patients will be recruited with the help of recommendations of clinicians or ward sisters and, if applicable, from expert panels at individual sites.

Sampling

We will aim to recruit the following range and approximate number of participants from each of the 15 sites (where possible, these will be the same individuals as in Work package 1):

- Six healthcare professionals (2 allied health professionals (including pharmacists), 2 doctors and 2 nurses)
- One manager
- One IT service provider
- One IT support personnel
- One administrative member of staff
- Six patients/carers.

Maximum diversity sampling will be employed and in so doing we will aim to sample staff working in a range of clinical areas, and patients with a range of long-term conditions.

The views of staff involved in the direct utilisation of the new system as a means of delivering care and those supporting the introduction of this new system will be obtained by interviewing healthcare staff, support staff, providers and managers.

We see patient perspectives as being a very important part of this work and an essential complement to those of the healthcare community and IT professionals. Studying this group will offer an important opportunity to gain insights into how care is experienced and understood as new systems and work practices come into use.(26) Through including patients we will be able to capture an often overlooked perspective on perceived changes in quality of care associated with introduction of an electronic health record. We expect these interviews to be relatively brief and straightforward, justifying the effort and costs involved in conducting them.

In total, we are thus proposing to undertake approximately 240 interviews (plus those that are serial interviews) and expect that these numbers will lead to saturation and generalisability beyond the settings in which these data are collected.

The overall purpose of this Work package is not to obtain a representative statistical sample of interviewees; rather, our proposed sampling is purposive, issue driven and does not make claims about the direct generalisability of findings. This is a defining characteristic of qualitative research where the aim is to explore emerging issues important to and perceptions of individuals in order to obtain a more in-depth understanding of how the new system is received and accommodated within work situations. The sample size will therefore be guided by theoretical saturation with the end of recruitment of participants determined by the point at which no new themes are emerging. In giving the approximate numbers of individuals to be interviewed, we have merely given an indication of the numbers that we expect will lead to theoretical

saturation. We will continue data collection until this point is reached. Should a greater amount of interviews than expected be required, we will, as suggested, aim at redeploying resources until theoretical saturation is reached. In the (unlikely) case of such a scenario occurring, this decision would be taken in conjunction with the Independent Project Steering Committee.

Data analysis will be iterative and guide future sampling. Thus, when recruiting participants, divergent views will actively be sought and we will encourage and give permission to subjects to describe any perceived strengths and limitations of the new system. Although recruitment is most likely to be facilitated through gatekeepers and contacts, we will attempt to build on this approach through open access and give individuals who want to be heard a chance to be involved. This will most likely happen through inviting comments by email and announcements/presentations at the sites in question.

Design

This work package will employ qualitative methods incorporating a longitudinal element in order to capture the temporal dimension of stakeholders' experiences. Qualitative enquiry is ideally suited for exploring subjective experiences and allowing participants to raise issues of personal significance as they experience change. The richness of data obtained is expected to result in a much more in-depth picture of adoption behaviour than could ever be obtained by using quantitative methods alone. The longitudinal element is likely to be important as participants' attitudes towards the new system are likely to change over time as they experience the transition from the old system to the establishment of the new system. This design is powerful in that it can capture change as it happens from the perspectives of key individuals.

Procedures

Data collection

We will employ two methods of data collection including face-to-face and, where appropriate and convenient, telephone interviews. As it is likely that the introduction of the NHS CRS will influence stakeholder groups in different ways, interviews with patients will be more structured than those with other key stakeholders.

With the exception of patients, we plan to conduct interviews with the same individuals at two and, where relevant, three time points during the implementation of the NHS CRS in order to capture the temporal component:

- Early perceptions at baseline
- Perceptions during early use
- Perceptions in more established use.

Our focus will be on perceptions during early and more established use; these interviews are expected to last around 30 minutes each.

Patient interviews are expected to be briefer than interviews with other stakeholders at around 10-20 minutes each. Here, questions will be more structured to give participants guidance, whilst still allowing time and space for elaboration.

We acknowledge that the proposed number of interviews is relatively large, but feel that this quantity is necessary to obtain an adequate insight into potentially important issues at each site and from each viewpoint. In order to keep the workload manageable, we will however try, wherever possible, to synchronise data collection activities in Work packages 1-3.

Key issues to be explored

The issues to be explored in the methods of data collection outlined above will slightly vary among groups.

Key issues to be explored in healthcare professionals, managers and administrative staff include:

- Attitudes to NHS CRS (over time)
- Perceptions of efficiency, safety and convenience
- Integration into wider work processes
- Changes in work practices (deliberate and emergent)
- Consequences for communication and interaction
- The national roll-out (possible adaptations/alternative models and recommendations).

Key issues to be explored in IT service providers and IT support personnel include:

- Attitudes to NHS CRS (over time)
- Perceptions of efficiency, safety and convenience
- Integration of NHS CRS into existing systems (data transfer)
- Continuing support
- The national roll-out (alternative models and recommendations).

Key issues to be explored in patients include:

- Attitudes to NHS CRS (over time)
- Satisfaction
- Perceived impact on patient care
- Acceptance and use of the new system
- The national roll-out (alternative models and recommendations).

As in Work package 1, we plan to consult healthcare professionals when developing topic guides for interviews and questionnaires. These healthcare professionals will include both junior and senior nurses, doctors and allied health professionals.

4.4.5 Data analysis

Making use of both formative and summative methods is expected to result in a rich contextual picture of how key stakeholders perceive the introduction of the NHS CRS into secondary care over time.

Data analysis will consist of comparing data within individuals, perspectives (including patients and professions), and within and across sites. Cornford and colleagues' evaluation framework will guide these efforts and provide with structure.(59;83)

Due to the volume of data and in order to keep bias to a minimum, we will seek to analyse the data with the help of two experienced researchers who will use NVivo 7 software to facilitate coding. In doing so we expect the survey data to take significantly less time than data obtained from interviews.

We expect the analysis of data collected in this work package to result in detailed recommendations that can inform both NHS CFH's current implementation efforts and the national roll-out of the system.

4.5 Work package 3: Organisational consequences: organisational workflow, professional role and data quality transformations

4.5.1 Background

Adoption of NHS CRS in acute trusts is intended to be “disruptive” in the sense that it will replace the existing paper and IT-based systems and practices. The NHS CRS is not however a “disruptive technology” in the sense in which this was originally described by Christensen in 1997, as NHS CRS is not an *unexpected* new technological development.(84) Rather, it is a planned introduction of innovation. In this work package, we seek to evaluate the *acceptance* of NHS CRS technology innovations (*adoption*) by healthcare workers and seek to understand how they incorporate this technology in to their everyday practices. We plan to explore the comprehensiveness and the sophistication of use of the NHS CRS and the extent to which its full potential is realised and embedded in the organisational infrastructure, i.e. the extent to which the technology *infuses* into the NHS. NHS CRS adoption is not expected to be smooth; some components of it will be introduced in some departments first and these are then to an extent expected to *diffuse* within the broader healthcare organisation. Diffusion of NHS CRS is thus another facet of our inquiry. As Christensen described it, disruptive technology lacks refinement, often has performance problems because it is new, appeals to a limited audience and may not yet have proven application. This has some resonance with the current reported state of affairs of the NHS CRS.

NHS CRS adoption will result in a large scale health service redesign, making it important that we study the socio-technical features of the NHS CRS. Coiera has proposed four rules for socio-technical informatics, namely:(85) i. technical systems have social consequences; ii. social systems have technical consequences; iii. to design socio-technical systems, we must understand how people and technologies interact; and iv. we do not design technology, we design socio-technical systems. The first two of these are particularly relevant to our evaluation, whereas the latter is more relevant to IT system designers (and are

not considered any further here). We briefly expand on these two relevant rules below in the context of possible implications for NHS CRS:

- **Technical systems have social consequences:** NHS CRS will change how people work and the new ways of working will create new roles and existing roles may disappear resulting in job redundancies. Transformations of professional roles are inevitable. The educational and training demands may not match the existing workforce profiles resulting in undue pressure on existing staff to change, leading to anxieties and insecurity among staff. These organisational transformations could be highly disruptive. This may adversely affect staff morale and have a negative impact on NHS CRS adoption.
- **Social systems have technical consequences:** NHS CRS may be well-designed and effective, but this is no guarantee that it will be used. Use is likely, to an extent, to be influenced by the prevailing local culture within Trusts. The factors that may help overcome any prevailing negative attitudes include existence of local champions and proactively fostering a climate that supports innovation. Users may also reject systems because of poor usability or safety or security concerns. User interface design has an impact on data quality and the NHS CRS could degrade or improve the data quality with resulting patient safety and quality implications.(86;87) NHS Common User Interface (CUI) is expected to safeguard such concerns.(88)

A given milestone in the NHS CRS adoption trajectory can be viewed in the context of its dominant innovation perspective (implementation, adoption, diffusion, infusion etc) enabling us to loosely map each stage to a wealth of information available from recent systematic reviews, including ours.(70;89) Our field data therefore can be mapped to research evidence in systematic reviews though the dominant innovation perspective of the NHS CRS adoption trajectory at the time of data collection. This will, we believe, serve as a useful aid to interpretation of our findings.

In this work package we propose to evaluate the stroke pathway (as an exemplary workflow package) in each of the evaluation sites.(90;91) Management of strokes in the NHS has undergone a dramatic change recently and with the adoption of the NHS CRS and introduction of Map of Medicine[®] further changes in care pathways are likely. The dynamic nature of this environment makes it an ideal platform for us to evaluate various transformations in professional roles, data quality, training needs, quality of data entry and record content, IT literacy and workflows.

4.5.2 Aim

To evaluate the organisational level transformations during NHS CRS adoption process.

4.5.3 Objectives

Using stroke as an exemplar long-term condition, we seek to:

- Explore how human resource transformations occur in terms of evolving professional roles and remits

- Explore how workflows transform
- Investigate the impact of NHS CRS on the IT literacy of the staff involved
- Understand the changing IT training needs of healthcare professionals
- Investigate the impact of introduction of NHS CRS on data quality.
- Investigate the impact of introduction of NHS CRS on quality of data entry and record content

4.5.4 Methods

Data will be collected from people (participants) and systems (computer databases) both directly and indirectly involved in the stroke pathway. We plan to undertake three stages of sampling, i.e. before adoption, during the early phase of implementation and when NHS CRS has reached a reasonable stability (with regards to system modification and adaptation). Both qualitative data (interviews, questionnaires) as well as quantitative data (job roles and data quality statistics) will be collected, thereby allowing us to build a rich picture of the organisational and data quality transformations that occur.

Data related to role transformations will be obtained from the respective human resource departments of the participating hospitals. Workflows are now recorded in the form of protocols and Patient Group Directions, these being written directions relating to the supply and administration (or administration only) of prescriptions only medicine by certain classes of healthcare professionals. It provides a legal framework for para-medical staff to participate in the medicines management process thereby improving the throughput of, for instance, stroke pathway. In this pathway early therapeutic intervention is likely to reduce long-term disability of stroke patients. Data on IT literacy and IT training needs are collected by qualitative methods (interviews and questionnaires). Data quality considerations will relate to validity, completeness, reliability, coverage, accuracy and timeliness in the recorded information. These data will be collected by record reviews using structured templates. Data quality in electronic records largely reflects the quality of data entry. Record content analysis is therefore important and this will be evaluated by auditing the number of essential data categories entered by the user in the electronic record.(92)

Participants

- Range of healthcare professionals and support staff involved in the stroke pathway

Systems

- PAS system
- Radiology system
- Laboratory system
- Electronic records
- Prescribing system.

Documents

- Job advertisements

- Training programmes
- Different versions of stroke protocols and pathways.

Recruitment

Participants will be recruited and systems selected from sites that implement the NHS CRS. Given that there are three geographical areas implementing the NHS CRS, we will aim to recruit from three accident & emergency departments of acute Trusts in each of these. This will, as discussed above, be achieved by initial networking with NHS CFH, LSP and acute Trusts.

Sampling

There are two dimensions to sampling, namely with reference to the accident and emergency departments (human resources, care pathways, IT literacy of the staff involved) and to patients with stroke (data quality). We will sample approximately 10-20 stroke patients from each site. Data will be collected from computer systems (for data quality and record content) and from all the staff who were involved in the management of each patient (IT knowledge, training etc.). Data on changing job profiles, training programmes and stroke management protocols will be obtained from each of the participating accident and emergency departments.

Design

Data on IT knowledge and training will be collected by interviews and questionnaires. Data relating to changing job profiles will be obtained from the human resources departments. Data on data quality will be obtained from systems by database inspections using both manual and automated methods. Data on record content will be obtained by auditing the number of essential data categories (Table 7) recorded in the electronic records.

Table 7: Categories of clinical data

Category	Components	Examples
Identifiers	Demographics, Identity codes	Name, date of birth, NHS number
Patient findings	History Observations	Description from patient Subjective: symptoms Objective: clinical signs
Assessment (hypothesis)	Assessment	Diagnosis
Plan (hypothesis)	Plan	Proposed treatment, tests

Actions	Therapy, referrals, tests Information shared, follow-up	Actual therapy, initiated, tests ordered
Modifiers	Who recorded data, when, Certainty, severity	Who made the observation, when, certainty

Adapted from: *Health Informatics: Information and Communication (2002) (93)*

Procedure

We will employ qualitative methods to capture temporal dimension of skills and knowledge transformations. This information will be triangulated with documentary data collected in regard to skills and knowledge transformations. Several pre-selected data sets will be inspected for validity, consistency, timeliness and accuracy. We will use data customised quality probes to explore the quality of electronic patient data.(94) The concept behind the data quality probe is the notion that mismatched clinical data recorded represent poor data quality (Figure 8). The number of essential data categories recorded will be audited by inspection of records by trained researchers.

Figure 8: Examples of two-item data quality probes

		DATA ITEM B	
		Present	Absent
DATA ITEM A	Absent	<p>A+B must be present. e.g. Patients with hypertension must have had a BP measure Probe: Patients with hypertension and no BP measure</p>	<p>A is present + B is absent. e.g. Patients with penicillin allergy should not be prescribed penicillin. Probe: Patients Px penicillin who are allergic</p>
	Present	<p>A is absent + B is present. e.g. Patients without heart disease should not be taking long acting nitrates Probe: patients on long acting nitrates with no record of heart disease</p>	<p>A and B are mutually exclusive. e.g. Men recorded as having had a hysterectomy. Probe: Non-females with a recorded hysterectomy.</p>

Adapted from: *Healthcare Computing (2004)(58)*

For this evaluation data quality probes needs to be designed and that will require clinical, informatics and computational input. Some of the data quality probes can be easily constructed by reference to stroke

protocols while others relating to various clinical contradictions specific to the stroke pathway need to be designed. We are confident our team has resources to do this task.

Key issues to be explored

The key issues addressed in this package relate to organisational and data quality transformations. They are:

- Does data quality improve or show degradation?
- Will there be a mismatch of skills and knowledge required for proper use of the system and that is available?
- How disruptive is the associated organisational change in terms of new staff recruited and needing to familiarise with new care pathways?
- Does the quality of data recording (entry) improve?

As in Work packages 1 and 2, we plan to consult healthcare professionals when developing topic guides for interviews and questionnaires. These healthcare professionals will include both junior and senior nurses, doctors and allied health professionals.

4.5.5 Data analysis

Formative and summative data analysis will result in a rich contextual picture of organisational transformations induced by the NHS CRS adoption. Data relating to various organisational transformations are qualitative and they need to be first analysed by standard categorisation methods (open coding, selective coding and theoretical coding etc). The emerging themes will then be further analysed with reference to the Cornford et al framework to determine rational conclusions. As mentioned before, what works for whom and when, is important information for the future NHS CRS roll-out programme of NHS CFH. We will first postulate mechanisms, contexts and outcomes of observations that we plan to make and then, during analysis, using realistic evaluation methods we will seek to critique our observations in relation to our hypotheses; findings will be presented in relation to what is likely to work, in which context and for whom. This will help us to formulate detailed recommendations that inform both the NHS CFH's current implementation efforts and the national roll-out of the system.

4.6 Work package 4: Assessment of costs of NHS CRS implementation

4.6.1 Background

It is widely assumed that adoption of NHS CRS will benefit patients, healthcare professionals, managers and planners in the NHS, and these key perspectives are addressed in the earlier described work packages in this proposal. This Work package examines the expectation that the NHS may benefit economically in terms of savings in cost and time, for example, from cutting out paper-based transactions, replacing paper-based filing and storage by automatic filing and archiving systems, improved workflow and reduction in errors. The complexity of the programme being implemented necessarily poses a complex

evaluative challenge. Current research specifically concerned with the evaluation of implementation of NHS CRS in the UK is limited,(95) and comparative quantitative studies evaluating different forms of EHR are virtually unknown.(96;97) Bowns, Fulop and Chaudhry suggest that the few reports of NHS CRS evaluation that exist rarely gave a full account of costs involved and many evaluations are simplistic and incomplete.(96) Previous evaluations of IT systems have used some form of 'before and after' comparison of costs, taking a healthcare providers perspective.(95) Most studies of the effects of PACS and EHRs have included the initial costs of implementation and some have also included the costs associated with operation and maintenance.(98;99) Studies have measured various combinations of space requirements, staff time, staff productivity, transcription times, turnaround time, test completion time, test order rate, test repeat rates, drug costs, revenue gains, length of stay, return on investment and impact of improved coding on revenue.(95) Fulop and Chaudhry identified a number of technical concerns with the existing evaluations, a key limitation being that the comparative technology was not clearly stated in many studies.(95;97)

There is no standard evaluative framework in place to assess the costs of EHR implementation and implementation of an EHR on this scale is unprecedented. We appreciate that very little or almost no previous work is available on this subject and we will therefore need to develop appropriate measurement techniques.(100) Given the stature and the status of this project we believe that this additional work is both possible and justified.

The central function of this work-package will be to assess the implementation costs, and develop a framework for costing that can be rolled out to trusts as NHS CRS is implemented, taking into account the different combinations of required and optional packages available at different phases of implementation of the different NHS CRS systems (discussed above). We will measure the costs of implementation of NHS CRS at early and later adopter sites, and will address both initial 'exceptional introduction per-provider costs' and 'annual recurring costs' for the NHS CRS packages being introduced.

Furthermore, expectations of new system may not be met if the technical specification of the system does not meet the demands of the service, such that costs savings may not be realised. When a new electronic record/CPOE system was introduced into a UK NHS trust, the researchers found that it took the same time for the researcher to access paper records from before the electronic record as it did the computer ones after the electronic record's introduction – the server was overloaded, so it was hard to access in the day and still very slow in the evenings and weekends.(101)

The most extensive and most rigorous quantitative study carried out in the UK in this methodological area was one to establish the net costs to secondary care of a hospital-wide PACS that comprised digital acquisition, storage and transmission of radiological images via a hospital-wide network to 150 workstations.(102) 'Before and after' comparisons and time series analyses were carried out at Hammersmith Hospital (London, UK), and comparison with five other British hospitals where PACS was not

being installed. The cost analysis considered implementation costs and changes in key elements of hospital running costs, including the impact of changes in the length of inpatient stays. Running costs increased for equipment and maintenance, computer staff, utilities and radiographers, and reduced for clerical staff, healthcare assistants, dark room technicians, radiology times, films and chemicals and clinician time.(99)

4.6.2 Aim

To provide a formative assessment of implementation costs of the NHS CRS.

4.6.3 Objectives

We seek to:

- Assess exceptional introduction per-provider costs
- Assess annual (recurring) per-provider costs
- Develop evaluation frameworks to assess the impact of NHS CRS on costs
- Validate cost categories with local providers and with NHS CFH
- Make recommendations about a core dataset for NHS CRS evaluation post-implementation.

4.6.4 Methods

There is uncertainty around the actual roll-out of specific modules of the NHS CRS packages, such that we cannot yet design a detailed evaluation for any individual region, nor develop a comparison between regions. Due to these uncertainties, we are not currently in a position to specify our data collection sites, which may have their own confounding elements of any such design.

Instead, we present the more general issues of how to measure the costs of implementation of NHS CRS, and propose to develop a number of compatible approaches, assess the available data and evidence that is generated in the implementation process as well as by our other work-packages. Our key deliverable from this work-package will be a validated framework of measures that can support further implementation activity and help to prioritise modules in the roll-out.

A range of different approaches can be used to estimate implementation costs, including analyses of routine data, financial transactions and direct observation of resource use. The range of methods includes task completion times, work sampling, direct observation, activity monitoring, diaries and qualitative techniques.

In summary, we will collect data on the following per-provider cost categories:

Exceptional introduction per-provider costs, including:

- Hardware

- Servers and back-up servers, network installation, PC workstations, laptop computers, printers
- LAN upgrades and wireless access
- Ergonomic equipment (keyboards, workstations, monitor stands etc)
- Interfaces to other systems (e.g. PAS, registration, scheduling, pathology, radiology, pharmacy)
- Software (initial purchase and support)
- Training suites
- Technical support staffing and personnel coverage to support CRS implementation
- Project and change management teams (including aspects such as workflow process redesign)

Annual (recurring) per-provider costs, including:

- Software (annual licensing, support and periodic upgrades)
- Hardware (support, upgrades and maintenance)
- Costs of user accounts for support staff
- Long-term technical and system support administration staffing in support of CRS (new employee hire, duties covered by existing staff).

We will report on variability in both categories of costs at individual sites to provide formative assessment of implementation costs. During the implementation process, we will examine our cost categories, and validate them with local providers and with colleagues at NHS CFH to ensure that we are including all costs appropriately. We will also consult with external experts, such as the British Computer Society Health Informatics Forum.

Development of evaluation frameworks to assess the impact of NHS CRS on costs

We will develop a set of costing frameworks that will allow the team, as part of the study, and Trusts, as part of implementation, to evaluate implementation of NHS CRS. These frameworks will be sensitive to the specific NHS CRS packages, the specific package releases in use, the mix of core and optional packages, as well as the specific needs of the range of clinical settings to be evaluated.

This work-package will develop a set of costing parameters that can be integrated into future versions of the NHS CRS to allow more responsive and less labour intensive evaluation of costs.

Data collection

Data will be collected from each provider where the NHS CRS is adopted. Most of the data parameters listed will have to be collected proactively as part of this evaluation (such as training costs). This can be measured by direct valuation of resources used.

4.6.5 Data analysis

Unit costs will be attached to resource use. The annual equivalent capital cost of the NHS CRS system will be obtained (using a combination of technology implementation, running and annual equivalent replacement costs) so that the overall annual NHS CRS running costs can be estimated for an NHS trust. This set of estimations will be carried out in consultation with NHS CFH.

Key assumptions in costing methods (such as process measurement methods, unit costs and differences between centres, changes in running costs over time) will be tested in one- and two-way sensitivity analysis.

Integration with other work packages

Work package 4 will be integrally linked to the other work packages. Assessing quantitative measures of cost of implementation will allow us to explore early and later costs of the system and compare users' perceptions obtained from Work package 2 with actual costs. The qualitative work being carried out in Work package 2 will help us to understand reasons for variability in implementation costs and how best to manage these. Integration of qualitative and quantitative measures will provide essential formative data on implementation costs that can inform later stages of the roll-out. Integration of data on prescribing safety from Work package 5 will also allow us to link implementation costs with performance data.

Specific formative aims within this work package are to develop a framework to identify provider-specific implementation costs, comparing different NHS CRS systems; comparing the same system being implemented in different hospitals; and comparing implementation of systems in different service delivery environments. These comparisons will therefore allow us to learn, during the early stages of implementation, how best to proceed with the continuing roll-out of these systems.

The data collected during these formative evaluations will be examined to assess which parameters are most informative, reliable, transferable and critical assessors of implementation, to allow us to develop a reduced dataset for future implementation assessment. This will allow future modelling of performance without having to carry out extensive primary data collection. This reduced dataset will also be used to inform evidence-based procurement of NHS CRS packages.

This evaluation provides us with the opportunity to deliver both a formative and summative assessment of the costs of implementation of this complex intervention, using prospective observational data. The integration of data from this Work package with data on user perceptions, patient safety and organisational implementation parameters will influence specific deployment of the NHS CRS, and provide generalisable lessons for future deployment of IT initiatives in the NHS.

4.7 Work package 5: Assessing error, safety and quality of care

4.7.1 Background

We have extensive experience of undertaking assessments of quality and safety in secondary care settings. For example we have done studies involving observation of medication errors,(103) chart review to detect medication related problems and studies of the quality and safety of information provided by hospitals at the time of patient discharge.(104;105) Also we have experience of using the methodology required to assess medicines reconciliation at hospital admission and the use of chart review to detect adverse events in hospitals.(106;107)

Challenges

The call for research suggests a number of aspects of quality and safety that we might investigate and our team has the necessary expertise to undertake this work in a methodologically robust manner. There are challenges however because the earlier releases of the NHS CRS do not contain all of the important safety features and undertaking rigorous assessments of quality and safety is very time consuming and requires build-up of high levels of trust with participating hospitals. Therefore before going on to describe the research that we might do as part of this work package we describe below some of the issues that need to be considered.

The first challenge is that the NHS CRS will be delivered in four releases, probably over a period of three or more years. Consequently the releases that we assess are likely to be the first two or three, which are the most basic, offering a bedrock for some later developments; as such we would not, within the timescales of this evaluation, expect to observe many of the potential benefits in safety and quality of care that NHS CRS can offer. These are more likely to appear in later release, such as advanced inpatient prescribing and decision support.

The second challenge is that the two NHS CRS systems being studied – Cerner Millennium and Lorenzo – provide different functionalities in different releases. It is therefore difficult to find areas of enquiry that can be applied across the different programmes/systems within the timeframe of this evaluation. For example, Cerner offers Maternity and Theatre functions in its first release, however Lorenzo will not provide these until their third release, probably two to three years later. In contrast, Lorenzo Release 2 has an electronic patient discharge option, which would be valuable for assessing discharge reconciliation. Both systems plan inpatient prescribing to be in their third release (described as R2 in Cerner), so there is the potential for this to be measurable within the study period.

A third challenge is that it is well recognised that new technologies can cause new forms of harm. These have recently been highlighted with respect to computerised physician order entry (CPOE) in the USA.(108) However there are ample other examples from areas such as software control of radiotherapy, which have led to fatal under-dosing or overdosing.(109;110) In our design we will need to be alert to the unexpected in any aspect of the implementation.

In the light of these challenges we have outlined below some of the approaches we propose to take to assess the impact of the NHS CRS on quality and safety. If awarded the contract to undertake the study, we will work closely with NHS Connecting for Health to decide exactly how to undertake studies given the availability of different releases (and functionalities) of the NHS CRS in different parts of the country. Also, in visiting acute Trusts as part of the evaluation we will use our interviews with front-line staff and managers to try to pick up any examples of new errors resulting from the introduction of the NHS CRS. We will alert NHS Connecting for Health to any potential problems and will be prepared to alter our plans for evaluation to focus on any emerging safety issues.

Areas of quality and safety that we plan to evaluate

We have the ability to assess changes in almost all of the quality and safety outcomes outlined in the call for research. As noted above, however, the early releases of the NHS CRS likely to fall within this study period may not have a great impact on clinical quality – we expect many of these benefits to follow later. Therefore, while we will look at a wide variety of quality and safety outcome measures, we propose to focus on those outcomes that are most likely to be influenced by the earlier stages of introduction of the NHS CRS. We do not expect significant health outcomes to be detectable within the timeframe and budget, so we will focus on indicative process measures which are linked to risky activities. As medication errors are one of the most common forms of error, which can have significant consequences for health, our work will lean towards them. In addition, work in this field can yield robust quantitative data which allows the testing of hypotheses. Below we provide background information on the following aspects of quality and safety that we plan to evaluate:

- Medicines reconciliation on hospital admission
- Availability of laboratory results, electrocardiograms (ECGs) and other investigations in hospitals. In particular we would expect faster reporting of abnormal and out-of-range results which would impact on safety and quality of care
- Completeness of information provided at hospital discharge
- Clinical and medication errors

In addition

- We will look at whether the introduction of the NHS CRS improves the scheduling of operating theatre sessions (see Work package 4 for further details), and whether the frequency of cancellations changes, and the duration of delays are reduced.
- We will work with NHS CFH to agree on other quality and safety outcome measures that it would be useful and feasible to track during the roll-out of the NHS CRS. We will particularly look for local audits and assessments of the effects of implementation of the NHS CRS.

Medicines reconciliation on hospital admission

Recent NICE patient safety guidance has highlighted the importance of medicines reconciliation on hospital admission.(106) Errors in prescription medication histories occur in up to 67% of cases on admission to

hospital and up to 27% of all hospital prescribing errors can be attributed to problems with medicines reconciliation on admission.(111;112) Also, interventions have been shown to have a marked impact on improving medicines reconciliation on admission.(106) Of particular relevance to the NHS CRS is one before and after study which showed that the use of a template faxed between the admitting hospital and GP practices reduced numbers of errors from 55 to 17 per 100 patients. In turn, this increased the percentage of treatment sheets written correctly within 24 hours of admission from 45% to 83%.(106)

Given the importance of medicines reconciliation on hospital admission and the likely room for improvement with the NHS CRS we propose to modify an audit tool developed by NICE to undertake assessments of errors in prescription medication histories before and after the introduction of the NHS CRS (comparing with control sites where possible), using some of the principles of a stepped wedge design.(106)

Availability of laboratory results, ECGs and other investigations in hospitals

Lack of availability of clinical test results is an important cause of delays in patient care and harm to patients.(113;114) Problems have been demonstrated in relation to missing laboratory test results and radiographical procedures.(115-119) Also, the importance of having ECGs available was reported in a survey the US.(120)

The vast majority of studies on availability of clinical test results come from the US (ambulatory care and secondary care). Therefore, it is difficult to be certain of the extent of the problem in secondary care in the UK. Nevertheless, anecdotal reports suggest that missing information is responsible for delays in patient care in at least 10% of consultations in outpatient settings. These estimates would be in accordance with figures from the US.(113) Also, it should be noted that the type of information available is important. For example, a study from the US showed that clinicians preferred images rather than written reports for ECGs and x-rays, but opted for written reports for cardiac studies and advanced imaging.(120)

There has been little work done on the impact of electronic medical records on availability of clinical test results at the point of patient care. Nevertheless, one study from the US showed an odds ratio of 0.4 (0.17 – 0.94) for test results being missing where a full electronic record was available compared with having paper or partial electronic records.(114) Therefore the availability of a full electronic record does appear to be associated with better availability of clinical test results.

We will particularly look for cases in which missing or delayed information is safety critical. For example a recent FMEA study conducted by Barber, studying aminoglycoside prescribing in a hospital, found that the lab rang abnormal results straight through to the ward, who made a note on a scrap of paper; sometimes the prescriber would not get the message until hours or even days later. The NHS CRS, linked to pathology, has the potential to significantly reduce the time to corrective action.

We plan to investigate whether the introduction of the NHS CRS in England results in improvement in availability of clinical records and clinical test results (e.g. ECGs) in secondary care outpatient and inpatient settings.

Completeness of information provided at hospital discharge

Failure to convey accurate, complete and up-to-date information across interfaces in care is a major, avoidable risk to patient safety, yet improving care at hospital discharge has recently been described as an “unmet challenge”.(121) The National Service Framework for Older People stated that “the current emphasis on providing more care in the community requires better communication than ever between health professionals”.(122) Yet the Royal College of Physicians has recognised “serious problems with the validity of clinical information in interim discharge documents that may affect patient care, resource management (and) performance indicators”.(123)

Evidence from the US suggests that adverse events occurred in one in five patients discharged from hospital to the community.(124;125) These adverse events include medication side-effects, unplanned readmissions and death. It has been shown that “...at least half of these events could have been prevented or ameliorated if simple measures had been put in place before the patient left the hospital”.(121) A recent study that we conducted in the UK showed preventable discharge communication gaps in over 50% of patients readmitted to hospital with medication related problems.(105)

The introduction of the NHS CRS gives great potential for improving the information provided when discharging patients from hospital. As noted above, the Lorenzo system in release two has an option for providing discharge information in an electronic form. We propose to investigate the impact of introducing this system on errors (usually errors of omission) in information provided on discharge from hospital. We plan to do this using some of the principles of a stepped wedge study design.

In order to assess clinically significant gaps in information on hospital discharge communications we will modify an audit tool developed by the Royal College of Physicians.(126)

Investigating changes in clinical and medication errors

There is strong evidence of the benefits of computerised clinical decision support systems (CDSS) in reducing clinical and medication errors, particularly when systems have been well designed.(127;128) There is less evidence, however, that clinical and medication error rates will be reduced solely by the introduction of electronic records, even if these are linked to primary care.

We plan to investigate changes in clinical and medication errors as part of our evaluation, looking at all prescribing activity, whether undertaken by doctors or nurses. Barber, Cornford and Jacklin were commissioned by the NPSA, via the DH Patient Safety Research Programme, to develop a methodology to evaluate the safety of electronic hospital prescribing systems.(101) The work (based on Cornford's

framework and hence compatible with this study), successfully studied a newly installed and a long established system. In addition, since then, Barber has been involved in the evaluation of the JAC system being implemented at Great Ormond Street Hospital. In short, we have a great deal of experience in assessing these systems. It should be noted however that this methodology can be time-consuming and we would need to work with NHS CFH and NHS Trusts to work out what would be feasible within the context of the introduction of the different clinically important elements of the NHS CRS and the availability of local clinical support for undertaking assessments of error rates.

The limited UK work suggests that early incarnations of in-patient prescribing stop about two errors in every 100 prescriptions written.(101) However as we are not sure of the functionality of the planned systems we do not believe it is possible to come up with firm sample size calculations for this work, but if awarded the contract to evaluate the adoption of NHS CRS in secondary care we will undertake pilot work in participating NHS Trusts. This will enable us to design a study to assess changes in clinical and medication errors that is feasible within the funding and support available.

4.7.2 Aim

To determine whether the introduction of NHS CRS results in improvement in a number of aspects of quality and safety of care.

4.7.3 Objectives

To determine whether the introduction of NHS CRS results in improvement in

- The proportion of patients admitted to hospital having errors in prescription medication histories
- The proportion of patient encounters associated with clinically important missing records
- The proportion of discharge communications having clinically significant gaps in information
- The proportion of patients subjected to clinical or medication errors.

4.7.4 Hypotheses

- Taking a conservative figure of 30% of hospital admissions having errors in prescription medication histories we hypothesise that the introduction of the NHS CRS will reduce the error rate to below 15%.(106)
- Taking a conservative estimate of 10% of current patient encounters being associated with clinically important missing records we hypothesise that the introduction of the NHS CRS will reduce rates of missing information to less than 7.5%.
- Taking a conservative figure of 20% of discharge communications having clinically significant gaps in information, we hypothesise that the introduction of the NHS CRS will reduce this rate to less than 10% (see below for sample size calculations).

- Given the relatively limited amount of computerised clinical decision support in the early phases of NHS CRS we do not think it will be possible to demonstrate statistically significant changes in clinical and medication errors.

4.7.5 Design

We will use the principles of a stepped wedge design in which we undertake sampling at four or more time points during the course of the studies, where possible undertaking comparisons with control sites.

4.7.6 Sample size calculations

Any analysis of the data must consider that this is a de facto cluster based design, where the clusters correspond to the individual hospitals sampled. In the absence of any information on the size of the intra-class correlation coefficient that can be expected, sample size calculations are based on information aggregated at the hospital level. Also, as there will be before and after intervention data within each hospital, we will base our sample size calculations on the mean of the changes seen in each hospital, and the standard deviation of these changes. This standard deviation is also unknown since it is determined principally by the magnitude of the between hospital variation (unless this is very small). Nevertheless, we can express it as a multiple of the mean change that we are attempting to detect (ie the reciprocal of the effect size). For effect sizes ranging from 0.8 to 1.5 the required number of clusters, for 80% power to detect changes as statistically significant from zero at the 0.05 level, ranges from 15 to 6 (see Table 8). If the standard deviation is less than two thirds of the mean change (effect size > 1.5) there will in excess of 80% power, even with only 6 clusters.

Table 8: Effect size and sample size calculations

Effect size	Sample size for 80% power
0.8	15
0.9	12
1.0	10
1.1	9
1.2	8
1.3	7
1.4	7
1.5	6

As an example, if the introduction of the NHS CRS reduces the errors in prescription medication histories from 30% of hospital admissions to 15%, the mean change will be 15%. Even if the standard deviation across hospitals of this change in percentage is as high as 10% (effect size 1.5), there will be 80% power at the 5% level of significance with only six hospitals.

If the introduction of the NHS CRS reduces the percentage of patient encounters with clinically important missing records from 10% to 7.5%, the mean change will be 2.5%. If the between hospital standard deviation is the same magnitude as the mean (effect size=1), then 10 hospitals are required for 80% power at the 5% level of significance. If the standard deviation is increased to 3%, then 14 hospitals are required for the same power.

The numbers to be sampled within each hospital will be informed by more complicated sample size calculations using the methods described in Brown and Prescott.(56) In view of uncertainties in the numbers of subjects available, sampling costs and, particularly, the magnitude of intra-class correlations, final sample size calculations will be based on the best information available at the time and will incorporate sensitivity analyses. As a marker at this stage we would expect to be able to collect data on 20 patients for the first three outcome measures outlined above at 10 hospitals at 4 times points during the course of the study. This equates to 800 patients in total for each study.

4.7.7 Methods

Sampling

We will undertake sampling at up to 15 hospitals (five in each cluster), although we may undertake data collection in as few as six hospitals (two from each cluster) for some of the outcome measures depending on the results of more detailed sample size calculations. For the assessments of clinical and medication errors, the time taken to establish the trust of clinicians and set up a study means that it is unlikely that we will be able to work in more than six hospitals when undertaking this part of the evaluation.

Participants

Participants will be:

- Patients admitted to hospital who have had medication histories recorded
- Patients attending hospital outpatient clinics
- Inpatients
- Patients being discharged from hospital

Data collection

Plans for data collection for each of the studies within the quality and safety work package are as follows:

- For patients admitted to hospital we will check their medication histories recorded on admission and compare these with evidence of recent medicines issued according to their primary care records. We will use a data collection tool based on one developed by NICE (106)
- For patients attending hospital outpatient clinics, we will ask clinicians to record any instances whereby clinically relevant information is missing, such as hospital notes, correspondence, laboratory test results, x-rays, scans and other investigations.

- For inpatients, after undertaking initial pilot work, we will undertake assessments of clinical and medication errors using either chart review or direct observation
- For patients being discharged from hospital, we will undertake assessments of the completeness of clinically important discharge information. We will use a data collection tool based on one developed by the Royal College of Physicians.(126)

4.7.8 Data analysis

Initially we will undertake descriptive analyses of the data. When assessing whether CRS is associated with change in quality and safety, as outlined earlier, we anticipate some degree of between cluster variability. Thus, the primary approach to analysis will be through random effect (otherwise known as multi-level) modelling.(56) The hospitals will be fitted as random effects with fixed effects for the LSPs. The timing of the interventions for each cluster will also be included in the model, initially as a linear term, but with exploratory analysis of alternative models.

4.8 Work package 6: Organisational consequences and implications for future IT deployments and evaluations

4.8.1 Background

This final work package is concerned with the integration and presentation of findings from the project and will in this way provide the overall summative element. We see this as necessary as a separate work package to ensure that the final delivery of the project's findings is as complete, integrated and useful as possible, and is communicated to the right people. In this way we hope to be able to support research-informed policy making at both the national and trust level, as well as offering useful insights for the supplier industries. In this aspect the project can be seen as an example of translational research, concerned with moving scientific insights into the practice of healthcare.(129)

In such a multi-method evaluation across such a wide area of interests it could be easy to leave individual aspects of this evaluation to stand alone.(45;130) To avoid this, we will work to connect the various results from Work packages 1-5, with a view to mapping out the wider overall picture and establishing the enduring themes (in realistic evaluation terms, the mechanisms) that offer useful insights to those who will plan, manage and participate in future deployments of healthcare technology. In this respects, we will also seek to draw on the findings from other completed or on-going research on NHS CRS and any indirect or direct evidence that secondary analysis, whether for audit or research purposes, has been facilitated by introduction of NHS CRS.

To achieve this we see the need to pay particular attention, together with NHS CFHEP, to packaging and disseminating the results of the study in forms that are appropriate to and useful for the various potential audiences. In particular, we take a main objective of the project to be to inform future IT deployments within

and beyond NHS CFH and this will require some research in its own right to understand exactly to whom to pass on these messages and how best to achieve this.

This work package will also explore the potential overall transformative contribution of NHS CRS beyond the national roll-out. We say 'potential' since by the time of the end of this project the NHS CRS is unlikely to be fully implemented,(131) nor will sufficient time have passed for the organisations studied to have experienced all the consequential changes. Any such transformation at either the system level, or for individual trusts, will be cyclical and on a longer time frame than this project can capture. Over time we should however expect that the new technology represented by NHS CRS can meet needs previously established, but will change work processes and work flows and thereby create new needs and new potential technical and informational systems.(132) Nevertheless, we do expect by the end of the project to be able to depict the main dimensions of change we observe, and offer an assessment of their strength and significance.

4.8.2 Aim

- To present the overall findings of this evaluation in forms appropriate to and useful for the various identified audiences.

4.8.3 Objectives

We seek to:

- Summarise and integrate the findings from the previous five work packages
- Identify barriers and drivers that shape the implementation process and drive the diffusion of NHS CRS within the health community
- Relate findings to the overall objectives of the NHS CRS and NHS CFH – e.g. for seamless care, efficiency gains, error reduction, guideline adherence, disease surveillance etc.
- Assess the degree of transformation of the healthcare system that NHS CRS and associated projects may lead to
- Draw conclusions in respect of governance and communications strategies related to implementations of this scale and complexity
- Identify relevant target audiences for this research, and their specific needs and interests
- Prepare reports and other materials relevant to these audiences and from which they can draw in future work.

4.8.4 Methods

The work package will use the identified conceptual evaluation frameworks of diffusion of innovation, realistic evaluation and socio-technical approach (Cornford et al. model) to interlink the various elements. The primary concern will be to provide a coherent account of how NHS CRS, its technologies and the associated expectations are accommodated within healthcare organisations, the consequences for patients and their care, and for the healthcare professionals who deliver care. The structure of the work, reflecting

the work breakdown of the project, will be on how implementation activity over time draws in various stakeholder groups, how systems are set to work and their consequences for work processes and workflow as well as how it has effects on the quality and safety of care. The emphasis here on 'how' reflects the realistic evaluation concern with understanding underlying mechanisms.

This work package does not have a substantial empirical element, but we will undertake interviews with relevant persons within NHS CFH, LSPs and Trusts in order to establish who our various target audiences are, and what they would wish to draw from this evaluation work. We see these possible audiences as including healthcare professionals and professional bodies, healthcare managers, technical managers and support staff in trusts, LSP staff, suppliers, patients and carers, politicians and the wider public. The contribution of the Project Advisory Board and the Independent Project Steering Committee will be very valuable in refining this aspect of the study.

CONFIDENTIAL

5. OVERALL PROJECT TIMELINE

The overall project timeline consists of 30 months of investigation and evaluation. After careful consideration we have opted to include a Gantt chart showing the scheduling for the evaluation (below). However, recognising the complexity and interrelated nature of the NHS CRS, we provide the project timeline for guidance only in order to permit reviewers envisaging the general course of the evaluation.

It should be noted that we plan a six month set-up phase prior to beginning formal evaluation activities. During this time we plan to liaise with NHS CFH to obtain further clarity and considerably more details into the NHS CRS and its implementation strategy; this will also give us the opportunity to further develop the protocol, obtain Research Ethics Committee and Research & Development board approvals, as well as recruit additional research staff and obtain honorary contracts for them.

The six work packages depend on the speed of implementation and therefore have flexible timelines. However, as a broad guideline, we generally envisage that Work packages 1 (implementation, deployment and organisational learning), 2 (attitudes, expectations and experiences of stakeholders) and 3 (organisational consequences) will run throughout the course of the evaluation in order to obtain baseline (where applicable), early implementation as well as implementation follow up data. Here, due to the focus on qualitative methods, data collection will be flexible and summative. Work packages 4 (performance measures, effectiveness and cost-effectiveness) and 5 (assessing error, safety and quality of care) are on the other hand likely to have a much stricter and more confined timescale due to their strictly quantitative design. Finally, Work package 6 can conceptually be placed at the end of the evaluation project as it will integrate all of the above.

Gantt chart showing key activities for the evaluation of the implementation of the NHS CRS

Months	1-3	4-6	7-9	10-12	13-15	16-18	19-21	22-24	25-27	28-30
Ethics and R&D approvals	■									
Recruitment of staff	■									
Refine protocol with NHS CFH	■									
Recruitment of sites		■								
Baseline data collection		■	■	■						
Field work				■	■	■	■	■		
Data collection				■	■	■	■	■		
Data analysis								■	■	
Writing of report and papers									■	■

6. RISK ASSESSMENT OF PROJECT MILESTONES

There are a number of possible risks to our evaluation of the implementation of NHS CRS; these are detailed in Table 9 below together with the possible impact of these risks on the evaluation and our proposed mitigating strategy if such problems should arise.

Table 9: Risks and mitigating strategy associated with the evaluation of the implementation of the NHS CRS in secondary care

RISKS	IMPACT ON PROJECT	MITIGATING ACTIONS
Delay in the implementation of the NHS CRS	Slippage/delay	Close liaison with NHS CFH with a view to enhancing baseline data collection and undertaking more detailed formative evaluation
Increasingly negative public (media) and/or adopter perception of the NHS CRS	May result in lack of co-operation of key stakeholders	Actively seeking negative attitudes and feeding these back to NHS CFH as early as possible so remediable action can be taken
Lack of local management support for the new system	Difficulty in entering study sites; lack of 'action' at study sites; token usage of systems.	Need to engage with local management and offer them a channel for expressing concerns. Feed back to NHS CFH/NHS CRS. Provide analysis (formative evaluation) that can help deliver approaches to address these issues
Unrealistic expectations and/or major problems with systems leading healthcare professionals to refuse to interact with NHS CRS	Slippage/delay Inability to collect 'outcomes' data	Need to capture and understand the reasons for such problems and feed information back to NHS CFH at earliest opportunity
Problems in evaluation team/staff (e.g. illness)	Inability to keep up with events in all study sites	Robust team approach to organising and managing the work; some budgetary flexibility; new PI or Local-PI or researchers appointed at earliest opportunity and in the interim ameliorative action taken by grant holders, who will collectively ensure that the evaluation is efficiently managed

7. RESEARCH TEAM

We believe our proposed research team is ideally suited for conducting the evaluation of the NHS CRS in secondary care for a number of reasons:

- We have substantial experience in conducting large scale evaluations of IT in healthcare settings employing a variety of relevant research methods
- The diversity of backgrounds (with representatives from both primary and secondary care as well as healthcare professionals and academics) will bring complementary perspectives to bear on the evaluation, thereby enabling us collectively to reflect on the complex manifestations of implementing the NHS CRS
- The group represents healthcare professionals with prolonged experience of *implementing* new health technologies. Ann Jacklin and James Paton have over 20 years experience each of implementing cutting edge technologies and are widely known as early adopters in secondary care.
- Through Ann Jacklin and Charles Vincent on the Project Steering Group and Lord Darzi and Susan Osborne on the Project Advisory group, we already enjoy excellent relationships with Imperial College Healthcare NHS Trust, which will be one of the first-wave adopters of NHS CRS (starting with St Mary's Hospital, followed by Hammersmith Hospital and then Charring Cross Hospital)
- We are aware and indeed expect that the unpredictability of such a large scale intervention may result in changing implementation efforts, which in turn may result in the need to, after careful liaison with NHS CFH and NHS CFHEP, to adapt our proposal. We are, however, confident that we collectively have the skills and experience to manage any such changes both effectively and efficiently.

7.1 Team members

Aziz Sheikh is an experienced epidemiologist, Professor of Primary Care Research and Development at the University of Edinburgh, GP by background and presently an Honorary Consultant Allergist at the Royal Hospital for Sick Children, Edinburgh. He has extensive experience of a range of quantitative and qualitative research architectures. He and his team have recently completed a systematic overview of the literature as part of the Connecting for Health Evaluation Programme (NHS CFHEP 001) and he is currently grant holder on the PINCER (**P**harmacist-led IT-based **i**ntervention compared with simple feedback in reducing rates of clinically important medication **e**rrors in medicines management) trial (). He has considerable experience with evaluating complex interventions and is currently a co-PI on a National Cancer Research Institute programme grant, which has its specific focus on the design, developments and evaluation of complex interventions. He, furthermore, currently leads a complex intervention trial funded by the Medical Research Council/National Preventative Research Institute and is a co-investigator on another complex intervention cluster randomised controlled trial funded by the same funders. **Kathrin Cresswell** is a medical psychologist with an interest in safety; she is currently employed as a qualitative researcher on two studies funded by the Patient Safety Research Programme. **Bernard Fernando** is a GP in Kent with a particular interest in medical informatics and an Honorary Clinical Research Fellow at the University of Edinburgh. He has contributed to a number of academic studies and reviews investigating the role of IT in

improving patient safety. **Robin Prescott** is also based in Edinburgh, where he is a medical statistician and Professor of Health Technology Assessment. He is the trial statistician on the PINCER trial. He has over 30 years experience with designing and analysing data from clinical trials. He is co-author of a book on mixed models, which is the technique used for efficient analysis of cluster randomised trials, as well as over 300 other scientific publications. All of the Edinburgh team will have ready access to the Edinburgh eScience Centre and the University wide multi-disciplinary eHealth Network.

Anthony Avery is Professor of Primary Health Care at the University of Nottingham where he also heads the Division of Primary Care. He has over 13 years experience of research into prescribing and medicines management and is PI on the PINCER trial. In particular he has focused on the role of IT in error prevention. Recent work for the NPSA has identified a number of important flaws in the safety features of GP computer systems and many of Professor Avery's recommendations have been accepted by the NPSA and incorporated into the NPfIT. **Rachel Elliott** is Lord Trent Professor of Medicines and Health at the University of Nottingham. She is an experienced health economist having worked on a range of projects and primary and secondary care settings, including the PINCER trial and is together with Professor Avery a co-investigator on NHS CFHEP 004.

Nicholas Barber is Professor of the Practice of Pharmacy and Head of the Department of Practice and Policy at the School of Pharmacy, University of London. He is also Visiting Professor in Patient Safety at Harvard Medical School. He has extensive experience in evaluating IT systems in healthcare settings. He led a joint MRC/EPSRC research network on the use of technology to improve Patient Safety (with Cornford, Jacklin and Avery) and developed (with Cornford and Jacklin) for the NPSA a methodology to evaluate prescribing systems in secondary care. He has recently secured funding (with Avery, Elliott and Cornford) as PI on NHS CFHEP 004 evaluating the impact of the Electronic Transmission of Prescriptions.

Tony Cornford, who is co-investigator on NHS CFHEP 004, is a Senior Lecturer in Information Systems at the London School of Economics and has wide-ranging experience in evaluating IT-based interventions in healthcare. From this work he has, in collaboration with his colleagues, developed the Cornford framework that we propose to use in our evaluation.

James Paton is a consultant Microbiologist at the Queens Hospital in Burton-on-Trent, a hospital which has pioneered computerisation of many of its clinical functions. He has worked with the NPfIT and based on previous local experiences of implementing an EHR system will provide a valuable clinical secondary care perspective.

Charles Vincent is a psychologist and Professor of Clinical Safety Research Division of Surgery, Oncology, Reproductive Biology and Anaesthetics at Imperial College London where he heads up the NHS' National Institute of Health Research's National Centre for NHS Patient Safety and Service Quality. This has a focus on safety, quality, resilience and reliability of technology, the effective use of IT and investigating the role of NHS managers and staff in enhancing patient safety. **Ann Jacklin** is the Chief

Pharmacist Hammersmith Hospitals NHS Trust and has considerable experience in implanting, running and evaluating IT systems in hospital settings. She is Chair of the UK Teaching Hospital Pharmacists Association and a joint programme lead in the National Centre for NHS Patient Safety and Service Quality at Imperial College Healthcare Trust.

In summary, this proposal brings together a team of experienced academics and clinicians with a substantial track record of collaboratively undertaking implementation and evaluation of IT interventions in healthcare settings. Given our previous successful experiences, and past history of working together, we are confident that we will be able to undertake this evaluation on time and within budget. The basing of research staff within four recognised UK centres of excellence in eHealth will have the additional benefit of promoting significant capacity building in this nascent field throughout the UK.

7.2 Roles of staff employed by the grant

7.2.1 Study Co-ordinator (Edinburgh)

Kathrin Cresswell will be the full-time study co-ordinator where she will work under the direct supervision of Professor Sheikh. Her responsibilities will consist of the day-to-day co-ordination of all aspects of the evaluation, these including:

- Managing communications and meetings of the Project Steering Group, Project Management Group, Project Advisory Board and Independent Project Steering Committee (see below)
- Regular liaison with the clinical co-ordinator and study researchers
- Supporting local teams with data collection and trouble-shooting on as needed basis
- Overall responsibility of Work package 2
- Developing and maintaining an overall project database to help ensure that all activities are completed according to plan
- Contributing to the writing of interim and final project reports.

We believe that it is essential to have a co-ordinator in order to ensure the smooth and successful running of the study, particularly as the proposed research team is large and geographically scattered.

7.2.2 Clinical Co-ordinator and Interface with NHS CFH (Edinburgh/London)

Dr Bernard Fernando will be a (part-time) Clinical Co-ordinator of this evaluation. His day-to-day responsibilities in relation to the management of the project will include:

- Resolving anxieties, fears and concerns about the proposed sampling by discussion with the clinicians
- Providing relevant clinical context and insight into the work to the Study Co-ordinator and Research Fellows during data generation and analysis for each of the six work packages
- Take a lead on co-ordinating Work package 6
- Liaising with the Project Advisory Board
- Assessing possible unreliable and missing data by reviewing clinical care pathways.

In addition, Dr Fernando will act as an interface with NHS CFH and specifically the NHS CRS implementation teams, which we believe will be crucial for ensuring a collaborative partnership between our team and NHS CFH throughout the project. Key activities here will include:

- Discussing technical implementation details with NHS CFH, determining any implications to the project and providing timely feedback to the research group
- Co-ordinate the implementation and evaluation timeline
- Providing technology related feedback to NHS CFH
- Act as an expert reviewer of the NHS CRS (technical) and give feedback to the research group
- Organising regular informal and formal feedback meetings for NHS CFH.

Collaboration will also be important in relation to LSP and we therefore further propose Dr Fernando to:

- Collaborate with developers to see if the systems could be modified for ease of data collection
- Design automated data sampling modules in collaboration
- Collaborate to design data extraction reports needed for the evaluation.

Dr Fernando will further contribute to the writing of the project report.

7.2.3 Project Secretary (Edinburgh)

Professor Sheikh, Dr Fernando and Ms Cresswell will be supported in this co-ordinating role by a full-time secretary who will enable clerical tasks to be undertaken without taking up more expensive researcher time. Day-to-day administrative tasks will include:

- Organisation of meetings and minute taking
- Maintain a Web-based electronic diary of trial meetings and other events
- Correspondence with co-ordinators, researchers and all project committees/boards
- Transcription of qualitative data
- Data input to project database
- Maintaining bibliographic database
- Producing study publicity, newsletters etc.

7.2.4 Research Fellow 1/Research Assistant 1 (London School of Economics)

We plan to appoint a full-time Research Fellow at the London School of Economics, who will work in collaboration with Dr Cornford and Dr Klecun on all aspects of data collection and analysis in the Southern region, and will take a specific lead on co-ordinating Work packages 1 (implementation, deployment and organisational learning) and 3 (organisational consequences). The Research Fellow will be supported by a 0.5 WTE Research Assistant during the main data collection phase of this project i.e. months 12-24 and a 0.3 WTE Secretary for the duration of the project. Regular liaison with the Clinical Co-ordinator and the Study Co-ordinator will be central to this work.

7.2.5 Research Fellow 2/Research Assistant 2 (Nottingham)

We seek to appoint a full-time Research Fellow at the University of Nottingham, who will work in collaboration with Professors Avery and Elliott on all aspects of data collection and analysis in the North, Midlands and Eastern region, and will take a specific lead on co-ordinating Work package 4 (assessment of costs of NHS CRS implementation). The team will have weekly meetings locally with the appointed Research Fellow being involved in all aspects of data collection, analysis and write-up in this work package. The Research Fellow will be supported by a 0.5 WTE Research Assistant during the main data collection phase of this project i.e. months 12-24 and a 0.3 WTE Secretary for the duration of the project. Regular liaison with the Clinical Co-ordinator and the Study Co-ordinator will be central to this work.

7.2.6 Research Fellow 3/Reserach Assistant 3 (School of Pharmacy)

We plan to appoint a full-time Research Fellow at the University of London, who will work in collaboration with Professor Barber on all aspects of data collection and analysis in the London region, and will take a specific lead on co-ordinating Work package 5 (assessing error, safety and quality of care). They will have weekly meetings locally with the appointed research fellow being involved in all aspects of data collection, analysis and write-up of Work package 5. The Research Fellow will be supported by a 0.5 WTE Research Assistant during the main data collection phase of this project i.e. months 12-24 and a 0.3 WTE Secretary for the duration of the project. Regular liaison with the Clinical Co-ordinator and the Study Co-ordinator will be central to this work.

8. PROJECT MANAGEMENT AND RESEARCH GOVERNANCE

We have given considerable thought to the issue of project management and governance and are, particularly in view of the complexity of the intervention and proposed evaluation, very receptive to NHS CFH's advice in this respect. Whilst the exact shape and form of the Project Steering Group, Project Management Group, Local Project Teams, Project Advisory Board and Independent Project Steering Committee are to an extent likely to need to vary in response to issues that arise in the context of different stages of the evaluation, we believe we have an overall structure that will ensure robust local and overall management and which will also allow independent monitoring by the Independent Project Steering Committee, the exact membership of which will be discussed and agreed with NHS CFH. Please find our preliminary project management and governance plans outlined below.

8.1 Project Steering Group

We will convene a Project Steering Group, chaired by Professor Sheikh and comprising all co-applicants to oversee the effective running of this evaluation. This Group will convene on average quarterly for face-to-face meetings and will collectively be responsible for the governance of this project.

8.2 Project Management Group

A Project Management Group, consisting of Professors Sheikh, Avery, Barber, Doctors Cornford and Fernando as well as Ms Cresswell will meet every six weeks by video-conference. This will help to ensure that all evaluation activities are organised and within the timescales set out in the protocol.

8.3 Local Project Teams

Professor Sheikh will have responsibility for the overall day-to-day management of the project. Professor Sheikh will also head the Project Management Group (see below) and will oversee Work packages 2 (Attitudes, expectations and experiences of stakeholders) and 6 (Organisational consequences and implications for future IT deployments and evaluations), which will be co-ordinated from the University of Edinburgh.

Dr Cornford will have overall responsibility for the conduct of the evaluation in the Southern area and for ensuring the overall success of Work packages 1 (Implementation, deployment and organisational learning) and 3 (Organisational consequences) which will be run from the London School of Economics.

Professor Avery will have overall responsibility for the conduct of the evaluation in the North/Midlands/Eastern area and for ensuring the success of Work package 4 (assessment of costs of NHS CRS implementation), which will be co-ordinated by the University of Nottingham.

Professor Barber will have overall responsibility for the conduct of the evaluation in the London area and for ensuring the success of Work package 5 (Assessing error, safety and quality of care) which will be co-ordinated by the School of Pharmacy.

Day-to-day co-ordination of activities will be the responsibility of the:

- Study Co-ordinator (for overall evaluation activities and the conduct of the project)
- Clinical Co-ordinator to provide day-to-day clinical input and liaise on a regular basis with NHS CFH and NHS CFHEP
- Research staff employed by the London School of Economics, who will be working with Dr Cornford
- Research staff employed by the University of London, who will be working with Professor Barber
- Research staff employed by the University of Nottingham, who will be working with Professor Avery.

The Project Co-ordinator and the Research Fellows will have monthly video-conferences and local project teams will meet weekly at their individual sites. In addition the staff at the London School of Economics and School of Pharmacy will work closely as the two groups are only 20 minutes walk apart.

8.4 Project Advisory Board

A NHS CFH Project Advisory Board will be set up with the specific remit to act as a wider resource to keep the team abreast of important policy and strategic developments, concerns and opportunities in relation to NHS CFH and more specifically NHS CRS considerations that will be relevant to the evaluation.

Individuals who have already kindly agreed to be part of this Group include:

- Susan Osborne (NHS CFH National Clinical Lead for Nursing)
- Dr Simon Eccles (NHS CFH National Clinical Lead for Hospital Doctors)
- Marlene Winfield (NHS CFH National Patient Lead)
- Dr Dipak Kalra (Clinical Senior Lecturer in the Centre for Health Informatics and Multi-professional Education at University College London - health informatician with particular expertise in electronic health records)
- Professor Jeremy Wyatt (Head of Medical Informatics at the University of Dundee and a member of the NHS CFHEP Programme Advisory Board)
- Professor Lord Sir Ara Darzi (Professor of Surgery at Imperial College)
- Professor Trisha Greenhalgh (University College London and PI on evaluating early adopters of the SCR)
- Jo Partington (Head of Therapies, Imperial College Healthcare NHS Trust)
- Steve Morris (Finance Director, Imperial College Healthcare NHS Trust)
- Professor Peter Sprivulis (Project Lead, Benefits Realisation Study, National E-Health Transition Authority, Australia).
- Sir Muir Gray (Director of the National Knowledge Service)
- Yvonne Pettigrew (NHS CFH National Clinical Lead for Allied Health Professionals and Head of Therapy Services at the University Hospital Birmingham NHS Foundation Trust)

Others who have been approached and who will we hope be joining the Board include:

- Mr Steve Jones (Vascular surgeon, Taunton and Somerset NHS Trust).

We also plan to approach the following:

- Professor Nancy Lorenzi (President of the International Medical Informatics Association and Professor of Biomedical Informatics)
- Professor Michael Kidd (Chair of the World Organization of National Colleges, Academies and Academic Associations of General Practitioners and Family Physicians Working Party on Informatics)
- Dr Paul Cundy, Joint GP IT Committee Chairman, British Medical Association

This will be a largely virtual policy and information sharing group that will convene formally once in the early stages of the project and on an ad-hoc basis thereafter as needed. The Programme Advisory Board will be encouraged to advise on strategically broadening membership to ensure we have input from a full range of relevant disciplines, professional viewpoints and organisational contexts. Since this will largely be a virtual group, we envisage expanding this with local key informants as and when the opportunity arises. For example, we have ready access to a number of health informaticists through the University of Edinburgh's eHealth Group.

8.5 Independent Project Steering Committee

We propose to set up an Independent Project Steering Committee, which will meet six monthly by tele conference to provide independent impartial advice on how the work is progressing. As potential members we propose:

- Professor David Bates as the chair (Professor of Medicine, Harvard Medical School)
- Professor Martin Buxton (Professor of Health Economics at Brunel University)
- Anthony Chutter as a patient representative
- Professor Michael Thick representing NHS CFH/NHS CRS implementation team
- Professor Richard Lilford and Jo Foster representing NHS CFHEP.

We plan to discuss this proposed membership with NHS CFH and NHS CFHEP and obtain suggestions on possible additional/alternative members before formally inviting participation in this Committee. We will be very happy to formally bring additional health expertise onto either the Independent Project Steering Committee as and when the need arises.

9. DISSEMINATION STRATEGY

Effective communication and sharing of our findings will be key to our efforts. We recognise the potential sensitive nature of this evaluation and we will therefore, at an early stage, agree the principles of a dissemination strategy with the funders. We anticipate that this will include the following dimensions:

- Regular feedback to NHS CFH, NHS CFHEP and, in particular, the NHS CRS clinical and technical implementation teams, primarily through the Clinical Co-ordinator, but also through the Project Advisory Board
- Regular feedback to participating hospitals/teams in each of the three geographical implementation clusters, through the local research teams
- Academic presentations and publications through presenting at learned conferences and writing in peer-review journals
- Preparing summary articles for publication in professional journals
- Maintaining a project website which will be accessible to the general public
- Ensuring sharing of relevant information between different NHS CFHEP commissioned projects, both through attending NHS CFHEP Advisory Board meetings, but also more specifically through sharing relevant insights obtained from NHS CFHEP 001 extension (PI Aziz Sheikh), NHS CFHEP 002 (PI Trisha Greenhalgh) and NHS CFHEP 004 (PI Nick Barber).

10. JUSTIFICATION OF RESOURCES

This is a complex multi-faceted evaluation, which is to be conducted across England. We have accordingly developed a costing model for the co-ordinating centre (Edinburgh) and devolved costings for the three collaborating universities (London School of Economics, School of Pharmacy and University of Nottingham) that will be undertaking field work in the three geographical regions in which NHS CRS is being implemented.

10.1 Grant-holders

Funds are requested for appropriate proportions of academic grant-holders time to allow them to co-ordinate the project overall (AS), oversee local data collection and analysis (TC, NB and TA) and undertake the statistical (RP) and health economic (RE) analyses. It is in addition extremely important that we draw on the experiences of other key academics and healthcare professionals with relevant expertise and so modest costs are requested to cover their time (AJ, CV and JP).

10.2 Edinburgh

We seek to appoint a full-time Study Co-ordinator for the duration of the project, who will in addition to servicing the day-to-day management of this project and co-ordinating between sites, will be responsible for leading Work package 2. In addition, we seek to appoint a part-time Clinical Co-ordinator with an established interest in medical informatics to be based in the NHS CFH offices so as to ensure the project team is kept abreast of important developments and facilitate two-way communication; he will in addition be responsible for leading Work package 6. We also seek support for a full-time Research Secretary, who will support all project meetings, data transcribing and day-to-day activities relating to this project.

Non-staff costs include PCs, essential software, a budget to service and for travel to the Steering Group, Independent Project Steering Committee and Project Advisory Board meetings and video-conferencing equipment to enable regular 'face-to-face' contact with the local research teams (the London School of Economics, School of Pharmacy and University of Nottingham already have such equipment). We also request funds for literature retrieval, developing and maintaining the project database, a dissemination budget, this being viewed holistically as including travel to visit local hospitals and meet with the NHS CFH team on as needed basis as well as the usual academic dissemination activities.

10.3 London School of Economics

We seek to appoint a full-time Research Fellow who will take a lead on Work packages 1 and 3, who will, during the main period of field work, be supported by a part-time Research Assistant. We also seek funds for a part-time local secretary to provide essential administrative support and help with transcribing data.

No-staff costs include a PC, essential software, a speakerphone (Edinburgh already has this), an incentive budget to stimulate and support local data collection, and travel costs to undertake field work throughout the Southern implementation area.

10.4 School of Pharmacy

We seek to appoint a full-time Research Fellow who will take a lead on Work package 5, who will, during the main period of field work, be supported by a part-time Research Assistant. We also seek funds for a part-time local secretary to provide essential administrative support and help with transcribing data.

No-staff costs include a PC, essential software, a speakerphone, an incentive budget to stimulate and support local data collection, and travel costs to undertake field work throughout London.

10.5 University of Nottingham

We seek to appoint a full-time Research Fellow who will take a lead on Work package 4, who will, during the main period of field work, be supported by a part-time Research Assistant. We also seek funds for a part-time local secretary to provide essential administrative support and help with transcribing data.

No-staff costs include a PC, essential software, a speakerphone, an incentive budget to stimulate and support local data collection, and travel costs to undertake field work throughout the North, Midlands and Eastern region.

10.6 Project Advisory Board

Given the complexity of the implementation and evaluation, we believe it is important that we draw on the expertise of a wider grouping of policy leads, clinicians and researchers and so we seek funds to support an initial meeting of this Board, regular subsequent tele-conferences and the funds needed to allow for a limited number of additional face-to-face meetings if needed; we also plan to offer a small honoraria as a token of appreciation for their time/expenses incurred.

10.7 Independent Project Steering Committee

Based on successful previous experiences, we envisage that this Committee will in the main convene by international conference call and an appropriate budget is requested to cover the costs of these meetings, with some contingency funds for a limited number of face-to-face meetings should these be requested by the Chair.

11. REFERENCES

- (1) Institute of Medicine. Crossing the Quality Chasm: A New Health System for the 21st Century.
- (2) Klein R. Britain's National Health Service revisited. *N Engl J Med* 2004; 350(9):937-942.
- (3) Institute of Medicine. To Err Is Human: Building a Safer Health System. 1999. Washington, DC, National Academy Press.
- (4) Institute of Medicine. Preventing Medication Errors. 2007. Washington DC, National Academy Press.
- (5) Institute of Medicine. Patient Safety: Achieving a New Standard for Care. 2003. Washington DC, National Academy Press.
- (6) Department of Health. An organisation with a memory. 2000. London, HMSO.
- (7) Department of Health. The NHS Improvement Plan : Putting people at the heart of public services. 2004. London, Department of Health.
- (8) Department of Health. The NHS plan: a plan for investment, a plan for reform. 2000. London, Department of Health.
- (9) Reason J. Human error: models and management. *BMJ* 2000; 320(7237):768-770.
- (10) Department of Health. Information for health an information strategy for the modern NHS. http://www.dh.gov.uk/en/PublicationsAndStatistics/LettersAndCirculars/HealthServiceCirculars/DH_4005016 (last accessed 17/12/07). 1998. London, Department of Health.
- (11) National Institute of Clinical Excellence. National Institute of Clinical Excellence Website. <http://www.nice.org.uk/> (last accessed 10/01/08). 2008.
- (12) National Patient Safety Agency. National Patient Safety Agency Website. <http://www.npsa.nhs.uk/> (last accessed 10/01/08). 2008.
- (13) Department of Health. Building the Information Core: Implementing the NHS Plan. 2001. London, Department of Health.
- (14) Department of Health. Delivering the NHS Plan: next steps on investment, next steps on reform. 2002. London, Department of Health.
- (15) Department of Health. Delivering 21st century IT support for the NHS: national strategic programme. 2002. London, Department of Health.
- (16) House of Commons Health Committee. The Electronic Patient Record. 2007. London, The Stationery Office.
- (17) NHS Connecting for Health. NHS Connecting For Health Website. <http://www.connectingforhealth.nhs.uk/> (last accessed 10/01/08). 2008.
- (18) Healthcare Information and Management Systems Society. <http://www.himss.org/ASP/index.asp> (last accessed 18/12/07). 2007.
- (19) AHRQ. Costs and Benefits of Health Information Technology. Evidence Report/Technology Assessment Number 132. AHRQ Publication No.06-E006. 2006.
- (20) Clamp S, Keen J. The value of electronic health records: a literature review. 2005. University of Leeds, Yorkshire Centre for Health Informatics.

- (21) Delpierre C, Cuzin L, Fillaux J, Alvarez M, Massip P, Lang T. A systematic review of computer-based patient record systems and quality of care: more randomized clinical trials or a broader approach? *Int J Qual Health Care* 2004; 16(5):407-416.
- (22) Hogan WR, Wagner MM. Accuracy of Data in Computer-based Patient Records. *J Am Med Inform Assoc* 1997; 4(5):342-355.
- (23) Jordan K, Porcheret M, Croft P. Quality of morbidity coding in general practice computerized medical records: a systematic review. *Fam Pract* 2004; 21(4):396-412.
- (24) Poissant L, Pereira J, Tamblyn R, Kawasumi Y. The impact of electronic health records on time efficiency of physicians and nurses: A systematic review. *Journal of the American Medical Informatics Association* 2005; . 12(5).
- (25) Thiru K, Hassey A, Sullivan F. Systematic review of scope and quality of electronic patient record data in primary care. *BMJ* 2003; 326:1-5.
- (26) Anandan C, Black A, Car J, Cresswell K, Pagliari C, McKinstry B et al. The Impact of eHealth on the Quality & Safety of Healthcare - A systematic overview and synthesis of the literature. Report for the NHS Connecting for Health Evaluation Programme (in press). 2008.
- (27) NHS Connecting for Health. NHS Care Records Service. <http://www.nhscarerecords.nhs.uk/nhs> (last accessed 17/12/07). 2007.
- (28) NHS Connecting for Health. Healthspace homepage. <https://www.healthspace.nhs.uk/default.aspx> (last accessed 17/12/07). 5-12-2007.
- (29) NHS Connecting for Health. Spine Factsheet. <http://www.connectingforhealth.nhs.uk/resources/systserv/spine-factsheet> (last accessed 17/12/07). 2007.
- (30) NHS Connecting for Health. N3 The National Network <http://www.connectingforhealth.nhs.uk/systemsandservices/n3> (last accessed 17/12/07). 2007.
- (31) NHS Connecting for Health. The Personal Demographics Service. <http://www.connectingforhealth.nhs.uk/systemsandservices/demographics/pds> (last accessed 17/12/07). 2007.
- (32) NHS Connecting for Health. Picture Archiving and Communication Systems. <http://www.connectingforhealth.nhs.uk/systemsandservices/pacs> (last accessed 10/01/08). 2008.
- (33) NHS Connecting for Health. Secondary Uses Service. <http://www.connectingforhealth.nhs.uk/systemsandservices/sus/> (last accessed 17/12/07). 2007.
- (34) NHS Connecting for Health. Programmes for IT. <http://www.connectingforhealth.nhs.uk/itprogrammes> (last accessed 17/12/07). 2007.
- (35) NHS Connecting for Health. The NHS Care Records Service Guide to Planning and Preparation. http://www.connectingforhealth.nhs.uk/itprogrammes/london/docs/crs_planning_and_preparation.pdf?searchterm=Compliance+Status+Report+ (last accessed 10/01/08). 2005.
- (36) NHS Connecting for Health. Step by Step Towards the Future. The 'R Series' Release Map Leading Towards a Cerner Millennium® Solution for Acute Trusts.

- http://www.connectingforhealth.nhs.uk/london/acute/Acute_Step_by_Step.pdf (last accessed 28/01/08). 2007.
- (37) NHS Health Informatics Service. IM&T Plan Outline (personal communication). 2007.
- (38) NHS Connecting for Health, Con. Early adopter PCTs. <http://www.nhsconnect.nhs.uk/early-adopter-programme> (last accessed 10/01/08). 2008.
- (39) eHealth Insider. Queen Mary's Sidcup goes live with Cerner. http://www.e-health-insider.com/News/3182/queen_mary's_sidcup_goes_live_with_cerner (last accessed 28/01/08). 2007.
- (40) eHealth Insider. Taunton go-live with Cerner Millennium. http://www.e-health-insider.com/news/3357/taunton_go-live_with_cerner_millennium (last accessed 28/01/08). 2008.
- (41) Ipsos MORI. Ipsos MORI survey. 2005.
- (42) Medix UK. Medix UK plc survey (Q1066) of doctors' views about the National Programme for IT (NPFIT). 2005.
- (43) Greenhalgh T, Robert G, Macfarlane F, Bate P, Kyriakidou O. Diffusion of Innovations in Service Organizations: Systematic Review and Recommendations. *Milbank Q* 2004; 82(4):581.
- (44) Kaplan B. Evaluating informatics applications--clinical decision support systems literature review. *International Journal of Medical Informatics* 2001; 64(1):15-37.
- (45) Heathfield H, Pitty D, Hanka R. Evaluating information technology in health care: barriers and challenges. *BMJ* 1998; 316(7149):1959-1961.
- (46) Klecun E, Cornford T. A Critical Approach to Evaluation. *European Journal of Information Systems* 2005; 14(3):229-243.
- (47) Delpierre C, Cuzin L, Fillaux J, Alvarez M, Massip P, Lang T. A systematic review of computer-based patient record systems and quality of care: more randomized clinical trials or a broader approach? *Int J Qual Health Care* 2004; 16(5):407-416.
- (48) Simmonds R, Taylor A. The Chameleon Project. Understanding the Development, Deployment and Use of Electronic Health Records. 2006.
- (49) Massaro TA. Introducing physician order entry at a major academic medical center: 1. Impact on organizational culture and behaviour. *Acad Med* 1993; 68:20-25.
- (50) Southon G, Sauer C, Dampney K. Lessons from a failed information systems initiative: issues for complex organisations. *Int J Med Inform* 1999; 55(1):33-46.
- (51) Sicotte C, Denis JL, Lehoux P. The Computer Based Patient Record: A Strategic Issue in Process Innovation. *J Med Sys* 1998; 22:431-43.
- (52) Clamp S. South Staffordshire Electronic Record Development and Implementation Project: Final Evaluation Report. <http://www.ychi.leeds.ac.uk/ychi/files/StaffsFinalEval.pdf> (last accessed 10/01/08). 2003.
- (53) Hendy J, Fulop N, Reeves BC, Hutchings A, Collin S. Implementing the NHS information technology programme: qualitative study of progress in acute trusts. *BMJ* 2007; 334(7608):1360.

- (54) NHS Connecting for Health. Contract awarded for evaluation of Summary Care Record early adopter programme. <http://www.connectingforhealth.nhs.uk/newsroom/news-stories/awardofcontract250407> (last accessed 10/01/08). 2007.
- (55) Brown CA, Lilford RJ. The stepped wedge trial design: a systematic review. *BMC Med Res Methodol* 2006; 6:54.
- (56) Brown H, Prescott R. *Applied Mixed Models in Medicine*. 2nd edition ed. Chichester: John Wiley & Son, 2006.
- (57) Pawson R, Tilley N. *Realistic Evaluation*. London: Sage, 1997.
- (58) Lusignan S, Teasdale S. The features of an effective primary care data quality programme. *Healthcare Computing* 2004;95-102.
- (59) Cornford T, Doukidis GI, Forster D. Experience with a structure, process and outcome framework for evaluating and information system.Omega. *Int J Manage Sci* 1994; 22:491-504.
- (60) Donabedian A. The quality of medical care. *Science* 1978; 200(4344):856-864.
- (61) Duffy JR, Hoskins LM. The Quality-Caring Model: blending dual paradigms. *ANS Adv Nurs Sci* 2003; 26(1):77-88.
- (62) Orlikowski WJ. Using Technology and Constituting Structures: A practice Lens for Studying Technology in Organizations. *Organization Science* 2000; 11(4):404-428.
- (63) Cooper RB, Zmud RW. Information Technology Implementation Research: A Technological Diffusion Approach. *Management Science* 1990; 36(2):123-139.
- (64) Kwon TH, Zmud RW. Unifying the Fragmented Models of Information Systems Implementation. In: Boland RJ, Hirschheim RA, editors. *Critical Issues in Information Systems Research*. Chichester: Wiley, 1987: 227-252.
- (65) Walsham G. Implementation. In: Walsham G, editor. *Interpreting Information Systems in Organizations*. Chichester: Wiley, 1993: 210-231.
- (66) Berg M. *Health Information Management*. London: Routledge, 2004.
- (67) Kaplan B. Evaluating informatics applications: some alternative approaches; theory, social interactionism and call for methodological pluralism. *International Journal of Medical Informatics* 2001; 64:39-56.
- (68) Lin L, Cornford T. Sociotechnical perspectives on emergence phenomena. In: Coakes E, Willis D, Lloyd-Jones R, editors. *The New Sociotech: Graffiti on the Long Wall*. Godalming: Springer, 2000: 51-60.
- (69) Cooper RB, Zmud RW. Information technology implementation research: a technological diffusion approach. *Management Science* 1990; 36(2).
- (70) Rogers E. *Diffusion of innovations*. New York: Free Press, 1983.
- (71) Fichman RG, Kemerer CF. The Illusory Diffusion of Innovation:An Examination of Assimilation Gaps. *Information Systems Research* 1999; 10(3):255-275.
- (72) Sicotte C, Denis JL, Lehoux P. The Computer Based Patient Record: A Strategic Issue in Process Innovation. *Journal of Medical Systems* 1998; 22(6):431-443.

- (73) Pyper C, Amery J, Watson M, Crook C. Access to electronic health records in primary care—a survey of patients' views. *Med Sci Monit* 2004; 10(11):SR17-SR22.
- (74) Health Which?, NPfIT. The public view on electronic health records. 2003.
- (75) Shickle D, Carlisle J, Wallace S. Patient Electronic Record, Information and Consent (PERIC)—Public Attitudes to Protection and Use of Personal Health Information. SchHARR Report Series No: 7. 2002. Sheffield, School of Health and Related Research, University of Sheffield.
- (76) NHS Information Authority in conjunction with the Consumers Association and Health Which? Share with care – people's views on consent and confidentiality of patient information. 2002.
- (77) Gadd C, Penrod L. Dichotomy between physicians' and patients' attitudes regarding EMR use during outpatient encounters. *Proc AMIA Symp* 2001;275-279.
- (78) Makoul G, Curry RH, Tang PC. The Use of Electronic Medical Records: Communication Patterns in Outpatient Encounters. *J Am Med Inform Assoc* 2001; 8(6):610-615.
- (79) Gadd CS, Penrod LE. Assessing physician attitudes regarding use of an outpatient EMR: a longitudinal, multi-practice study. *Proc AMIA Symp* 2001;194-198.
- (80) Erstad TL. Analyzing computer based patient records: a review of literature. *J Healthc Inf Manag* 2003; 17(4):51-57.
- (81) Kinninger T, Reeder L. The business case for medication safety. *Healthc Financ Manage* 2003; 57(2):46-51.
- (82) Munir S, Boaden R. Patient empowerment and the electronic health record. *Medinfo* 2001; 10(Pt 1):663-665.
- (83) Checkland P, Poulter J. Application of soft systems methodology to the production of a hospital information and systems strategy. 1994. United Kingdom, HISS Central Team of the NHS Management Executive.
- (84) Christensen CM. *The Innovator's Dilemma. When New Technologies Cause Great Firms to Fail.* Boston: Howard Business School Press, 1997.
- (85) Coiera E. Four rules for the reinvention of health care. *BMJ* 2004; 328(7449):1197-1199.
- (86) Elting LS, Martin CG, Cantor SB, Rubenstein EB. Influence of data display formats on physician investigator's decision to stop clinical trials: prospective trial with retrospective measures. *BMJ* 1999; 318:1527-1531.
- (87) Wyatt j. Same information, difference decisions: format counts. *BMJ* 1999; 318:1501-1502.
- (88) NHS Connecting for Health. Common User Interface Programme. <http://www.cui.nhs.uk/> (last accessed 20/01/08). 2008.
- (89) Greenhalgh T, Robert G, Bate P, Kyriakidou O, Macfarlane F, Peacock R. How to Spread Good Ideas - A systematic review of the literature on diffusion, dissemination and sustainability of innovations in health service delivery and organisation. 2004. Report for the National Co-ordinating Centre for NHS Service Delivery and Organisation R & D (NCCSDO).
- (90) National Library for Health. Protocols & Care Pathways Specialist Library. <http://www.library.nhs.uk/pathways/> (last accessed 20/01/08). 2008.

- (91) National Library for Health. 18 Week Commissioning Pathways. <http://www.18weeks.nhs.uk/public/default.aspx?load=Pathways> (last accessed 20/01/08). 2008.
- (92) Wyatt JC. Clinical data systems, Part 1: Data and medical records. *Lancet* 1994; 344(8936):1543-1547.
- (93) Lewis A. Health informatics: information and communication. *Adv Psychiatr Treat* 2002; 8(3):165-171.
- (94) Brown P. Data quality probes – Exploring and improving the quality of patient electronic patient data and patient care. *International Journal of Medical Informatics* 2002; 68(3):91-98.
- (95) Reeves BC, Fulop N, Hendy J, Hutchings A, Collin S, Priedane E et al. Evaluation of IT modernisation in the NHS: Evaluation of the implementation of the NHS Care Record Service (NCRS) SDO/44/2003. <http://www.sdo.lshtm.ac.uk/sdo442003.html>. Final report under review (last accessed 20/01/08). 2008.
- (96) Bowns IR, Rotherham G, Paisley S. Factors associated with success in the implementation of information management and technology in the NHS. *Health Informatics Journal* 1999; 5(3):136-145.
- (97) Chaudhry B, Wang J, Wu S, Maglione M, Mojica W, Roth E et al. Systematic Review: Impact of Health Information Technology on Quality, Efficiency, and Costs of Medical Care. *Ann Intern Med* 2006;0000605-200605160.
- (98) Barlow S, Johnson J, Steck J. The economic effect of implementing an EMR in an outpatient clinical setting. *J Healthc Inf Manag* 2004; 18(1):46-51.
- (99) Bryan S, Weatherburn G, Buxton M, Watkins J, Keen J, Muris N. Evaluation of a hospital picture archiving and communication system. *Journal of Health Services Research and Policy* 1999; 4(4):204-209.
- (100) Friedman CP, Wyatt JC. *Evaluation Methods in Medical Informatics*. USA: Springer-Verlag, 1997.
- (101) Barber N, Franklin BD, Cornford T, Klecun E, Savage E. Safer, Faster, Better? Evaluating Electronic Prescribing. 2006. London, Policy Research Programme of the Department of Health. Report to the Patient Safety Research Programme.
- (102) Bryan S, Weatherburn G, Buxton M, Watkins J, Keen J, Muris N. Evaluation of a hospital picture archiving and communication system. *Journal of Health Services Research and Policy* 1999; 4(4):204-209.
- (103) Dean B, Schachter M, Vincent C, Barber N. Causes of prescribing errors in hospital inpatients: a prospective study. *Lancet* 2002; 359(9315):1373-1378 .
- (104) Howard RL, Avery AJ, Howard PD, Partridge M. Investigation into the reasons for preventable drug related admissions to a medical admissions unit: observational study. *Qual Saf Health Care* 2003; 12(4):280-285.
- (105) Witherington EMA, Pirzada OM, Avery A. Communication gaps and readmissions to hospital for patients aged 75 years and older: observational study. *Qual Saf Health Care* 2008; (in press).
- (106) National Institute for Health and Clinical Excellence, National Patient Safety Agency. Technical patient safety solutions for medicines reconciliation on the admission of adults to hospital. NICE

patient safety guidance PSG00.
<http://www.nice.org.uk/patientsafety/index.jsp?action=pilot&o=11897> (last accessed 28/01/08).
2007.

- (107) Vincent C, Neale G, Woloshynowych M. Adverse events in British hospitals: preliminary retrospective record review. *BMJ* 2001; 322(7285):517-519.
- (108) Koppel R, Metlay JP, Cohen A, Abaluck B, Localio AR, Kimmel SE et al. Role of Computerized Physician Order Entry Systems in Facilitating Medication Errors. *JAMA: The Journal of the American Medical Association* 2005; 293(10):1197-1203.
- (109) Casey S. *Set Phasers to stun and other true tales of design, technology and human error*. Santa Barbara, CA: Aegean, 1998.
- (110) MacKenzie D. *Computer-related accidental deaths*. Cambridge: Mass MIT Press, 1996.
- (111) Dobrzanski S, Hammond I, Khan G, Holdsworth H. The nature of hospital prescribing errors. *British Journal of Clinical Governance* 2002; 7:187-193.
- (112) Tam VC, Knowles SR, Cornish PL. Frequency, tide and clinical importance of medication history errors at admission to hospital: a systematic review. *CMAJ* 2005; 173:510-515.
- (113) Elder NC, Hickner J. Missing clinical information: the system is down. *JAMA* 2005; 293(5):617-619.
- (114) Smith PC, Araya-Guerra R, Bublitz C, Parnes B, Dickinson LM, Van Vorst R et al. Missing Clinical Information During Primary Care Visits. *JAMA: The Journal of the American Medical Association* 2005; 293(5):565-571.
- (115) Cram P, Rosenthal GE, Ohsfeldt R, Wallace RB, Schlechte J, Schiff GD. Failure to recognize and act on abnormal test results: the case of screening bone densitometry. *Jt Comm J Qual Patient Saf* 2005; 31(2):90-97.
- (116) Edelman D. Outpatient diagnostic errors: unrecognized hyperglycemia. *Eff Clin Pract* 2002; 5(1):11-16.
- (117) Poon EG, Haas JS, Louise PA, Gandhi TK, Burdick E, Bates DW et al. Communication factors in the follow-up of abnormal mammograms. *J Gen Intern Med* 2004; 19(4):316-323.
- (118) Poon EG, Gandhi TK, Sequist TD, Murff HJ, Karson AS, Bates DW. "I Wish I Had Seen This Test Result Earlier!": Dissatisfaction With Test Result Management Systems in Primary Care. *Arch Intern Med* 2004; 164(20):2223-2228.
- (119) Schiff GD, Aggarwal HC, Kumar S, McNutt RA. Prescribing potassium despite hyperkalemia: medication errors uncovered by linking laboratory and pharmacy information systems. *Am J Med* 2000; 109(6):494-497.
- (120) Shapiro JS, Kannry J, Kushniruk AW, Kuperman G, The New York Clinical Information Exchange (NYCLIX) Clinical Advisory Subcommittee. Emergency Physicians' Perceptions of Health Information Exchange. *J Am Med Inform Assoc* 2007; 14(6):700-705.
- (121) Forster AJ. Discharging patients: moving beyond neglect to action. <http://www.saferhealthcare.org.uk/IHI/Topics/GroundsforAction/Features/DPMovingBeyondNeglectToAction.htm> (last accessed 28/01/08). 2006.

- (122) Department of Health. National Service Framework for Older People. 2001. London, Department of Health.
- (123) Royal College of Physicians. Draft RCP record keeping standards – inpatients (version 5.0). http://hiu.rcplondon.ac.uk/clinicalstandards/recordsstandards/draft_std_5-0.asp (last accessed 28/01/08). 2003.
- (124) Forster AJ, Murff HJ, Peterson JF, Gandhi TK, Bates DW. The Incidence and Severity of Adverse Events Affecting Patients after Discharge from the Hospital. *Ann Intern Med* 2003; 138(3):161-167.
- (125) Forster AJ, Clark HD, Menard A, Dupuis N, Chernish R, Chandok N et al. Adverse events among medical patients after discharge from hospital. *CMAJ* 2004; 170(3):345-349.
- (126) Royal College of Physicians. Draft RCP record keeping standards - inpatients. Audit form. http://hiu.rcplondon.ac.uk/clinicalstandards/recordsstandards/template_audit.doc (last accessed 28/01/08). 2003.
- (127) Garg AX, Adhikari NKJ, McDonald H, Rosas-Arellano MP, Devereaux PJ, Beyene J et al. Effects of Computerized Clinical Decision Support Systems on Practitioner Performance and Patient Outcomes: A Systematic Review. *JAMA: The Journal of the American Medical Association* 2005; 293(10):1223-1238.
- (128) Kawamoto K, Houlihan CA, Balas EA, Lobach DF. Improving clinical practice using clinical decision support systems: a systematic review of trials to identify features critical to success. *BMJ* 2005; 330(7494):765.
- (129) Zerhouni EA. Translational and clinical science--time for a new vision. *N Engl J Med* 2005; 353(15):1621-1623.
- (130) Heathfield H, Hudson P, Kay S, Mackay L, Marley T, Nicholson L et al. Issues in the multi-disciplinary assessment of healthcare information systems. *Information Technology & People* 1999; 12:253-275.
- (131) eHealth Insider. Full Lorenzo benefits expected 2012. http://www.e-health-insider.com/news/3427/full_lorenzo_benefits_expected_2012(last accessed 01/02/08). 2008.
- (132) Blumenthal D, Glaser JP. Information technology comes to medicine. *N Engl J Med* 2007; 356(24):2527-2534.

Interview Guides

The following guides can be used for interviewing implementation team members and healthcare professionals. The guides include themes to be discussed rather than specific questions (although some specific questions are presented here as examples). We anticipate that these themes will be modified depending on the interviewee's job role as well as the flow of the interview. Please note that questions marked T2 indicate themes that emerge from the first period of data collection.

Interview Guide for Members of the Implementation Team

Interviewee's Background:

- Current position in the organisation
- Relation to CRS

Background to the current status of CRS:

- Software
- Release
- Functionality being used & future upgrades [T2]
- Location of use and users (ward, clinics, departments etc)
- Previous systems that CRS software replaced and other current systems
 - What systems did you have prior to CRS? What for?
 - Are there any systems in place for patient management, like vital sign monitoring; or is there going to be?
 - What is the level of integration of existing systems, together and with CRS[T2]

Implementation/Adoption:

- Decisions that were made (Who? What criteria?)
 - What were the reasons behind CRS/moving to Cerner/Rio/Lorenzo
 - The way the business case was prepared; who participated, how approved? And changes to that?
- Who involved in implementation (groups and people)
 - IT literacy
- How
 - Steps that were followed
 - Methodology
 - Factors that influenced the implementation process (e.g. history, delays)
 - Changes in the implementation strategy [T2]
 - Issues of local configuration
- When (timeline)
- Incentives offered or given
- Resources used(human resources, financial)
 - Changes in resources [T2]

- Training provided and ongoing support
 - The method for training, real data or virtual – right software version? Was any material provided? Who provided, What form?
 - What is the Trust's strategy for new staff who need to use CRS? Training, induction, smartcard, etc.
- Management of data.
 - Where are data kept and how are they managed? [T2]
- Collaboration within the organisation and across organisations:
 - Software developer- LSP- CfH- Trust:
 - Interests (differences and similarities)
 - Mechanisms to encourage collaboration; how do you work together?
 - Issue management process (who, how, what problems, mechanisms to resolve problems, examples of issues) [T2]
 - Teething, current and ongoing problems
 - What might be done differently?
 - Awareness and Views about the contract
 - Changes in the level of involvement of each organisation [T2]
 - Early Adopters
 - Feelings for being EA
 - Mechanisms to facilitate collaboration among EA
 - Lessons learned as used as input; as provided as output
 - What can & cannot be learned & why?) [T2]

Consequences of CRS on:

- Quality of Healthcare
- For Patients & patient pathways
- Healthcare professionals
- Trust (management, strategy)
- Local Community
 - Connection to and collaboration with health economy (GPs and PCTs) [T2]
- Changes in your expectations [T2]

Perceptions

- CRS in the future (local and national level)
- What would you do differently?
- Is it necessary?
- Is it worth it
- Benefits realised so far
- What is it all about?
 - Is CRS an end or a means for other changes

Interview Guide for Healthcare Professionals (and other users of the systems)

Note that sections in italic are common with section in Implementation Team Interview Guide.

Interviewee's Background:

- *Current position in the organisation*
- *Relation to CRS*

Background about the current status of CRS:

- *Software*
- *Release*
- *Functionality being used & future upgrades [T2]*
- *Location of use and users (ward, clinics, departments etc)*
- *Previous systems that CRS software replaced and other current systems*
 - *What systems did you have prior to CRS? What for?*
 - *Are there any systems in place for patient management, like vital sign monitoring; or is there going to be?*
 - *What is the level of integration of existing systems, e,g together and with CRS[T2]*

[Some users –mostly the super users- have been involved in the implementation process. In this case, we also use the questions from the Implementation section]

Use of CRS software:

- Previous systems that CRS software replaced
- How the interviewee uses the system
- Changes in the way you use the system [T2]
- Training received and ongoing support
- IT literacy and skills – your own – your team etc.
- Tasks carried out through the system
- Frequency of use/ conditions of use
- Initial, current and ongoing problems and concerns
- Changes that the user would like to see happening in the system
- Role-based access & access to the Spine [T2]

Changes that the system has brought about:

- New tasks that have been added
- Old tasks that have been eliminated
- Same tasks done in a different ways
- Workarounds
- Modes of collaboration with other HCPs

- Modes of interaction with patients
- Preparation of (new) standard operating procedures (T2)

Consequences of CRS on:

- *Quality of Healthcare*
- *For Patients & patient pathways*
- *Healthcare professionals*
- *Trust*
- *Local Community*
 - *Connection to and collaboration with GPs and PCTs [T2]*
- *Changes in your expectations [T2]*

Perceptions

- *CRS in the future (local and national level)*
- *What would you do differently?*
- *Is it necessary?*
- *Is it worth it*
 - *Benefits that you realised so far*
- *What is it all about?*
 - *Is CRS an end or a means for other changes*



Interview Guide for Patients and Carers

The following guides can be used for interviewing patients and/or their carers. The guide includes themes to be discussed rather than specific questions. The interviewer is expected to adjust some of these questions depending for instance on the setting where the interview takes place i.e. waiting rooms, wards and the condition of the patient.

Background:

Patient/Carer

Location of the interview

Specialist/clinic they are seeing

Views:

Personal views about the process and quality of health care they receive (draw upon recent and past experience).

Impression of whether hospitals are paper based, electronic or both. Functions for which paper and technology are being used.

Perceptions about major changes that have taken place in the delivery of health care in the last few years.

Feelings about having an electronic record as opposed to paper record.

Awareness of NHS CRS: source of information and understanding of it.

Expected benefits from electronic records.

Concerns about electronic records (safety, confidentiality etc).

Opportunities that electronic records may provide to patients, healthcare professionals & Trusts.

Impact that CRS may have on their relationship with healthcare professionals.

Interview Guide for representatives of the LSP, Software developers and SHAs

Please note that some themes of this guide may not apply for all LSPs, Software Companies and SHAs due to the different nature of the software or service being provided.

Interviewee's Background:

Job role

Length in service

Implementation:

Challenges that the LSP/Software houses/SHA faces concerning the development and implementation of CRS software

Methodology followed for CRS software development

Testing process: steps, problems reported

Process of addressing issues that Early Adopter sites raise

Strengths and weaknesses of CRS software

Resources LSP has dedicated to early adopter sites

Software outsourcing

Perceptions:

Role of LSP//Software houses/SHA in the programme

Achievements from the adoption of CRS software in early adopter sites

Issues/difficulties they faced from the adoption of CRS software in early adopter sites

Collaboration and communication process between different stakeholders (SHA, CFH, Trusts)

Consequences of the political and economic context on the NPfIT and CRS

Contract: issues and obstacles

Lessons that can be transferred to future implementation sites/practices

Evolution of CRS in the future

Standardization and/or localisation of the implementation process: views, rationale, benefits and disbenefits.

Appendix 5: The concept of a socio-technical evaluation

A socio-technical approach sees the deployment of EHR as concerned fundamentally with technology, people and the organisations they work within. This is in contrast to an approach that privileges one aspect and ignores others, for example, privileging the technology or managerial interests. Socio-technical approaches are traditionally/historically associated with a particular type of systems design in which individual user groups' interests are represented through participative processes, and in which the final shape of a technological solution is able to be negotiated at the time of design. The primary focus in this tradition is on work teams and groups.^{1,2}

The socio-technical perspective has however a broader importance. It allows the policy maker, manager, engaged professional or independent evaluator to balance a concern with technical functionality *per se* with the ways such functionality might be introduced to the organisation, be adopted by user groups and work teams, and the cumulative and integrated consequences that emerge as new socio-technical systems of work are established and stabilised. In the extreme case technical functionality may be there (implemented) but not ever used (adopted), or more subtly it is there but is used in ways that the designer/sponsor did not foresee, with unexpected or unpredictable positive or negative organisational consequences that follow. Thus, the nature of contemporary health care information systems is that they are not essentially shaped in *ex ante* processes of analysis and design, or by package selection. Nor are their consequences clearly apparent at the time of initial implementation. Rather the socio-technical 'working out' of a technology within the work and organisational setting continues over time, perhaps many years, and might be better seen as a set of improvisations or enactments than as any ordered linear path.^{3,4} And it is not just or principally the technology that is 'worked out', but aspects such as the work flow, the team structures, the professional demarcations and even the organisation itself. Hence Coiera's first two rules for the reinvention of health care: 1. Technical systems have social consequences; 2. Social systems have technical consequences.⁵

1. Cherns A. The principles of sociotechnical design. In: Human Relations. Vol 29(8), pp.783-792. p.786, 1976.
2. Mumford E. Systems Design: Ethical Tools for Ethical Change. London: Macmillan, (1996) 1996.
3. Orlikowski W. Improvising Organizational Transformation over Time, Information Systems Research, 1996; 7:1 March pp 63-92.
4. Lin A, Cornford T. Sociotechnical perspectives on emergence phenomena. In E. Coakes, D. Willis, C. Sanger, R. Lloyd-Jones The New Sociotech: Graffiti on the Long Wall, London: Springer, 2000.
5. Coiera E. Four rules for the reinvention of health care. BMJ 2004;328:1197-1199.